

DAFTAR PUSTAKA

- Ahmadi, Z., Senemar, S., Toosi, S., Radmanesh, S., 2015. The Association of Lipoprotein Lipase Genes , HindIII and S447X Polymorphisms With Coronary Artery Disease in Shiraz City. *J Cardiovasc Thorac* 7: 63–67.
- Al-Jafari, A.A., Daoud, M.S., Mobeirek, A.F., Al Anazi, M.S., 2012. DNA polymorphisms of the lipoprotein lipase gene and their association with coronary artery disease in the Saudi population. *Int. J. Mol. Sci.* 13: 7559–7574.
- Alberti, K.G.M.M., Zimmet, P., Shaw, J., 2006. Metabolic syndrome-a new world-wide definition. A Consensus Statement from the International Diabetes Federation. *Diabet. Med.* 23: 469–480.
- Amer, A.K., Moustapha, M.S.Z., El-sobky, M.S., Refaat, S., Negm, H., Abu-elela, M.H., Nowier, S.R., 2010. Hindiii Polymorphism of Lipoprotein Lipase Gene and its Contribution to Coronary Artery Disease in Egyptians. *Aust. J. Basic Appl. Sci.* 4: 6641–6646.
- Ansarimoghaddam, A., Adineh, H.A., Zareban, I., Iranpour, S., HosseinZadeh, A., Kh, F., 2017. Prevalence of metabolic syndrome in Middle-East countries: Meta-analysis of cross-sectional studies. *Diabetes Metab. Syndr. Clin. Res. Rev.* 12: 1–7.
- Arena, R., Guazzi, M., Lianov, L., Whitsel, L., Berra, K., Lavie, C.J., Kaminsky, L., *et al.*, 2015. Healthy lifestyle interventions to combat noncommunicable disease—a novel nonhierarchical connectivity model for key stakeholders: a policy statement from the American Heart Association, European Society of Cardiology, European Association for Cardiovascu. *Eur. Heart J.* 36: 2097–2109.
- Askari, G., Heidari-Beni, M., Mansourian, M., Esmail-Motlagh, M., Kelishadi, R., 2016. Interaction of lipoprotein lipase polymorphisms with body mass index and birth weight to modulate lipid profiles in children and adolescents: the CASPIAN-III Study. *Sao Paulo Med. J.* 134: 121–129.
- Bahadir, O., Unzululu, M., Oguz, A., Bahadir, M.A., 2007. Effects of Telmisartan and Losartan on Insulin Resistance in Hypertensive Patients with Metabolic Syndrome. *Hypertens. Res.* 30: 49–53.
- Beigh, S.H., Jain, S., 2012. Prevalence of metabolic syndrome and gender differences. *Bioinformation* 8: 613–616.

- Bozina, T., Simic, I., Lovric, J., Pecin, I., Jelakovic, B., Sertic, J., Reiner, Z., 2013. Effects of Lipoprotein Lipase and Peroxisome Proliferator-Activated Receptor- γ Gene Variants on Metabolic Syndrome Traits. *Coll.Antropol* 37: 801–808.
- Cornier, M.A., Dabelea, D., Hernandez, T.L., Lindstrom, R.C., Steig, A.J., *et al.*, 2008. The metabolic syndrome. *Endocr. Rev.* 29: 777–822.
- Daoud, M.S., Ataya, F.S., Fouad, D., Alhazzani, A., Shehata, A.I., Jafari, A.A.A.L., 2013. Associations of three lipoprotein lipase gene polymorphisms lipid profiles and coronary artery disease. *Biomed. Reports* 1: 573–582.
- Dominiczak, M.H., Caslake, M.J., 2011. Apolipoproteins: Metabolic role and clinical biochemistry applications. *Ann. Clin. Biochem.* 48: 498–515.
- Duman, B.S., Turkoglu, C., Akpinar, B., Guden, M., Vertii, A., Dak, E., Cagatay, P., Gunay, D., Buyukdevrim, S., 2004. Lipoprotein Lipase Gene Polymorphism and Lipid Profile. *Arch Pathol Lab Med* 128: 869–874.
- Dwipayana, M.P., Suastika, K., Saraswati, I., Gotera, W., Budhiarta, A., Sutanegara, Gunadi, I., Nadha, K.B., Wita, W., Rina, K., Santoso, a, Kajiwarra, N., Taniguchi, H., 2011. Prevalensi Sindroma Metabolik Pada Populasi Penduduk Bali, Indonesia. *J Peny Dalam* 12: 1–5.
- Eckel, R.H., Grundy, S.M., Zimmet, P.Z., 2005. The metabolic syndrome. *Lancet* 365: 1415–1428.
- Fosgate, G.T., 2009. Practical Sample Size Calculations for Surveillance and Diagnostic Interventions. *J. Vet. Diagnostic Investig.* 21: 3–14.
- Francisqueti, F.V., Chiaverini, L.C.T., Santos, K.C. dos, Minatel, I.O., Ronchi, C.B., Ferron, A.J.T, *et al.*, 2017. The role of oxidative stress on the pathophysiology of metabolic syndrome. *Rev. Assoc. Med. Bras.* 63: 85–91.
- Garfinkel, A.S., Schotz, M.C., 1987. Lipoprotein lipase. *Lipoprotein lipase* 335–357.
- Gonzales, A.M., Orlando, R.A., 2007. Role of adipocyte-derived lipoprotein lipase in adipocyte hypertrophy. *Nutr. Metab.* 4: 1–9. doi:10.1186/1743-7075-4-22
- Gosadi, I.M., 2016. Assessment of the environmental and genetic factors influencing prevalence of metabolic syndrome in Saudi Arabia. *Saudi Med. J.* 37: 12–20.
- Gu, B., Zhao, Y., Yang, Z., Li, H., Yu, F., 2013. HinfI Polymorphism in the Lipoprotein Lipase Gene and Hypertensive Intracerebral Hemorrhage in the Chinese Han Population. *J. Stroke Cerebrovasc. Dis.* 1–7.

- Han, T.S., Lean, M.E.J., 2014. Metabolic syndrome. *Med. (United Kingdom)* 43: 80–87.
- Hannon, T.S., Rao, G., Arslanian, S.A., 2005. Childhood Obesity and Type 2 Diabetes Mellitus. *Pediatrics* 116: 473–480.
- Harwood, H.J., 2012. The adipocyte as an endocrine organ in the regulation of metabolic homeostasis. *Neuropharmacology* 63: 57–75.
- Hassinen, M., 2008. Predictors and Consequences of the Metabolic Syndrome Population-based Studies in Aging Men and Women (dissertation). Finland : Univ. Of Kuopio
- Hendawy, A., Hasan, M., Elbaz, R., El-Kannishy, G., Elshaer, S., Settin, A., 2012. Physiological Study of Lipoprotein Lipase Gene Pvu II Polymorphism in Cases of Obesity in Egypt. *Int. J. Zool. Res.* 8: 98–105.
- Holmer, S.R., Hengstenberg, C., Mayer, B., Doring, A., Hannelore Lowel, Engel, U., *et al.*, 2000. Lipoprotein lipase gene polymorphism , cholesterol subfractions and myocardial infarction in large samples of the general population. *Cardiovasc. Res.* 47: 806–812.
- Imeni, M., Hasanzad, M., Naji, T., Poopak, B., Babanejad, M., Sanati, H.R., *et al.*, 2013. Analysis of the association Hind III Polymorphism of Lipoprotein Lipase gene on the risk of coronary artery disease. *Res. Mol. Med.* 1: 18–23.
- Ivenus, P., Brunzell, J.D., 1988. Relationship between Lipoprotein Lipase Activity and Plasma Sex Steroid Levels in Obese Women. *J. Clin. Invest.* 82: 1106–1112.
- Junior, M.C. de A., 2018. Lipoprotein Lipase : A General Review Lipoprotein Lipase : Historical Hallmarks , Enzymatic Activity , Characterization , and Present Relevance in Human Pathophysiology and Therapeutics. *iMedPub Journals* 2: 1–14.
- Kassi, E., Pervanidou, P., Kaltsas, G., Chrousos, G., 2011. Metabolic syndrome: Definitions and controversies. *BMC Med.* 9: 1–13.
- Kaur, J., 2014a. Assessment and Screening of the Risk Factors in Metabolic Syndrome. *Med. Sci.* 2: 140–152.
- Kaur, J., 2014b. A comprehensive review on metabolic syndrome. *Cardiol. Res. Pract.* 1–21.
- Kementerian Kesehatan Republik Indonesia, 2016. Hasil utama riset kesehatan dasar (RISKESDAS) 2018.
- Kim, Y., Lee, M., Jang, Y., GPark, H.K., Yunkyoung, L., 2013. The gene – diet interaction , LPL Pvu II and Hind III and carbohydrate , on the criteria of metabolic syndrome : KMSRI-Seoul Study. *Nutrition* 29: 1115–1121.

- Kisfali, P., Polgár, N., Sáfrány, E., Sümegi, K., Melegh, B.I., Bene, J., Wéber, A., Hetyésy, K., Melegh, B., 2010. Triglyceride level affecting shared susceptibility genes in metabolic syndrome and coronary artery disease. *Curr. Med. Chem.* 17: 3533–3541.
- Klop, B., Elte, J.W.F., Cabezas, M.C., 2013. Dyslipidemia in Obesity: Mechanisms and Potential Targets. *Nutrients* 5: 1218–1240.
- Larson, I., Hoffmann, M.M., Ordovas, J.M., Schaefer, E.J., 1999. The Lipoprotein Lipase Hin dIII Polymorphism: Association with Total Cholesterol and LDL- Cholesterol , but not with HDL and Triglycerides in 342 Females. *Clin. Chem.* 45: 963–968.
- Lee, S., Ko, Y., Kwak, C., Yim, E., 2016. Gender differences in metabolic syndrome components among the Korean 66-year-old population with metabolic syndrome. *BMC Geriatr.* 16: 1–8.
- Lewis, G.F., Rader, D.J., 2005. New insights into the regulation of HDL metabolism and reverse cholesterol transport. *J. Am. Hear. Assoc.* 96: 1221–1232.
- Li, Y. yan, Zhou, Y. hong, Gong, G., Geng, H. yu, Yang, X. xing, Wang, X. ming, Zhou, C. wei, Xu, J., Qian, Y., 2017. LPL gene Pvu II polymorphism and hypertriglyceridemia: A meta-analysis involving 1,640 subjects. *Korean J. Intern. Med.* 32: 1018–1024.
- Li, Y., Zhao, L., Yu, D., Wang, Z., Ding, G., 2018. Metabolic syndrome prevalence and its risk factors among adults in China: A nationally representative cross-sectional study. *PLoS One* 13: 1–16.
- Ma, Y.Q., Thomas, G.N., Ng, M.C.Y., Critchley, J.A.J.H., Chan, J.C.N., Tomlinson, B., Hind, T.G., 2003. Levels in Early-Onset Type 2 Diabetic Patients. *Metabolism* 52: 338–343.
- McCracken, E., Monaghan, M., Sreenivasan, S., 2018. Pathophysiology of the metabolic syndrome. *Clin. Dermatol.* 36: 14–20.
- Mead, J.R., Irvine, S.A., Ramji, D.P., 2002. Lipoprotein lipase: Structure, function, regulation, and role in disease. *J. Mol. Med.* 80: 753–769.
- Merkel, M., Eckel, R.H., Goldberg, I.J., 2002. Lipoprotein lipase : genetics, lipid uptake, and regulation. *J. Lipid Res.* 43: 1997–2006.
- Metelskaya, V.A., Shkolnikova, M.A., Shalnova, S.A., Andreev, E.M., Deev, A.D., Jdanov, D.A., *et al.*, 2012. Prevalence, components, and correlates of metabolic syndrome (MetS) among elderly Muscovites. *Arch. Gerontol. Geriatr.* 55: 231–237.

- Moy, F.M., Bulgiba, A., 2010. The modified NCEP ATP III criteria maybe better than the IDF criteria in diagnosing Metabolic Syndrome among Malays in Kuala Lumpur. *BMC Public Health* 10: 2–6.
- Munoz-Barrios, S., Guzman-Guzman, I.P., Jose Francisco, J.F., Salgado-Bernabe, A.B., Salgado-Goytia, L., Parra-Rojas., 2012. Association of the hindIII and S447X polymorphisms in LPL gene with hypertension and type 2 diabetes in Mexican families. *Dis. Markers* 33: 313–320.
- Nigam, A., Bourassa, M.G., Fortier, A., Guertin, M.C., Tardif, J.C., 2006. The metabolic syndrome and its components and the long-term risk of death in patients with coronary heart disease. *Am. Heart J.* 151: 514–521.
- Nolan, P.B., Carrick-Ranson, G., Stinear, J.W., Reading, S.A., Dalleck, L.C., 2017. Prevalence of metabolic syndrome and metabolic syndrome components in young adults: A pooled analysis. *Prev. Med. Reports* 7: 211–215.
- Nussbaum, R.L., McInnes, R.R., Willard, H.F., 2007. Thompson & Thompson Genetics in Medicine, JAMA.
- O'Neill, S., O'Driscoll, L., 2015. Metabolic syndrome: A closer look at the growing epidemic and its associated pathologies. *Obes. Rev.* 16: 1–12.
- Park, J., Mendoza, J.A., O'Neil, C.E., Hilmers, D.C., Liu, Y., Nicklas, T.A., 2008. A comparison of the prevalence of the metabolic syndrome in the United States (US) and Korea in young adults aged 20 to 39 years. *Asia Pac. J. Clin. Nutr.* 17: 471–482.
- Pereira, L.C.V., Castellanos, C.I.V., Silva Sieger, F.A., 2016. Polymorphisms of the lipoprotein lipase gene as genetic markers for stroke in colombian population: a case control study. *Colomb. Med.* 47: 189–195.
- Pingitore, P., Lepore, S.M., Pirazzi, C., Mancina, R.M., Motta, B.M., Valenti, L., *et al.*, 2016. Identification and characterization of two novel mutations in the LPL gene causing type I hyperlipoproteinemia. *J. Clin. Lipidol.* 10: 816–823.
- Pirim, D., Wang, X., Radwan, Z.H., Niemsiri, V., Hokanson, J.E., Hamman, R.F., Barmada, M.M., Demirci, F.Y., Kamboh, M.I., 2014. Lipoprotein lipase gene sequencing and plasma lipid profile. *J. Lipid Res.* 55: 85–93.
- Povel, C.M., Boer, J.M.A., Feskens, E.J.M., 2011. Shared genetic variance between the features of the metabolic syndrome: Heritability studies. *Mol. Genet. Metab.* 104: 666–669.
- Prasad, D.S., Kabir, Z., Dash, A.K., Das, B.C., 2012. Prevalence and risk factors for metabolic syndrome in Asian Indians: A community study from urban Eastern India. *J. Cardiovasc. Dis. Res.* 3: 204–211.

- Pyun, J., Kim, S., Park, K., Baik, I., Cho, N.H., Koh, I., *et al.*, 2012. Interaction Effects of Lipoprotein Lipase Korean Population : A Cross-sectional Study. *Genomic and informatics* 10: 88–98.
- Ranasinghe, P., Mathangasinghe, Y., Jayawardena, R., Hills, A.P., Misra, A., 2017. Prevalence and trends of metabolic syndrome among adults in the Asia-pacific region: A systematic review. *BMC Public Health* 17: 1–9.
- Reddy, P., Pullareddy, B., Krishna, B.S.R., Murthy, D.K., 2013. ScienceDirect Lipoprotein lipase gene HindIII polymorphism and risk of myocardial infarction in South Indian population. *Indian Heart J.* 2–6.
- Rochlan, Y., Pothineni, N.V., Kovelamudi, S., Mehta Jawahar L., 2017. Vaccine against arteriosclerosis: an update. *Ther. Adv. Vaccines* 11: 215–225.
- Rojas, M.P., Prieto, C., Bermúdez, V., Nava, T.N., Martínez, M.S., Salazar, J., *et al.*, 2017. Dyslipidemia : Genetics , lipoprotein lipase and HindIII polymorphism. *F1000 Res.* 6: 1–11.
- Saboya, P.P., Bodanese, L.C., Zimmermann, P.R., Gustavo, A. da S., Assumpção, C.M., Londero, F., 2016. Metabolic syndrome and quality of life: a systematic review. *Rev. Lat. Am. Enfermagem* 24: 1–8.
- Sawant, A., Mankeshwar, R., Shah, S., Raghavan, R., Dhongde, G., Raje, H., *et al.*, 2011. Prevalence of metabolic syndrome in Urban India. *Cholesterol* 1–7.
- Schwartz, R.S., Brunzell, J.D., 1981. Increase of adipose tissue lipoprotein lipase activity with weight loss. *J. Clin. Invest.* 67: 1425–1430.
- Shin, E., Park, N.Y., Jang, Y., Oh, H., Jeong, J., Lim, Y., Lee, M., 2012. The association of lipoprotein lipase PvuII polymorphism and niacin intake in the prevalence of metabolic syndrome: A KMSRI-Seoul study. *Genes Nutr.* 7: 331–341.
- Socquard, E., Durlach, A., Clavel, C., Nazeyrollas, P., Durlach, V., 2006. Association of HindIII and PvuII genetic polymorphisms of lipoprotein lipase with lipid metabolism and macrovascular events in type 2 diabetic patients. *Diabetes Metab.* 32: 262–269.
- Soewondo, P., Purnamasari, D., Oemardi, M., Waspadji, S., Soegondo, S., 2010. Prevalence of metabolic syndrome using NCEP/ATP III criteria in Jakarta, Indonesia: the Jakarta primary non-communicable disease risk factors surveillance 2006. *Acta Med Indones-Indones J Intern Med* 42: 199–203.
- Srikanthan, K., Feyh, A., Visweshwar, H., Shapiro, J.I., Sodhi, K., 2016. Systematic review of metabolic syndrome biomarkers: A panel for early detection, management, and risk stratification in the West Virginian population. *Int. J. Med. Sci.* 13: 25–38. doi:10.7150/ijms.13800

- St-Onge, M.-P., Gallagher, D., 2010. Body composition changes with aging: The cause or the result of alterations in metabolic rate and macronutrient oxidation? Marie-Pierre. *Natl. Inst. Heal.* 26: 152–155.
- Stancakova, A., Baldaufova, L., Javorský, M., Kozárová, M., Salagovic, J., Tkác, I., 2006. Effect of gene polymorphisms on lipoprotein levels in patients with dyslipidemia of metabolic syndrome. *Physiol. Res.* 55: 483–490.
- Suhaema, Masthalina, H., 2015. Pola Konsumsi Dengan Terjadinya Sindrom Metabolik di Indonesia. *J. Kesehat. Masy. Nas.* 9: 340–347.
- Sulistiowati, E., Sihombing, M., 2016. NCEP-ATP III and IDF criteria for metabolic syndrome predict type 2 diabetes mellitus. *Universa Med.* 35: 46–55.
- Tao, F., Weinstock, J., Venners, S.A., Cheng, J., Hsu, Y.H., Zou, Y., Pan, F., *et al.*, 2017. Associations of the ABCA1 and LPL Gene Polymorphisms With Lipid Levels in a Hyperlipidemic Population. *Clin. Appl. Thromb.* 20: 1–9.
- Tu, X., Tu, J., Wen, X., Wang, J., Zhang, D., 2005. A study of lipoprotein lipase gene intron 8 polymorphisms in Chinese Han race essential hypertension patients. *Int. J. Cardiol.* 99: 263–267.
- Turkoglu, C., Duman, B.S., Gunay, D., Cagatay, P., Ozcan, R., Buyukdevrim, A.S., 2003. Effect of abdominal obesity on insulin resistance and the components of the metabolic syndrome: evidence supporting obesity as the central feature. *Obes. Surg.* 13: 699–705.
- Tzimas, P., Petrou, A., Laou, E., Milionis, H., Mikhailidis, D.P., Papadopoulos, G., 2015. Impact of metabolic syndrome in surgical patients: Should we bother? *Br. J. Anaesth.* 115: 194–202.
- Vitale, C., Mercuro, G., Castiglioni, C., Cornoldi, A., Tulli, A., Fini, M., Volterrani, M., Rosano, G.M.C., 2005. Metabolic effect of telmisartan and losartan in hypertensive patients with metabolic syndrome. *Cardiovasc. Diabetol.* 4: 1–8.
- Vryonidou, A., Paschou, S.A., Muscogiuri, G., Orio, F., Goulis, D.G., 2015. Metabolic syndrome through the female life cycle. *Eur. J. Endocrinol.* 6: 153–163.
- Wang, H., Eckel, R.H., 2009. Lipoprotein lipase: from gene to obesity. *Am.J.Physiol Endocrinol.Metab* 297: 271–288.
- Wang, L.N., Yu, Q., Xiong, Y., Liu, L.F., Zhang, Z., Zhang, X.N., *et al.*, 2011. Lipoprotein lipase gene polymorphisms and risks of childhood obesity in Chinese preschool children. *Eur. J. Pediatr.* 170: 1309–1316.

- Wolf, G., 2008. Role of fatty acids in the development of insulin resistance and type 2 diabetes mellitus. *Nutr. Rev.* 66: 597–600.
- Xie, C., Wang, Z.C., Liu, X.F., Yang, M.S., 2009. The common biological basis for common complex diseases : evidence from lipoprotein lipase gene. *Eur. J. Hum. Genet.* 18: 3–7.
- Xu, E., Li, W., Zhan, L., Guan, G., Wang, X., Chen, S., Shi, Y., 2008. Polymorphisms of the lipoprotein lipase gene are associated with atherosclerotic cerebral infarction in the Chinese. *Neuroscience* 155: 403–408.
- Yang, Y., Mu, Y., Zhao, Y., Liu, X., Zhao, L., Wang, J., Xie, Y., 2007. Genetic screening of the lipoprotein lipase gene for mutations in Chinese subjects with or without hypertriglyceridemia. *J Genet Genomics* 34: 381–391.
- Zhao, Y., Yan, H., Yang, R., Li, Q., Dang, S., Wang, Y., 2014. Prevalence and determinants of metabolic syndrome among adults in a rural area of northwest China. *PLoS One* 9: 1–12.