

## DAFTAR PUSTAKA

- Abamecha, A., Wondafrash, B. and Abdissa, A. (2015). Antimicrobial resistance profile of Enterococcus species isolated from intestinal tracts of hospitalized patients in Jimma, Ethiopia. *BMC Res Notes*, 8(213): 1-7.
- Agbor, V., Ma'ori, L. and Opajobi, S. (2011). Bacterial Resistance to Cephalosporins in Clinical Isolates in Jos University Teaching Hospital. *N Y Sci J*, 4(9): 46-55.
- Akova, M. (2016). Epidemiology of antimicrobial resistance in bloodstream infections. *Virulence*, 7(3): 252-266.
- Alzoubi, K., Ayoub, N., Sakaji, S., Azzam, S., Mhaidat, N. and Masadeh, M. (2009). Awareness of Bacterial Resistance Among Physicians, Pharmacists and Nurses. *Int J Occup Med Environ Health*, 22(4): 363-372.
- Angele, M., Pratschke, S., Hubbard, W. and Chaudry, I. (2014). Gender differences in sepsis. *Virulence*, 5(1): 12-19.
- Asadollahi, P., Razavi, S., Asadollahi, K., Pourshafie, M. and Talebi, M. (2018). Rise of antibiotic resistance in clinical enterococcal isolates during 2001–2016 in Iran: a review. *New Microbes New Infect*, 26: 92-99.
- Belongia, E. and Schwartz, B. (1998). Strategies for promoting judicious use of antibiotics by doctors and patients. *BMJ*, 317(7159): 668-671.
- Billington, E., Phang, S., Gregson, D., Pitout, J., Ross, T., Church, D., Laupland, K. and Parkins, M. (2014). Incidence, Risk Factors, and Outcomes for Enterococcus spp. Blood Stream Infections: A Population-Based Study. *Int J Infect Dis*, 26: 76-82.
- Cadieux, G., Tamblyn, R., Dauphinee, D. and Libman, M. (2007). Predictors of inappropriate antibiotic prescribing among primary care physicians. *CMAJ*, 177(8): 877-883.
- Centers for Disease Control and Prevention (CDC) (2015). *National Action Plan for Combating Antibiotic Resistant Bacteria*. [online] Available at: [https://www.cdc.gov/drugresistance/pdf/national\\_action\\_plan\\_for\\_combating\\_antibiotic-resistant\\_bacteria.pdf](https://www.cdc.gov/drugresistance/pdf/national_action_plan_for_combating_antibiotic-resistant_bacteria.pdf) [Accessed 10 Nov. 2018].
- Centers for Disease Control and Prevention (CDC) (2017). *2017 NHSN Training - Secondary BSI and NHSN Site-Specific Infection Definitions*. [video] Available at: <https://www.youtube.com/watch?v=Ogj13k2JaE> [Accessed 17 Nov. 2018].
- Centers for Disease Control and Prevention (CDC) (2019). *Bloodstream Infection Event (Central Line-Associated Bloodstream Infection and Non-central Line Associated Bloodstream Infection)*. [online] Available at:

[https://www.cdc.gov/nhsn/pdfs/pscmanual/4psc\\_clabscurrent.pdf](https://www.cdc.gov/nhsn/pdfs/pscmanual/4psc_clabscurrent.pdf) [Accessed 2 Feb. 2019].

Chan, L., Nor, M., Ibrahim, N., Ling, T., Tay, C. and Hwei Lin, K. (2017). *Guide to Antimicrobial Therapy in the Adult ICU 2017*. Kuala Lumpur: Malaysian Society of Intensive Care, 73-90.

Chukwudi, C. (2016). rRNA Binding Sites and the Molecular Mechanism of Action of the Tetracyclines. *Antimicrob Agents Chemother*, 60(8): 4433-4441.

Cohen, B., Choi, Y., Hyman, S., Furuya, E., Neidell, M. and Larson, E. (2013). Gender Differences in Risk of Bloodstream and Surgical Site Infections. *J Gen Intern Med*, 28(10): 1318-1325.

Cosgrove, S., Avdic, E., Dzintars, K., and Smith, J. (2015). *Antibiotic Guidelines 2015-2016: Treatment Recommendations for Adult Inpatients*. Baltimore: The Johns Hopkins Hospital, 110-114.

Cusini, A., Rampini, S., Bansal, V., Ledergerber, B., Kuster, S., Ruef, C. and Weber, R. (2010). Different Patterns of Inappropriate Antimicrobial Use in Surgical and Medical Units at a Tertiary Care Hospital in Switzerland: A Prevalence Survey. *PLoS One*, 5(11): 1-8.

Davey, P. and Marwick, C. (2008). Appropriate vs. inappropriate antimicrobial therapy. *Clin Microbiol Infect*, 14(Suppl. 3): 15-21.

Davies, P. (2004). Does Increased Use of Antibiotics Result in Increased Antibiotic Resistance?. *Clin Infect Dis*, 39(1): 18-19.

Dewi, Y. Tren Perubahan Pola Kuman dan Sensitivitas Antimikroba dari Isolat Darah di Unit Perawatan Intensif, RSUP dr. Sardjito, Yogyakarta 2008-2012. In: *Pertemuan Ilmiah Tahunan XIII Pendidikan Dokter Spesialis Patologi Klinik*; 2014 Oct 22; Yogyakarta: Research Gate, 2014 : 5-10.

Etebu, E. and Ariekpar, I. (2016). Antibiotics: Classification and mechanisms of action with emphasis on molecular perspectives. *Int J Appl Microbiol Biotechnol Res*, 4: 90-101.

Fisher, K. and Phillips, C. (2009). The ecology, epidemiology and virulence of Enterococcus. *Microbiology*, 155(Pt 6): 1749-1757.

Friedman, C. and Whitney, C. (2008). It's Time for a Change in Practice: Reducing Antibiotic Use Can Alter Antibiotic Resistance. *J Infect Dis*, 197(8): 1082-1083.

Gaynor, M. and Mankin, A. (2003). Macrolide Antibiotics: Binding Site, Mechanism of Action, Resistance. *Curr Top Med Chem*, 3(4): 949-961.

- Goto, M. and Al-Hasan, M. (2013). Overall burden of bloodstream infection and nosocomial bloodstream infection in North America and Europe. *Clin Microbiol Infect*, 19(6): 501-509.
- Hadithi, H. and Rasheed, K. (2018). Antibiotic Resistance Patterns of Enterococcus faecalis and E. faecium Isolated from Infected Wounds. Incidence of High -level Resistance to Vancomycin and Aminoglycosides. *TPCJ*, 5(1): 49-56.
- Hollenbeck, B. and Rice, L. (2012). Intrinsic and acquired resistance mechanisms in enterococcus. *Virulence*, 3(5): 421-433.
- Humphreys, H., Fitzpatrick, F. and Harvey, B. (2015). Gender Differences in Rates of Carriage and Bloodstream Infection Caused by Methicillin-Resistant Staphylococcus aureus: Are They Real, Do They Matter and Why?. *Clin Infect Dis*, 61(11): 1708-1714.
- Husain, F., Hasjmy, M., Akib, M., Hermawan, S., Giriputro, S., Setiabudi, D., AW, D., Nindito, S. and Prabayanti, W. (2010). *Petunjuk Praktis Surveilans Infeksi Rumah Sakit*. Jakarta: Kementerian Kesehatan Republik Indonesia, 23-24.
- Iwata, K., Fukuchi, T., Hirai, M., Yoshimura, K. and Kanatani, Y. (2017). Prevalence of inappropriate antibiotic prescriptions after the great east Japan earthquake, 2011. *Medicine*, 96(15): 1-5.
- Jia, W., Li, G. and Wang, W. (2014). Prevalence and Antimicrobial Resistance of Enterococcus Species: A Hospital-Based Study in China. *Int J Environ Res Public Health*, 11(3): 3424-3442.
- Jorgensen, J. and Ferraro, M. (2009). Antimicrobial Susceptibility Testing: A Review of General Principles and Contemporary Practices. *Clin Infect Dis*, 49(11): 1749-1755.
- Kafil, H. and Asgharzadeh, M. (2014). Vancomycin-Resistant Enterococcus Faecium and Enterococcus Faecalis Isolated from Education Hospital of Iran. *Maedica*, 9(4): 323-327.
- Kyaw, M., Lynfield, R., Schaffner, W., Craig, A., Hadler, J., Reingold, A., Thomas, A., Harrison, L., Bennett, N., Farley, M., Facklam, R., Jorgensen, J., Besser, J., Zell, E., Schuchat, A. and Whitney, C. (2006). Effect of Introduction of the Pneumococcal Conjugate Vaccine on Drug-Resistant Streptococcus pneumoniae. *N Engl J Med*, 354(14): 1455-1463.
- Lee, C., Wang, J., Lee, C., Hung, Y., Hong, M., Chang, C. and Ko, W. (2017). Age-Related Trends in Adults with Community-Onset Bacteremia. *Antimicrob Agents Chemother*, 61(12): 1-10.
- Leekha, S., Terrell, C. and Edson, R. (2011). General Principles of Antimicrobial Therapy. *Mayo Clin Proc*, 86(2): 156-167.

- Liang, S. and Kumar, A. (2015). Empiric Antimicrobial Therapy in Severe Sepsis and Septic Shock: Optimizing Pathogen Clearance. *Curr Infect Dis Rep*, 17(7): 493.
- Mehta, D. and Sharma, A. (2015). Cephalosporins: A Review on Imperative Class of Antibiotics. *Mol Pharmacol*, 2016(1): 1-6.
- Miller, W., Munita, J. and Arias, C. (2014). Mechanisms of antibiotic resistance in enterococci. *Expert Rev Anti Infect Ther*, 12(10): 1221-1236.
- Moeloek, N. (2017). *Keputusan Menteri Kesehatan Nomor : HK.01.07/MENKES/342/2017 tentang Pedoman Nasional Pelayanan Kedokteran Tata Laksana Sepsis*. Jakarta: Menteri Kesehatan Republik Indonesia, 11-13.
- Moon, H., Ko, Y., Park, S., Hur, M. and Yun, Y. (2014). Analysis of community- and hospital-acquired bacteraemia during a recent 5-year period. *J Med Microbiol*, 63(Pt 3): 421-426.
- Mukhtar, T. and Wright, G. (2005). Streptogramins, Oxazolidinones, and Other Inhibitors of Bacterial Protein Synthesis. *Chem Rev*, 105(2): 529-542.
- Naeem, A., Badshah, S., Muska, M., Ahmad, N. and Khan, K. (2016). The Current Case of Quinolones: Synthetic Approaches and Antibacterial Activity. *Molecules*, 21(4): 268.
- O'Connor, M., Gallagher, P. and O'Mahony, D. (2012). Inappropriate Prescribing (Criteria, Detection and Prevention). *Drugs Aging*, 29(6): 437-452.
- O'Driscoll, T. and Crank, C. (2015). Vancomycin-resistant enterococcal infections: epidemiology, clinical manifestations, and optimal management. *Infect Drug Resist*, 8: 217-230.
- Olawale, K., Fadiora, S. and Taiwo, S. (2011). Prevalence of hospital acquired enterococci infections in two primary-care hospitals in Osogbo, Southwestern Nigeria. *Afr J Infect Dis*, 5(2): 40-46.
- Pangalila, F. (2012). Peranan Aminoglikosid Dalam Mengatasi Infeksi Serius. *Medicinus*, 25(2): 5-12.
- Peters, R., Agtmael, M., Gierveld, S., Danner, S., Groeneveld, A., Vandenbroucke-Grauls, C. and Savelkoul, P. (2007). Quantitative Detection of Staphylococcus aureus and Enterococcus faecalis DNA in Blood To Diagnose Bacteremia in Patients in the Intensive Care Unit. *J Clin Microbiol*, 45(11): 3641-3646.
- Pinto Pereira, L., Phillips, M., Ramlal, H., Teemul, K. and Prabhakar, P. (2004). Third generation cephalosporin use in a tertiary hospital in Port of Spain, Trinidad: need for an antibiotic policy. *BMC Infect Dis*, 4(59): 1-7

- Rahmantika, F., Puspitasari, I. and Wahyono, D. (2016). Identifikasi Infeksi *Multidrug-Resistant Organisms* (MDRO) pada Pasien yang Dirawat di Bangsal *Pediatric Intensive Care Unit* (PICU). *JMPF*, 6(1): 59-68.
- Rawat, R. (2018). Evaluation of Potentially Inappropriate Medication Use and Risk of Adverse Drug Reactions in Hospitalized Older Adults: An Observational Study in a Tertiary Care Hospital. *IJOPP*, 11(2): 79-85.
- Rowe, T. and McKoy, J. (2017). Sepsis in Older Adults. *Infect Dis Clin of N Am*, 31(4) : 731-742.
- Safdar, N. and Maki, D. (2004). The pathogenesis of catheter-related bloodstream infection with noncuffed short-term central venous catheters. *Intensive Care Med*, 30(1): 62-67.
- Saha, S. and Promite, S. (2017). Factors Influencing Clinician's Antibiotic Prescribing Behaviors (APB) in Bangladesh: An In-Depth Review Using COMB Model. *J Trans Med Res*, 1(4): 91-95.
- Sandoe, J. (2002). Enterococcal intravascular catheter-related bloodstream infection: management and outcome of 61 consecutive cases. *J Antimicrob Chemother*, 50(4): 577-582.
- Schwalbe, R., Moore, L. and Goodwin, A. (2007). *Antimicrobial Susceptibility Testing Protocols*. 1st ed. Boca Raton: CRC Press, 53-103.
- Smith, D. and Nehring, S. (2018). *Bacteremia*. 1st ed. Treasure Island: StatPearls Publishing, 1-11.
- Spivak, E., Cosgrove, S. and Srinivasan, A. (2016). Measuring Appropriate Antimicrobial Use: Attempts at Opening the Black Box. *Clin Infect Dis*, 63(12): 1639-1644.
- Stuart, C., Schwartz, S., Beeson, T. and Owatz, C. (2006). Enterococcus faecalis: Its Role in Root Canal Treatment Failure and Current Concepts in Retreatment. *J Endod*, 32(2): 93-98.
- Suppli, M., Aabenhus, R., Harboe, Z., Andersen, L., Tvede, M. and Jensen, J. (2011). Mortality in enterococcal bloodstream infections increases with inappropriate antimicrobial therapy. *Clin Microbiol Infect*, 17(7): 1078-1083.
- Takeshita, N., Kawamura, I., Kurai, H., Araoka, H., Yoneyama, A., Fujita, T., Ainoda, Y., Hase, R., Hosokawa, N., Shimanuki, H., Sekiya, N. and Ohmagari, N. (2017). Unique characteristics of community-onset healthcare-associated bloodstream infections: a multi-centre prospective surveillance study of bloodstream infections in Japan. *J Hosp Infect*, 96(1): 29-34.
- Tambunan, T. (2004). Keputusan Klinik Dalam Penggunaan Antibiotik. *Sari Pediatri*, 6(1): 52-56.

- Tenson, T., Lovmar, M. and Ehrenberg, M. (2003). The Mechanism of Action of Macrolides, Lincosamides and Streptogramin B Reveals the Nascent Peptide Exit Path in the Ribosome. *J Mol Biol*, 330(5): 1005-1014.
- Turnidge, J. and Paterson, D. (2007). Setting and Revising Antibacterial Susceptibility Breakpoints. *Clin Microbiol Rev*, 20(3): 391-408.
- Uchil, R., Kohli, G., Katekhaye, V. and Swami, O. (2014). Strategies to Combat Antimicrobial Resistance. *J Clin Diagn Res*, 8(7): 1-4.
- Upadhyaya, P., Ravikumar, K. and Umopathy, B. (2009). Review of virulence factors of enterococcus : An emerging nosocomial pathogen. *Indian J Med Microbiol*, 27(4): 301-305
- Van Tyne, D., Martin, M. and Gilmore, M. (2013). Structure, Function, and Biology of the Enterococcus faecalis Cytolysin. *Toxins*, 5(5): 895-911.
- Vannuffel, P. and Cocito, C. (1996). Mechanism of action of streptogramins and macrolides. *Drugs*, 51(Suppl 1): 20-30.
- Ventola, C. (2015). The Antibiotic Resistance Crisis. *P T*, 40(4): 277-283.
- Viceconte, G., Maraolo, A., Lula, V., Catania, M. and Orlando, R. (2017). Appropriateness of antibiotic prescription for targeted therapy of infections caused by multidrug- resistant bacteria: assessment of the most common improper uses in a tertiary hospital in Southern Italy. *Infez Med*, 25(3): 224-233.
- Zirakzadeh, A. and Patel, R. (2006). Vancomycin-Resistant Enterococci: Colonization, Infection, Detection, and Treatment. *Mayo Clin Proc*, 81(4): 529-536.