

DAFTAR PUSTAKA

- American Academy of Ophthalmology, 2016, Diabetic Retinopathy, San Fransisco, <https://www.aao.org/preferred-practice-pattern/diabetic-retinopathy-ppp-updated-2016>, diakses pada tanggal 2 Maret 2019.
- American Diabetic Assosiation, 2018. Standards of Medical Care in Diabetes. *Diabetes Care*, **41**: S1-132.
- Amin, R., 2015. Kemajuan Visus Penderita Retinopati Diabetik yang Diterapi dengan Laser Fotokoagulasi dan atau Injeksi Intravitreal di Rumah Sakit Mohammad Hoesin Palembang 8.
- Arevalo, J.F., Fromow-Guerra, J., Quiroz-Mercado, H., Sanchez, J.G., Wu, L., Maia, M., dkk., 2007. Primary Intravitreal Bevacizumab (Avastin) for Diabetic Macular Edema. *Ophthalmology*, **114**: 743–750.
- Arevalo, J.F., Sanchez, J.G., Lasave, A.F., Wu, L., Maia, M., Bonafonte, S., dkk., 2011a. Intravitreal Bevacizumab (Avastin) for Diabetic Retinopathy: The 2010 GLADAOF Lecture. *Journal of Ophthalmology*, **2011**: 1-13.
- Arevalo, J.F., Sanchez, J.G., Lasave, A.F., Wu, L., Maia, M., Bonafonte, S., dkk., 2011b. Intravitreal Bevacizumab (Avastin) for Diabetic Retinopathy: The 2010 GLADAOF Lecture. *Journal of Ophthalmology*, **2011**: 1–13.
- Bhattacharyya, B., 2009. Step by Step® Laser in Ophthalmology 247.
- Bressler, S.B., Qin, H., Beck, R.W., Chalam, K., Kim, J.E., Melia, M., dkk., 2012. Factors Associated With Changes in Visual Acuity and Central Subfield Thickness at 1 Year After Treatment for Diabetic Macular Edema With Ranibizumab. *Archives of Ophthalmology*, **130**: 1153.
- Cheung, N., Mitchell, P., dan Wong, T.Y., 2010. Diabetic retinopathy **376**: 13.
- Chew, E.Y., Ambrosius, W.T., Davis, M.D., Danis, R.P., Gangaputra, S., Greven, C.M., dkk., 2010. Effects of medical therapies on retinopathy progression in type 2 diabetes. *The New England Journal of Medicine*, **363**: 233–244.
- Chu, J. dan Ali, Y., 2008. Diabetic retinopathy: a review. *Drug Development Research*, **69**: 1–14.
- Davidov, E., Breitscheidel, L., Clouth, J., Reips, M., dan Happich, M., 2009. Diabetic retinopathy and health-related quality of life. *Graefe's Archive for Clinical and Experimental Ophthalmology*, **247**: 267–272.

- Dessì, M., Noce, A., Bertucci, P., Manca di Villahermosa, S., Zenobi, R., Castagnola, V., dkk., 2013. Atherosclerosis, Dyslipidemia, and Inflammation: The Significant Role of Polyunsaturated Fatty Acids. *ISRN Inflammation*, **2013**: 1–13.
- Do, D.V., Shah, S.M., Sung, J.U., Haller, J.A., dan Nguyen, Q.D., 2005. Persistent diabetic macular edema is associated with elevated hemoglobin A1c. *American Journal of Ophthalmology*, **139**: 620–623.
- Do, D.V., Wang, X., Vedula, S.S., Marrone, M., Sleilati, G., Hawkins, B.S., dkk., 2015. Blood pressure control for diabetic retinopathy. *Cochrane Database of Systematic Reviews*,
- Ellis, D., Burgess, P.I., dan Kayange, P., 2013. ‘Teaching corner’: Management of Diabetic Retinopathy. *Malawi Medical Journal*, **25**: 116–120.
- Fenwick, E., Rees, G., Pesudovs, K., Dirani, M., Kawasaki, R., Wong, T.Y., dkk., 2012. Social and emotional impact of diabetic retinopathy: a review: Impact of diabetic retinopathy. *Clinical & Experimental Ophthalmology*, **40**: 27–38.
- Fenwick, E.K., Pesudovs, K., Khadka, J., Dirani, M., Rees, G., Wong, T.Y., dkk., 2012a. The impact of diabetic retinopathy on quality of life: qualitative findings from an item bank development project. *Quality of Life Research*, **21**: 1771–1782.
- Fenwick, E.K., Xie, J., Ratcliffe, J., Pesudovs, K., Finger, R.P., Wong, T.Y., dkk., 2012b. The Impact of Diabetic Retinopathy and Diabetic Macular Edema on Health-Related Quality of Life in Type 1 and Type 2 Diabetes. *Investigative Ophthalmology & Visual Science*, **53**: 677.
- Gonder, J.R., Walker, V.M., Barbeau, M., Zaour, N., Zachau, B.H., Hartje, J.R., dkk., 2014. Costs and Quality of Life in Diabetic Macular Edema: Canadian Burden of Diabetic Macular Edema Observational Study (C-REALITY). *Journal of Ophthalmology*, **2014**: 1–9.
- Kajiwarra, A., Miyagawa, H., Saruwatari, J., Kita, A., Sakata, M., Kawata, Y., dkk., 2014. Gender differences in the incidence and progression of diabetic retinopathy among Japanese patients with type 2 diabetes mellitus: A clinic-based retrospective longitudinal study. *Diabetes Research and Clinical Practice*, **103**: e7–e10.
- King, G.L., Blankenship, G., Cavalierano, J.D., dan Ferris III, F.L., 2002. Diabetic Retinopathy. *Diabetes Care*, **24**: s90–s93.

- Lee, R., Wong, T.Y., dan Sabanayagam, C., 2015. Epidemiology of diabetic retinopathy, diabetic macular edema and related vision loss. *Eye and Vision*, 2: 1-25.
- Lemeshow S., Hosmer D.W., Klar J., Lwanga S.K., dan Organization W.H., 1990. Adequacy of sample size in health studies.
- Matza, L.S., Rousculp, M.D., Malley, K., Boye, K.S., dan Oglesby, A., 2008. The longitudinal link between visual acuity and health-related quality of life in patients with diabetic retinopathy. *Health and Quality of Life Outcomes*, 6: 95.
- Messina, E. dan Evans, J.M., 2006. Standards for visual acuity. *National Institute for Standards and Technology*, .
- Mistry, H., Auguste, P., Lois, N., dan Waugh, N., 2017a. Diabetic retinopathy and the use of laser photocoagulation: is it cost-effective to treat early? *BMJ open ophthalmology*, 2: e000021.
- Mistry, H., Auguste, P., Lois, N., dan Waugh, N., 2017b. Diabetic retinopathy and the use of laser photocoagulation: is it cost-effective to treat early? *BMJ Open Ophthalmology*, 2: e000021.
- Nickels, S., Schuster, A.K., Singer, S., Wild, P.S., Laubert-Reh, D., Schulz, A., dkk., 2017. The National Eye Institute 25-Item Visual Function Questionnaire (NEI VFQ-25) – reference data from the German population-based Gutenberg Health Study (GHS). *Health and Quality of Life Outcomes*, 15: 156.
- Pan, C.-W., Wang, S., Wang, P., Xu, C.-L., dan Song, E., 2018. Diabetic retinopathy and health-related quality of life among Chinese with known type 2 diabetes mellitus. *Quality of Life Research*, 27: 2087–2093.
- Pereira, D.M., 2017. Quality of Life in People with Diabetic Retinopathy: Indian Study. *Journal of Clinical and Diagnostic Research*.
- Polack, S., Alavi, Y., Rachapalle Reddi, S., Kulothungan, V., dan Kuper, H., 2015. Utility Values Associated with Diabetic Retinopathy in Chennai, India. *Ophthalmic Epidemiology*, 22: 20–27.
- Purba, F.D., Hunfeld, J.A.M., Iskandarsyah, A., Fitriana, T.S., Sadarjoen, S.S., Passchier, J., dkk., 2018. Quality of life of the Indonesian general population: Test-retest reliability and population norms of the EQ-5D-5L and WHOQOL-BREF. *Plos OneE*, 13: e0197098.
- Roohipoor, R., Sharifian, E., Ghassemi, F., Riazi-Esfahani, M., Karkhaneh, R., Fard, M.A., dkk., 2016. Choroidal Thickness Changes Choroidal Thickness

Changes in Proliferative Diabetic Retinopathy Treated with Panretinal Photocoagulation Versus Panretinal Photocoagulation with Intravitreal Bevacizumab: *Retina*, **36**: 1997–2005.

- Royle, P., Mistry, H., Auguste, P., Shyangdan, D., Freeman, K., Lois, N., dkk., 2015. Pan-retinal photocoagulation and other forms of laser treatment and drug therapies for non-proliferative diabetic retinopathy: systematic review and economic evaluation. *Health Technology Assessment*, **19**: 1–248.
- Sameen, M., Khan, M.S., Mukhtar, A., Yaqub, M.A., dan Ishaq, M., 2017. Efficacy of intravitreal bevacizumab combined with pan retinal photocoagulation versus panretinal photocoagulation alone in treatment of proliferative diabetic retinopathy. *Pakistan Journal of Medical Sciences*, **33**: 142-145.
- Soleimani Kamran, J., KazemNejad Leili, E., dkk., 2017. Quality of Life in Patients with Diabetic Retinopathy. *Journal of Holistic Nursing and Midwifery*, **27**: 69–77.
- Tahir, M.A., Cheema, A.M., Saleem, Q., Diari, A.R., dan Tareen, S., n.d., 2015, Effectiveness of Intravitreal Bevacizumab (Avastin) in The Treatment of Proliferative Diabetic Retinopathy, **65**: S195-198.
- Tarr, J.M., Kaul, K., Chopra, M., Kohner, E.M., dan Chibber, R., 2013a. Pathophysiology of Diabetic Retinopathy. *ISRN Ophthalmology*, **2013**: 1–13.
- Universale, C.O., 1984. Visual acuity measurement standard. *Italian Journal*, .
- Virgili, G., Menchini, F., Casazza, G., Hogg, R., Das, R.R., Wang, X., dkk., 2015. Optical coherence tomography (OCT) for detection of macular oedema in patients with diabetic retinopathy. *Cochrane Database of Systematic Reviews*, Italy.
- Woodcock, A., Bradley, C., Plowright, R., ffytche, T., Kennedy-Martin, T., dan Hirsch, A., 2004. The influence of diabetic retinopathy on quality of life. *Patient Education and Counseling*, **53**: 365–383.
- Yuli, P., Shin, J.A., Yang, S.W., Yim, H.W., Kim, H.S., dan Park Young-Hoon, 2015. The Relationship between Visual Impairment and Health-Related Quality of Life in Korean Adults: The Korea National Health and Nutrition Examination Survey (2008–2012), *Plos One* 10(7): e0132779.
- Zhou, A.-Y., Zhou, C.-J., Yao, J., Quan, Y.-L., Ren, B.-C., dan Wang, J.-M., 2016. Panretinal photocoagulation versus panretinal photocoagulation plus intravitreal bevacizumab for high-risk proliferative diabetic retinopathy. *International Journal of Ophthalmology*, **9**: 1772–1778.