

DAFTAR PUSTAKA

- Abanto, C., Ton, T., Tirschwell, D., Montano, S., Quispe, Y., Gonzales, I., *et al.*, 2013. Predictors of Functional Outcome Among Stroke Patients in Lima, Peru. *J Stroke Cerebrovasc Dis.* 2013 October ; 22(7): 1156–1162.
- Adams, H.P., Biller, J., 2015. Classification of Subtypes of Ischemic Stroke: History of the Trial of Org 10 172 in Acute Stroke Treatment Classification. *Stroke* 46, e114–e117.
- Adams, H.P.Jr., Davis, P.H., Leira, E.C., Chang, K.C., Bendixen, B.H., Clarke, W.R., Woolson, R.F., Hansen, M.D., 1999. Baseline NIH Stroke Scale score strongly predicts outcome after stroke: A report of the Trial of Org 10172 in Acute Stroke Treatment (TOAST). *Neurology*;53(1):126-31.
- Alloush, T.K., Ibrahim, M.H., El Dein Ahmed Ibrahim, N.S., El-Shahed, G.S., El-Sayed, L.M.N., Ibrahim, M.H. and Azmy, H.A. 2014. Effect of Atrial Fibrillation on Acute Ischemic Stroke Severity. *Open Journal of Medical Imaging*, 4, 95-101. <http://dx.doi.org/10.4236/ojmi.2014.42013>
- Appelros, P., Nydevik, I., Viitanen, M., *et al.* 2003. Poor Outcome After First-Ever Stroke; Predictors for Death, Dependency, and Recurrent Stroke Within the First Year. *Stroke*; 34:122-126.
- Artang, R., Migrino, R.Q., Harmann, L., Bowers, M., Woods, T.D., 2009. Left atrial volume measurement with automated border detection by 3-dimensional echocardiography: Comparison with magnetic resonance imaging. *Cardiovasc. Ultrasound* 7, 1–8.
- Badan Penelitian dan Pengembangan Kesehatan, 2013. Riset Kesehatan Dasar (RISKESDAS) 2013. *Lap. Nas. 2013* 1–384.
- Bamford J, Sandercock P, Dennis M, *et al.* 1991. Classification and natural history of clinically identifiable subtypes of cerebral infarction. *Lancet*;337: 1521–6.
- Barnes, M.E., Miyasaka, Y., Seward, J.B., Gersh, B.J., Rosales, A.G., Badley, K.R., Petty, G.W., Wiebers, D.O., Tsang, T.S.M., 2004. Left atrial volume in the prediction of first ischemic stroke in an elderly cohort without atrial fibrillation. *Mayo Clin. Proc.* 79, 1008–1014.
- Bakhshayesh-Eghbali, B., Roudbary, S-A., Jafari, S.B., Nabizadeh, S-P, Naderi-Asrami, N., Sohrabnejad, R. 2016. Ability of serum C-reactive protein and white blood cell count in predicting acute ischemic stroke. A short-term follow-up study. *Cas J Intern Med*;7(3):206–210.
- Béjot, Y., Bailly, H., Durier, J., Giroud, M., 2016. Epidemiology of stroke in Europe and trends for the 21st century. *Press. Medicale* 45, e391–e398.
- Benjamin, E.J., Blaha, M.J., Chiuve, S.E., Cushman, M., Das, S.R., Deo, R., De Ferranti, S.D., Floyd, J., Fornage, M., Gillespie, C., Isasi, C.R., Jim'nez, M.C., Jordan, L.C., Judd, S.E., Lackland, D., Lichtman, J.H., Lisabeth, L., Liu, S., Longenecker, C.T., MacKey, R.H., Matsushita, K., Mozaffarian, D., Mussolino, M.E., Nasir, K., Neumar, R.W., Palaniappan, L., Pandey, D.K., Thiagarajan, R.R., Reeves, M.J., Ritchey, M., Rodriguez, C.J., Roth, G.A., Rosamond, W.D., Sasson, C., Towfighi, A., Tsao, C.W., Turner, M.B., Virani, S.S., Voeks, J.H., Willey, J.Z., Wilkins, J.T., Wu, J.H.Y., Alger, H.M., Wong, S.S., Muntner, P., 2017. Heart Disease and Stroke Statistics'2017 Update: A Report from the American Heart Association, *Circulation*.

- Bertels, C. (2015). Interrater Reliability of the NIH Stroke Scale. *Archives of Neurology*, 46(6), 660–662. Retrieved from <http://dx.doi.org/10.1001/archneur.1989.00520420080026>
- Bharosay, A., Bharosay, V. V., Bandyopadhyay, D., Sodani, A., Varma, M., & Baruah, H. 2014. Effect of lipid profile upon prognosis in ischemic and haemorrhagic cerebrovascular stroke. *Indian Journal of Clinical Biochemistry*, 29(3), 372–376. <https://doi.org/10.1007/s12291-013-0372-6>
- Blaithnead, M., Smalling, R., 2006. Cardioembolic stroke. *Curr. Atheroscler. Rep.* 8, 310–316.
- Boehme, A.K., Esenwa, C., Elkind, M.S.V., 2017. Stroke Risk Factors, Genetics, and Prevention. *Circ. Res.* 120, 472–495.
- Boehme, A.K., Siegler, J.E., Mullen, M.T., Albright, K.C., Lysterly, M.J., Moniezun, D.J., *et al.* 2014. Racial and Gender Differences in Stroke Severity, Outcomes and Treatment in Patients with Acute Ischemic Stroke. *J Stroke Cerebrovasc Dis.* 2014 April ; 23(4): e255–e261. doi:10.1016/j.jstrokecerebrovasdis.2013.11.003.
- Bouzas-Mosquera, A., Boullon, F.J., Alvares-Garcia, N., Mendez, E., Peteiro, J., Gandara-Sambade, T., Prada, O., Mosquera, V.O., Castro-Beiras, A., 2011. Left atrial size and risk for all-cause mortality and ischemic stroke. *Cmaj* 183, 1129–1130.
- Cacciapuoti, F., Scognamiglio, A., Paoli, V.D., Romano, C., Cacciapuoti, F., 2012. Left atrial volume index as indicator of left ventricular diastolic dysfunction: Comparison between left atrial volume index and tissue myocardial performance index. *J. Cardiovasc. Ultrasound* 20, 25–29.
- Chen, Y., Sato, H., Watanabe, N., Adachi, T., Kodani, N., Sato, M., Takahashi, N., Kitamura, J., Sato, H., Yamaguchi, K., Yoshitomi, H., Tanabe, K., 2012. Factors influencing left atrial volume in treated hypertension. *J. Cardiol.* 60, 133–138.
- Christensen, Buck. NIH Stroke Scale. Available from: <https://emedicine.medscape.com/article/2172609-overview> (Accessed: 5 March 2018)
- Choudhury, M. J. H., Chowdhury, M. T. I., Nayeem, A., & Jahan, W. A. (2015). Modifiable and Non-Modifiable Risk Factors of Stroke: A Review Update. *Journal of National Institute of Neurosciences Bangladesh*, 1(1), 22.
- Cove, C.L., Albert, C.M., Andreotti, F., Badimon, L., Gelder, I.C.V., Hylek, E.M. 2013. Female sex as an independent risk factor for stroke in atrial fibrillation: Possible mechanisms. Thrombosis and haemostasis. 111. 10.1160/TH13-04-0347.
- Dahlan, M. S. (2014). *Statistik untuk Kedokteran dan Kesehatan*. 6th ed. Jakarta: Epidemiologi Indonesia.
- D’Andrea, A., Riegler, L., Rucco, M.A., Cocchia, R., Scarafile, R., Salerno, G., Martone, F., Vriz, O., Caso, P., Calabrò, R., Bossone, E., Russo, M.G., 2013. Left atrial volume index in healthy subjects: clinical and echocardiographic correlates. *Echocardiography* 30, 1001–7.
- Deb, P., Sharma, S., Hassan, K.M., 2010. Pathophysiologic mechanisms of acute ischemic stroke: An overview with emphasis on therapeutic significance beyond thrombolysis. *Pathophysiology* 17, 197–218.

- Desilles, J. P., Meseguer, E., Labreuche, J *et al.*, (2013). Diabetes Mellitus, Admission Glucose, And Outcomes After Stroke Thrombolysis: A Registry And Systematic Review'. *Stroke*, 44(7), pp. 1915–1923.
- Edjoc, R.K., Reid, R.D., Sharma, M., and Fang, J. 2013. The Prognostic Effect of Cigarette Smoking on Stroke Severity, Disability, Length of Stay in Hospital, and Mortality in a Cohort with Cerebrovascular Disease. *Journal of Stroke and Cerebrovascular Diseases*, Vol. 22, No. 8: pp e446-e454.
- Edwardson, M. A., Dromerick, A. W. Ischemic Stroke Prognosis in Adults. Available from: <https://www.uptodate.com/contents/ischemic-stroke-prognosis-in-adults> (Accessed: 18February 2016)
- Fang, C.D., 2012. The cardiac cycle. *Anaesth. Intensive Care Med.* 13, 391–396.
- Fromm, A., Waje-Andreassen, U., Thomassen, L., & Naess, H. (2011). Comparison between ischemic stroke patients <50 years and ≥50 years admitted to a single centre: The Bergen stroke study. *Stroke Research and Treatment*, <https://doi.org/10.4061/2011/183256>
- Ghani, L., Mihadja, L.K., Delima, 2016. Faktor Risiko Dominan Penderita Stroke di Indonesia Faktor Risiko Dominan Penderita Stroke di Indonesia DOMINANT RISK FACTORS OF STROKE IN INDONESIA. *Bul. Penelit. Kesehat.* 49–58.
- Haeusler, K.G., Laufs, U., Endres, M. 2011. Chronic heart failure and ischemic stroke. *Stroke*, 42(10), 2977–2982. <https://doi.org/10.1161/STROKEAHA.111.628479>
- Harrison, J. K., McArthur, K. S., & Quinn, T. J. (2013). Assessment scales in stroke: Clinimetric and clinical considerations. *Clinical Interventions in Aging*. <https://doi.org/10.2147/CIA.S32405>
- Hasanah, M., Paryono, 2013. Uji Reliabilitas NIHSS (*National Institutes of Health Stroke Scales*) versi Indonesia untuk Menilai Derajat Defisit Neurologis pada Pasien Stroke Iskemik. Laporan Penelitian, FK UGM, Yogyakarta.
- Hasibuan, A. E., Fitri, A., Surbakti, K *et al.*, (2015). Hubungan Kadar Low-Density Lipoprotein Cholesterol dengan Kejadian dan Keparahan Stroke Akut. *Neurona*, 32(July).
- Hays, A.G., Sacco, R.L., Rundek, T., *et al.* 2006. Left ventricular systolic dysfunction and the risk of ischemic stroke in a multiethnic population. *Stroke*; 37:1715-9
- Heiss, W.D., Kidwell, C.S., 2014. Imaging for Prediction of Functional Outcome and Assessment of Recovery in Ischemic Stroke. *Stroke* 45, 1195–1201.
- Heuschmann, P.U., Berger, K., Misselwitz, B., Hermanek, P., Leffmann, C., Adelman, M., Buecker-Nott, H.J., Rother, J., Neundoerfer, B., Kolominsky-Rabas, P.L., 2003. Frequency of thrombolytic therapy in patients with acute ischemic stroke and the risk of in-hospital mortality: The German Stroke Registers Study Group. *Stroke* 34, 1106–1112.
- Hill, M.D., Demchuk, A.M., Goyal, M., Jovin, T.G., Foster, L.D., Tomsick, T.A., *et al.* 2014. Alberta Stroke Program Early Computed Tomography Score to Select Patients for Endovascular Treatment Interventional Management of Stroke (IMS)-III Trial. *Stroke*;45:444-449.
- Huang, G., Parikh, P.B., Malhotra, A., Gruberg, L., Kort, S., 2017. Relation of Body Mass Index and Gender to Left Atrial Size and Atrial Fibrillation. *Am. J. Cardiol.* 120, 218–222.

- Husna M, Kusworini W, Dian A. Correlation between leukocyte count when admitted in emergency room (ER) with clinically acute ischemic stroke patients. *Malang Neurology Journal* 2015;1(2):53–57.
- Karaszewski, B., Wardlaw, J.M., Marshall, I., Cvorov, V., Wartolowska, K., Haga, K., Armitage, P.A., Bastin, M.E., Dennis, M.S., 2009. Early brain temperature elevation and anaerobic metabolism in human acute ischaemic stroke. *Brain* 132, 955–964.
- Kasner, S. E., Chalela, J. A., Luciano, J. M., Cucchiara, B. L., Raps, E. C., McGarvey, M., *et al.* 1999. Reliability and validity of estimating the NIH stroke scale score from medical records. *Stroke*, 30(8), 1534–1537.
- Katayama, T., Fujiwara, N., Tsuruya, Y., 2010. Factors contributing to left atrial enlargement in adults with normal left ventricular systolic function. *J. Cardiol.* 55, 196–204.
- Kes, B.V., Jurasic, M.J., Zavoreo, I., Lisak, M., Jelec, V., and Matovina, L.Z. 2016. Age and Gender Differences in Acute Stroke Hospital Patients. *Acta Clinica Croatica*, 69–77. <https://doi.org/10.20471/acc.2016.55.01.11>
- Khafaji, H.A.R., Sulaiman, K., Singh R., *et al.* 2015. Clinical characteristics, precipitating factors, management and outcome of patients with prior stroke hospitalised with heart failure: an observational report from the Middle East. *BMJ Open* 2015;5:e007148. doi:10.1136/bmjopen-2014-007148
- Khan, M., Baird, G.L., Goddeau, R.P., Silver, B., Henninger, N. 2017. Alberta Stroke Program Early CT Score Infarct Location Predicts Outcome Following M2 Occlusion. *Front. Neurol.* 8:98. doi: 10.3389/fneur.2017.00098
- Kim, T.W., Jung, S.W., Song, I.U., Koo, J., Choi, H.S., Lee, K.S., Park, J.W., Park, H.J., Kim, J.S., 2015. Left atrial dilatation is associated with severe ischemic stroke in men with non-valvular atrial fibrillation. *J. Neurol. Sci.* 354, 97–102.
- Kimura, K., Minematsu, K., Yamaguchi, T *et al.* 2005. Atrial Fibrillation As A Predictive Factor For Severe Stroke And Early Death In 15 831 Patients With Acute Ischaemic Stroke. *J Neurol Neurosurg Psychiatry* 2005;76:679–683. doi: 10.1136/jnnp.2004.048827
- Kuklina, E. V., Tong, X., George, M.G., Bansil, P., 2012. Epidemiology and prevention of stroke: A worldwide perspective. *Expert Rev. Neurother.* 12, 199–208.
- Kvistad, C. E., Logallo, N., Oygarden, H *et al.*, 2013. Elevation Admission Blood Pressure and Stroke Severity in Acute Ischemic Stroke: The Bergen NORSTROKE Study. *Cerebrovasc Dis* 2013;36:351–354.
- Kwah, L. K., & Diong, J. (2014). National Institutes of Health Stroke Scale (NIHSS). *Journal of Physiotherapy*. Korea Institute of Oriental Medicine. <https://doi.org/10.1016/j.jphys.2013.12.012>
- Lang, R.M., Badano, L.P., Mor-Avi, V., Afilalo, J., Armstrong, A., Ernande, L., Flachskampf, F.A., Foster, E., Goldstein, S.A., Kuznetsova, T., Lancellotti, P., Muraru, D., Picard, M.H., Rietzschel, E.R., Rudski, L., Spencer, K.T., Tsang, W., Voigt, J.U., 2015. Recommendations for cardiac chamber quantification by echocardiography in adults: An update from the American society of echocardiography and the European association of cardiovascular imaging. *Eur. Heart J. Cardiovasc. Imaging* 16, 233–271.
- Leira, E. C., Adams, H. P., Rosenthal, G. E., & Torner, J. C. (2008). Baseline NIH

- stroke scale responses estimate the probability of each particular stroke subtype. *Cerebrovascular Diseases*. <https://doi.org/10.1159/000165109>
- Lepic, T., Loncar, G., Bozic, B., Veljancic, D., Labovic, B., Krsmanovic, Z., *et al.*, 2012. Cerebral blood flow in the chronic heart failure patients. *Perspectives in Medicine*. 1-12(1): 304-308.
- Lin, W.W., Wang, K.Y., Lee, C.P., Jou, T.L., Chen, M.C., Ting, C.T., Chen, Y.T., 2012. Association between normal aging and phasic left atrial volume as assessed by real-time three-dimensional echocardiography. *Acta Cardiol. Sin.* 28, 34-41.
- Lindsell, C. J., Alwell, K., Moomaw, C. J., Kleindorfer, D. O., Woo, D., Flaherty, M., *et al.* 2005. Validity of a retrospective national institutes of health stroke scale scoring methodology in patients with severe stroke. *Journal of Stroke and Cerebrovascular Diseases*, 14(6), 281-283.
- Liu, C. H., Wei, Y. C., Lin, J. R., Chang, C. H., Chang, T. Y., Huang, K. L., *et al.* 2016. Initial blood pressure is associated with stroke severity and is predictive of admission cost and one-year outcome in different stroke subtypes: A SRICHs registry study. *BMC Neurology*, 16(1), 1-8.
- Maas, M. B., Furie, K. L., Lev, M. H., Ay, H., Singhal, A. B., Greer, D. M., ... Smith, W. S. (2009). National Institutes of Health Stroke Scale score is poorly predictive of proximal occlusion in acute cerebral ischemia. *Stroke; a Journal of Cerebral Circulation*, 40(9), 2988-2993.
- Mahadevan, V., 2015. Anatomy of the heart. *Surg. (United Kingdom)* 33, 47-51.
- Mansour, O.Y., Megahed, M.M., Elghany, E.H.S. 2015. Acute ischemic stroke prognostication, comparison between Glasgow Coma Score, NIHSS Scale and Full Outline of UnResponsiveness Score in intensive care unit. *Alexandria Journal of Medicine*; Vol.51(3), 247-253.
- Misirli, H.C., Yanar, H.T., Erdogan, S.N., Akkilog, E.C., Ozkan, D., Bayram, T., Araz, O., 2015. Left atrial dilatation frequency in the ischemic stroke. *North. Clin. Istanbul* 2, 7-12.
- Nacu, A., Bringeland, G.H., Khanevski, A., Thomassen, L., Waje-Andreassen, U., Naess, H. 2016. Early neurological worsening in acute ischaemic stroke patients. *Acta Neurol Scand*: 133: 25-29.
- Nacu, A., Thomassen, A., Fromm, A., Bjerkreim, A.T., Andreassen, U.W., Naess, H. 2015. Impact of Diabetes Mellitus on 1867 Acute Ischemic Stroke Patients. A Bergen NORSTROKE Study. *Journal of Research in Diabetes*, Vol. 2015, Article ID 112104, DOI: 10.5171/2015.112104
- Nadhila, J., Ghofir, A., Rusdi, I. 2016. Correlation Between Consciousness Level Using Glasgow Coma Scale (Gcs) At Hospital Admission And The Functional Outcome Measured By Nihss In Ischemic Stroke Patients In Rsup Dr.Sardjito. *Universitas Gadjah Mada*. Yogyakarta.
- Naess, H., Waje-Andreassen, H., and Thomassen, L. 2012. Persistent Atrial Fibrillation Is Associated with Worse Prognosis Than Paroxysmal Atrial Fibrillation in Acute Cerebral Infarction. *ISRN Cardiology*, Article ID 650915, 4 pages, <https://doi.org/10.5402/2012/650915>.
- Nakanishi, N., Tu, S., Shin, Y., Cui, J., Kurokawa, T., Zhang, D., Chen, H.-S. V., Tong, G., Lipton, S.A., 2009. Neuroprotection by the NR3A Subunit of the

- NMDA Receptor. *J. Neurosci.* 29, 5260–5265.
- Nardi, K., Milia, P., Eusebi, P., Paciaroni, M., Caso, V., Agnelli, G. 2012. Admission Leukocytosis in Acute Cerebral Ischemia: Influence on Early Outcome'. *Journal of Stroke and Cerebrovascular Diseases*. Elsevier Ltd, 21(8), pp. 819–824. Available from DOI: 10.1016/j.jstrokecerebrovasdis.2011.04.015.
- Olsen, T.S., Christensen, R.H., Kammersgaard, L.P., Andersen, K.K. 2007. Higher Total Serum Cholesterol Levels Are Associated With Less Severe Strokes and Lower All-Cause Mortality: Ten-Year Follow-Up of Ischemic Strokes in the Copenhagen Stroke Study. *Stroke*. 2007;38:2646-2651.
- Patel, D. a, Lavie, C.J., Milani, R. V, Shah, S., Gilliland, Y., 2009. Clinical implications of left atrial enlargement: a review. *Ochsner J.* 9, 191–6.
- Perdossi, 2011. Guideline Stroke. Perhimpunan Dokter Spesialis Saraf Indonesia (PERDOSSI). Jakarta.
- Persky, R. W., Turtzo, L. C., McCullough, L. D *et al.*, (2010). Stroke In Women: Disparities And Outcomes. *Current Cardiology Reports*, 12(1), pp. 6–13. Available from DOI: 10.1007/s11886-009-0080-2.
- Pexman, J.H., Barber, P.A., Hill, M.D., Sevick, R.J., Demchuk, A.M., Hudon, M.E., Hu, W.Y., Buchan, A.M., 2001. Use of the Alberta Stroke Program Early CT Score (ASPECTS) for assessing CT scans in patients with acute stroke. *AJNR Am J Neuroradiol.*;22(8):1534-42
- Pistoia, F., Sacco, S., Tiseo, C., Degan, D., Ornello, R., Carolei, A., 2016. The Epidemiology of Atrial Fibrillation and Stroke. *Cardiol. Clin.* 34, 255–268.
- Rahmayani, F., Paryono, Setyopranoto I. 2018. The role of ejection fraction to clinical outcome of acute ischemic stroke patients. *J Neurosci Rural Pract*;9:197-202.
- Rakhmawati, N., Wibowo, S., Setyopranoto, I. 2018. Korelasi Antara Kekakuan Aorta Dengan Luaran Fungsional Pada Pasien Stroke Iskemik Akut. Thesis: Universitas Gadjah Mada.
- Rianawati, S.B., Aurora, H., Nugrahanitya, Y. 2015. Correlation Between Blood Pressure At Admitted Emergency Room And Clinically Outcome In Acute Thrombotic Stroke Patients. *MNJ*.2015;1(2):68-71.
- Rowley, H. A. 2013. The alphabet of imaging in acute stroke does it spell improved selection and outcome? *Stroke*, 44(SUPPL. 1), 513–519.
- Sacco, R.L., Kasner, S.E., Broderick, J.P., Caplan, L.R., Connors, J.J., Culebras, A., Elkind, M.S.V., George, M.G., Hamdan, A.D., Higashida, R.T., Hoh, B.L., Janis, L.S., Kase, C.S., Kleindorfer, D.O., Lee, J.M., Moseley, M.E., Peterson, E.D., Turan, T.N., Valderrama, A.L., Vinters, H. V., 2013. An updated definition of stroke for the 21st century: A statement for healthcare professionals from the American heart association/American stroke association. *Stroke* 44, 2064–2089.
- Scerbakov, N., Haeusler, K.G., Doehner, W. 2015. Ischemic Stroke and Heart Failure: Facts and Numbers. *ESC Heart Failure*; 2: 1–4.
- Schröder, J., Thomalla, G., 2017. A critical review of Alberta stroke program early CT score for evaluation of acute stroke imaging. *Front. Neurol.* 7, 1–7.
- Setyopranoto, I., Wibowo, S., Sadewa, A.H., *et al.*, 2016. The Interaction of Stroke Risk Factors, Clinical Outcomes and Matrix Metalloproteinase-9 Levels with the Reduction of Vascular Endothelial Growth Factor A Levels at the

- Incidence of Brain Edema in Acute Ischemic Stroke Patients. *British Journal of Medicine and Medical Research* 11(12): 1-14
- Shah R., Vyas C, Vora, J. 2014. NIHSS Score : A handy tool to predict vascular occlusion in acute ischemic stroke. *Circulation*, pp. 18–22.
- Shin, H.-Y., Jeong, I.-H., Kang, C.-K., Shin, D.-J., Park, H.-M., Park, K.-H., Sung, Y.-H., Shin, D.-H., Noh, Y., Lee, Y.-B., 2013. Relation between left atrial enlargement and stroke subtypes in acute ischemic stroke patients. *J. Cerebrovasc. Endovasc. Neurosurg.* 15, 131–6.
- Singh, A.K., Singh, S.K., Singh, N., Agrawal, N., Gopal, K., 2011. Obesity and dyslipidemia. *Int J Biol Med Res.*; 2(3): 824-828
- Sohail, A., Khatri, I. A., Mehboob, N *et al.*, (2013). Effect Of Dyslipidemia On Severity And Outcome Of Stroke Using Mrs Scores In Northern Pakistani Population. *Rawal Medical Journal*, 38(4), pp. 345–350.
- Stoica, B.A., Faden, A.I., 2010. Cell Death Mechanisms and Modulation in Traumatic Brain Injury. *Neurotherapeutics* 7, 3–12.
- Su, G., Cao, H., Xu, S., Lu, Y., Shuai, X., Sun, Y., Liao, Y., Li, J., 2014. Left atrial enlargement in the early stage of hypertensive heart disease: A common but ignored condition. *J. Clin. Hypertens.* 16, 192–197.
- Sung, P-H., Chen, K-H., Lin, H-S., Chu, C-H., Chiang, J.Y., Yip, H-K. 2019. The Correlation between Severity of Neurological Impairment and Left Ventricular Function in Patients after Acute Ischemic Stroke. *J. Clin. Med*, 8, 190; doi:10.3390/jcm8020190
- Tops, L.F., Van Der Wall, E.E., Schalij, M.J., Bax, J.J., 2007. Multi-modality imaging to assess left atrial size, anatomy and function. *Heart* 93, 1461–1470.
- Tsang, T.S.M., Abhayaratna, W.P., Barnes, M.E., Miyasaka, Y., Gersh, B.J., Bailey, K.R., Cha, S.S., Seward, J.B., 2006. Prediction of cardiovascular outcomes with left atrial size: Is volume superior to area or diameter? *J. Am. Coll. Cardiol.* 47, 1018–1023.
- Tsang, T.S.M., Barnes, M.E., Gersh, B.J., Bailey, K.R., Seward, J.B., 2002. Left atrial volume as a morphophysiologic expression of left ventricular diastolic dysfunction and relation to cardiovascular risk burden. *Am J Cardiol.* 90, 1284–1289.
- Tsao, C.W., Josephson, M.E., Hauser, T.H., O'Halloran, T.D., Agarwal, A., Manning, W.J., Yeon, S.B., 2008. Accuracy of electrocardiographic criteria for atrial enlargement: Validation with cardiovascular magnetic resonance. *J. Cardiovasc. Magn. Reson.* 10, 1–7.
- Tsioufis, C., Stougiannos, P., Taxiarchou, E., Skiadas, I., Chatzis, D., Thomopoulos, C., Lalos, S., Stefanadis, C., Kallikazaros, I., 2006. The interplay between haemodynamic load, brain natriuretic peptide and left atrial size in the early stages of essential hypertension. *J. Hypertens.* 24, 965–972.
- Tumeleng, P., Runtuwene, T., Kembuan, M. 2015. Sebaran Kebiasaan Merokok Pada Pasien Stroke Iskemik Yang Dirawat Inap Di Bagian Neurologi RSU Prof. Dr. R. Kandau Manado. *Jurnal e-Clinic*, Vol 3, 262-266.
- Tun, N.N., Arunagirinathan, G. Munshi, S.K., Pappachan, J.M. 2017. Diabetes mellitus and stroke: A clinical update. *World J Diabetes*. 2017 Jun 15; 8(6): 235–248.
- Vaziri, S.M., Larson, M.G., Benjamin, E.J., Levy, D., 1994. Echocardiographic

- predictors of nonrheumatic atrial fibrillation. The Framingham Heart Study. *Circulation* 89, 724–730.
- Weir, C.J., Bradford, A.P.J., Lees, K.R. 2002. The Prognostic Value of the Components of the Glasgow Coma Scale following Acute Stroke. *Q J Med*; 96:67–74 doi:10.1093/qjmed/hcg008.
- Weng, W., Huang, W., Chien, Y., *et al.* 2011. The impact of smoking on the severity of acute ischemic stroke. *J Neurol Sci*; 308:94-97.
- Wicaksana, H.Y., Adrianto, Y., Rehatta, N.M. 2017. Correlation between white blood cell count and clinical severity based on NIHSS in acute ischemic stroke patients. *Bali Medical Journal* 6(1): 130-134. DOI:10.15562/bmj.v6i1.435.
- Wolberg, A.S., Aleman, M.M., Leiderman, K., Machlus, K.R., 2012. Procoagulant Activity in Hemostasis and Thrombosis: Virchow's Triad Revisited. *Anesth Analg*; 114(2): 275-285. doi: 10.1213/ANE.0b013e31823a088c
- Xu, T., Zhang, J.T., Yang, M., Zhang, H., Liu, W.Q., Kong, Y., Xu, T., Zhang, Y.H., 2014. Dyslipidemia and outcome in patients with acute ischemic stroke. *Biomed. Environ. Sci.* 27, 106–10.
- Yu, C., An, Z., Zhao, W., Wang, W., Gao, C., Liu, S., Wang, W., Gao, C., Liu, S., *et al.* 2015. Sex differences in stroke subtypes, severity, risk factors, and outcomes among elderly patients with acute ischemic stroke. *Frontiers in Aging Neuroscience*. 7:174. doi: 10.3389/fnagi.2015.00174
- Yudiarto, F., Machfoed, M., Darwin, A., Ong, A., Karyana, M., and Siswanto, 2014. Indonesia Stroke Registry (S12.003). *Neurology*, 82(10) Supplement: S12.003.
- Zanzmera, P., Srivastava, P., Garg, A *et al.*, (2012). Prediction Of Stroke Outcome In Relation To Alberta Stroke Program Early CT Score (ASPECTS) At Admission In Acute Ischemic Stroke: A Prospective Study From Tertiary Care Hospital In North India. *Neurology Asia*, 17(2), pp. 101–107.