

DAFTAR PUSTAKA

- Adam, S., dan Clark, D, 2009, Landfill Biodegradation An in-depth Look at Biodegradation in Landfill Environments. *Bio-tec Environmental, Albuquerque & ENSO Bottles, LLC, Phoenix.* p. 9-11.
- Alamsyah, D., 2014, *Desain Sistem Produksi Mini Plant Sericin dari Kepompong Ulat Sutera*, Skripsi, Fakultas Teknik Mesin dan Industri, Universitas Gadjah Mada, Yogyakarta.
- Alifa, D.F., Rudyardjo, D.I., Ady, J, 2014, Sintesis dan Karakterisasi Hidrogel Kitosan-Glutaraldehyd dengan Penambahan Asam Laurat Sebagai *Plasticizer* Untuk Aplikasi Penutup Luka, *Jurnal Fisika dan Terapannya*, volume 2, nomor 3, isbn: 9 772337 300009.
- Altman, G.H., Horan, R.L., Lu, H., Moreau, J., Martin, I., Richmond, J.C., Kaplan, D.L., 2002, Silk Matrix for Tissue Engineered Anterior Cruciate Ligaments, *Biomaterials* 2002; 23(20): 4131-4141.
- Amgoune, A., Thomas, C.M., Carpentier, J.F., 2007., Yttrium Complexes as Catalysts for Living and Immortal Polymerization of Lactide to Highly Heterotactic PLA., *Macromolecular Rapid Communications*, 28 (6), DOI: 10.1002/marc.200600862.
- Anita, Z., Akbar, F., dan Harahap, H., 2013., Pengaruh Penambahan Gliserol Terhadap Sifat Mekanik Film Plastik Biodegradasi Dari Pati Kulit Singkong., *Jurnal Teknik Kimia USU*, Vol. 2, No. 2.
- Annamaria, S., Maria, R., Tullia, M., Silvio, S., and Orio, C., 1998, The Microbial Degradation of Silk: a laboratory investigation. *Int. Biodeterior. Biodegrad.* 42, 203–211.
- Aramwit, P., Ratanavaraporn, J., Ekgasit, S., Tongsakul, D., Bang, N., 2014, A Green Salt-Leaching Technique to Produce Sericin/PVA/Glycerin Scaffolds with Distinguished Characteristics for Wound-Dressing Applications, *Journal of Biomedical Materials Research, Part B* 2014:00 B:000–000.
- Aramwit, P., Siritientong, T., Kanokpanont, S., Srichana, T., 2010a, Formulation and Characterization of Silk Sericin–PVA Scaffold Crosslinked With Genipin, *International Journal of Biological Macromolecules*, 47: 668–675

- Aramwit, P., Damrongsakkul, S., Kanokpanont, S., Srichana, T., 2010b, Properties and Anti-Tyrosinase Activity of Sericin from Various Extraction Methods. *Biotechnology and Applied Biochemistry*, 55: 91–98
- Aramwit, P., Sangcakul, A., 2007, The Effects of Sericin Cream on Wound Healing in Rats, *Bioscience, Biotechnology, and Biochemistry*, 71:2473–2477.
- Ariono, D., Fajrinia, L., Julyana, R., dan Manullang, 2007, Sifat Reologi Larutan Tapioka, *Jurnal Teknik Kimia Indonesia*, vol. 6, no. 2, pp. 602-608.
- Belavendram, 1995, Quality by Design: Taguchi Techniques for Industrial Experimentation. *Prentice Hall, London*.
- Bawono, B., Yuniarto, A, T., Anggoro, P., 2011., Perancangan dan Pembuatan Alat Uji Modulus Patah untuk Pengujian Produk Keramik (Laporan Penelitian). Fakultas Teknologi Industri. Universitas Atma Jaya Yogyakarta
- Beninca, C., 2008, Thermal Behaviour of Corn Starch Granules Modified by Acid Treatment at 30°C and 50°C, *Ecletica Quimica* 33:3.
- Bird, R.B., Stewart, W.E., dan Lightfoot, E.N., 1960, Transport Phenomena, *John Willey & Sons Inc.*, New York.
- Bohner, M., Loosli, Y., Baroud, G., Lacroix, D, 2011, Deciphering The Link Between Architecture and Biological Response of a Bone Graft Substitute, *Acta Biomaterialia*, vol. 7, no. 2, pp. 478-484.
- Cao, Y., Wang, B., 2009, Biodegradation of Silk Biomaterials. *International Journal of Molecular Sciences.*, 10 (4): 1514-24.
- Chaplin, M., 2006, Starch as an Ingredients: Manufacture and Applications. Di dalam: Eliasson AC, editor. *Starch in Food: Structure, Function, and Application*. Boca Raton (US): CRC Press.
- Chen, Q., Zhu, C., Thouas, G.A., 2012., Progress and challenges in biomaterials used for bone tissue engineering: bioactive glasses and elastomeric composites, *Progress in Biomaterials*, vol. 1, no. 1, article 2,.
- Chen, J., Altman, G.H., Karageorgiou, V., Horan, R.L., Collette, A.L., Volloch, V., Colabro, T., Kaplan, D.L., 2003, Human Bone Marrow Stromal Cell and Ligament Fibroblast Responses on RGD-Modified Silk Fibers, *Journal of Biomedical Materials Research, Part A* 2003; 67(A) (2): 559-570.

- Chirila, T.V., Barnard, Z., Zainuddin., Harkin, D.G., Schwab, I.R., Hirst, L.W., 2008, Bombyx Mori Silk Fibroin Membranes as Potential Substrata for Epithelial Constructs Used in The Management of Ocular Surface Disorders, *Tissue Engineering Part A* 2008; 14(7): 1203-1211.
- Ciechańska, D., 2004, Multifunctional Bacterial Cellulose/Chitosan Composite Material for Medical Applications. *Journal of Fibres & Textiles in Eastern Europe*. Vol. 12. No. 4.48
- Cornell, C.N., 1999, Osteoconductive Materials and Their Role as Substitutes For Autogenous Bone Grafts, *Orthopedic Clinics of North America*, vol. 30, no. 4, pp. 591-598.
- Darwis, D., dan Abbas, B., 2010, *Aplikasi Isotop dan Radiasi Dalam Pembuatan dan Pengembangan Bahan Biomaterial Untuk Keperluan Klinis*, Seminar Nasional Keselamatan Kesehatan dan Lingkungan VI, Jakarta, 15-16 Juni 2010.
- Develioglu, H., Koptagel, E., Gedik, R., dan Dupoirieux, L., 2005., The effect of a Biphasic Ceramic on Calvarial Bone Regeneration In Rats. *Journal of Oral Implantology* 31(6):309-312.
- Desrosier, N.W., 1988, *Teknologi Pengawetan Pangan*. Edisi Ketiga. Terjemahan M. Muljohardjo. UI-Press, Jakarta.
- Dinescu, S., Galsueanu, B., Albu, M., Lungu, A., Radu, E., Hermenean, A., dan Costache, M., 2013, Biocompatibility Assessment of Novel Collagen-Sericin Scaffolds Improved with Hyaluronic Acid and Chondroitin Sulfate for Cartilage Regeneration, *Research Article, Hindawi Publishing Corporation, BioMed Research International*, Volume 2013, Article ID 598056.
- Du, C., Cui, F.Z., Feng, Q.L., Zhu, X.D., and deGroot, K., 1998., Tissue Response To Nano-Hydroxyapatite/Collagen Composite Implants In Marrow Cavity., *Journal of Biomedical Materials Research*, vol. 42, no. 4, pp. 540-548.
- El-Ghannam, A.R., 2004, Advanced Bioceramic Composite For Bone Tissue Engineering: Design Principles and Structure–Bioactivity Relationship, *Published online in Wiley InterScience* (www.interscience.wiley.com). DOI: 10.1002/jbm.a.30022.
- Fachry, A. R., dan Sartika, A., 2012, Pemanfaatan Limbah Kulit Udang dan Limbah Kulit Ari Singkong Sebagai Bahan Baku Pembuatan Plastik Biodegradable, *Jurnal Teknik Kimia* No. 3, Vol. 18.
- Fan, H., Liu, H., Wong, E.J.W., Toh, S.L., Goh, J.C.H., 2008, In Vivo Study of Anterior Cruciate Ligament Regeneration Using Mesenchymal Stem Cells and Silk Scaffold, *Biomaterials* 2008; 29(23): 3324- 3337.

- Fauzi, A., 2010, *Uji Kandungan Protein Sericin Kokon Antheraea SP (Famili Saturninidae)*, Skripsi, Universitas Gadjah Mada, Yogyakarta.
- Firdaus, F., dan Anwar, C., 2004., Potensi Limbah Padat-Cair Industri Tepung Tapioka Sebagai Bahan Baku Film Plastik Biodegradabel., *Jurnal Logika*, Vol. 1, Issue 2, Pages 1410-2315.
- Fitria, N., 2009., *Analisis Metode Desain Eksperimen Taguchi Dalam Optimasi Karakteristik Mutu*, Skripsi, Universitas Islam Negeri Maulana Malik Ibrahim, Malang
- Gaman, P.M., dan Sherrington, K.B., 1981, *Ilmu Pangan: Pengantar Ilmu Pangan Nutrisi dan Mikrobiologi*. UGM-Press, Yogyakarta.
- Ghassemifar, R., Redmond, S., Zainuddin., Chirila. T.V., 2010, Advancing Towards a Tissue-engineered Tympanic Membrane: Silk Fibroin as a Substratum for Growing Human Eardrum Keratinocyte. *Journal of Biomaterial Application* 2010; 24(7): 591-606.
- Gil, E.S., Park, S.H., Marchant, J., Omenetto, F., Kaplan, D.L., 2010, Response of Human Corneal Fibroblasts on Silk Film Surface Patterns, *Macromolecular Bioscience*; 10(6): 664-673.
- Gomes, M.E., Ribeiro, A.S., Malafaya, P.B., Reis, R.L., Cunba, A.M, 2001, A New Approach Based on Injection Moulding to Produce Biodegradable Starch-Based Polymeric Scaffolds: Morphology, Mechanical and Degradation Behavior. *Biomaterials*; 22:883-9.
- Gomes, M.E., Reis, R.L., Cunba, A.M., van Blitterswijk, C.A., de Bruijn, J.D, 2001, Cytocompatibility and Response of Osteoblastic-Like Cells to Starch-Based Polymers: Effect of Several Additives and Processing Conditions. *Biomaterials*; 22:1911-7.
- Grace, M.R., 1977. Cassava Processing., *FAO Plant Production and Protection, Rome*. pp. 16.
- Harjono, S., 1991, *Dasar-dasar Spektroskopi*, Edisi Kedua, Penerbit Liberty Yogyakarta.
- Hasanah, N., 2012, *Pembuatan dan Pencirian Plastik Pati Tapioka Dengan Pemlastis Gliserol*, Skripsi. Bogor (ID): Institut Pertanian Bogor.
- Hazeri, N., Tavanai, H., Moradi, A.R., 2012, Production and Properties of Electrospayed Sericin Nanopowder, *Science and Technology of Advanced Materials*, 13(3): 035010.

- Herliansyah, M.K., Muzafar, C., Tontowi, A.E., 2012, Natural Bioceramics Bone Graft: A Comparative Study of Calcite Hydroxyapatite, Gypsum Hydroxyapatite, Bovine Hydroxyapatite and Cuttlefish Shell Hydroxyapatite, *Proceedings of the Asia Pacific Industrial Engineering & Management Systems Conference 2012*.
- Hillig, W.B., Choi, S., Murtha, S., 2008., An Open-Pored Gelatin/Hidroxyapatite Composite as a Potential Bone Substitute, *J. Mater Sci: Mater Med* 19: 11-17.
- Hoenich, N., 2006, Cellulose for Medical Applications: Past, Present, and Future. *BioRes.* 1 (2).270-280.
- Hollister, S.J., Lin, C.Y., Saito, E, 2005, Engineering Craniofacial Scaffolds, *Orthodontics and Craniofacial Research*, vol. 8, no. 3, pp. 162-173.
- Hoppe, U., Koerbaecher, K., and Roeckl, M, 1984, Hair and Bath Preparations Containing Sericin, *Ocr Offen Off* 3233388 A1(to Beiersdorf A 0, Ckr) 15 March 1984, P 15; Client Abstr, 100(1984)215305.
- Hsieh, W.C., Chang, C.P., and Lin, S.M., 2007, Morphology and Characterization of 3D Micro-Porous Structured Chitosan Scaffolds for Tissue Engineering, *Colloids and Surfaces B: Biointerfaces*, 57: 250–255.
- Hu, X., and Kaplan, D.L., 2011, Silk Biomaterials, In: Editor-in-Chief: Paul D, editor. *Comprehensive Biomaterials*. Oxford: Elsevier; 2011. p. 207-19.
- Hummel, D.O., 1985, *Infrared Spectra Polymer in The Medium and Long Wavelength region.*, Jhon Willey and Sons, London
- Ichsan, M.Z., Siswanto., Hikmawati, D., 2013, Sintesis Komposit Kolagen-Hidroksiapatit Sebagai Kandidat *Bone Graft*, *Jurnal Fisika dan Terapannya*, Vol 1, No.1, Januari 2013. Hal 2-3.
- Ishak dan Aulia. 2002. *Rekayasa Kualitas*. Universitas Sumatra Utara, 2: 124.
- Irawati, N., Putri, N.T., Herryandie, A.BA., 2015, Strategi Perencanaan Jumlah Material Tambahan Dalam Memproduksi Semen Dengan Pendekatan Taguchi Untuk Meminimalkan Biaya Produksi (Study Kasus PT Semen Padang), *Jurnal Optimasi Sistem Industri*, Vol.14 No. 1, 159-172.
- Janssen, L., and Moscicki, L., 2009, *Thermoplastic Starch*, Willey-VCH Verlag GmbH & Co. KGaA.
- Karageorgiou, V., Kaplan, D., 2005, Porosity of 3D Biomaterial Scaffolds and Osteogenesis, *Biomaterials*, vol. 26, no. 27, pp. 5474-5491,

- Kaewkorna, W., Limpeanchoba, N., Tiyaboonchaib, W., Pongcharoenc, S., Sutteerawattananondad, M., 2012, Effects of Silk Sericin on The Proliferation and Apoptosis of Colon Cancer Cells, *Biol Res* 45: 45-50,
- Kato, N., Sato, S., Yamanaka, A., Yamada, H., Fuwa, N., and Nomura, M., 1998, Silk Protein, Sericin, Inhibits Lipid Peroxidation and Tyrosinase Activity, *Bioscience, Biotechnology and Biochemistry*, 62: 145–147.
- Ki, C.S., Kim, J.W., Oh, H.J., Lee, K.H., and Park, Y.H., 2007, The Effect of Residual Silk Sericin on The Structure and Mechanical Property of Regenerated Silk Filament. *International Journal of Biological Macromolecules*, 41: 346–353.
- Kim, H.J., Kim, U.J., Kim, H.S., Li, C., Wada, M., Leisk, G.G., Kaplan, D.L., 2008, *Bone tissue engineering with premineralized silk scaffolds*, *Bone*; 42(6): 1226-1234.
- Kim, S.Y., 2014, *Formulation of biologically-inspired silk-based drug carriers for pulmonary drug delivery targeted for lung cancer*, Thesis, Faculty of Pharmacy, The University of Sydney, Sydney.
- Kiremitci-Gumusderelioglu, M., dan Deniz, G., 1998, Synthesis, Characterization and in Vitro Degradation of Poly(DL-Lactide)/Poly(DL-Lactide-co-Glycolide) Films, *Turk J Chem*, 153-161.
- Koushic, U., and Sonia, A., 2010, A Comparitive Study on Silk Dyeing with Acid Dye and Reactive Dye. *International Journal of Engineering and Technology*, 10(6): p. 6.
- Krochta, J.M., Baldwin, E.A., and M.O, Nisperos-Carriedo, 1994, *Edible Coatings and Films to Improve Food Quality*, Technomic Publishing, Company, Inc., Lancaster.
- Kroschwitz, and Jacqueline., 1990, *Polymer Characterization and Analysis.*, Canada: John Willey and Sons.
- Kundu, B., Rajkhowa, R., Kundu, S.C., Wang, X., 2013, Silk Fibroin Biomaterials for Tissue Regenerations., *Advanced Drug Delivery Reviews*, 65(4) :457-70.
- Kundu, S.C., Kundu, B., Talukdar, S., Bano, S., Nayak, S., Kundu, J., 2012, Invited Review Nonmulberry Silk Biopolymers., *Biopolymers*, 97 (6): 455-67.
- Kundu, J., Chung, Y.I., Kim, Y.H., Tae, G., Kundu, S.C, 2010, Silk Fibroin Nanoparticles for Cellular Uptake and Control Release., *International Journal of Pharmaceutics*, 388 (1–2): 242-50.

- Kundu, S.C., Dash, B.C., Dash, R., Kaplan, D.L., 2008, Natural Protective Glue Protein, Sericin Bioengineered by Silkworms: Potential for Biomedical and Biotechnological Applications, *Progress in Polymer Science.*, 33: 998–1012.
- Kurniawan, E. 2010. Pengelolaan Sampah di Indonesia. *Indonesia Environmental Consultant* 21 April. Online. Tersedia di www.iec.co.id [diakses 10 juni 2015].
- Kurioka, A., Kurioka, F., Yamazaki, M., 2004, Characterization of Sericin Powder Prepared From Citric Acid Degraded Sericin Polypeptides of The Silkworm, Bombyx Mori., *Bioscience, Biotechnology and Biochemistry*, 68:774–780.
- Kurioka, A., 1998, Application of Silk Proteins To New Biomaterial (Silk Sci Res Inst Tokyo, Japan), *Zairyo GKjuLsu*: 16(5):195-201.
- Lestari, A., 2009, *Sintesis dan Karakterisasi Komposit Apatit-Kitosan dengan Metode in-situ dan ex-situ*, Skripsi, Departemen Fisika, Fakultas Matematika dan Ilmu Pengetahuan Alam, Institut Pertanian Bogor.
- Livingston, T., Ducheyne, P., Garino, J., 2002, In Vivo Evaluation of a Bioactive Scaffold for Bone Tissue Engineering, *Journal of Biomedical Materials Research* 2002; 62(1): 1-13.
- Lovett, M.L., Cannizzaro, C.M., Vunjak-Novakovic, G., Kaplan, D.L., 2008, Gel Spinning of Silk Tubes For Tissue Engineering, *Biomaterials* 2008; 29(35): 4650-4657.
- Lu, J.X., Flautre, B., 1999. Role of Interconnections In Porous Bioceramics on Bone Recolonization In Vitro and Vivo. *Journal Mater Sci Mater Med* 10:111–120.
- Mandal, B.B., Priya, A.S., and Kundu, S.C., 2009, Novel Silk Sericin/Gelatin 3-D Scaffolds and 2-D Films: Fabrication and Characterization for Potential Tissue Engineering Applications, *Acta Biomaterialia* 5:3007–3020.
- Martinez-Mora, C., Mrowiec, A., Garcia-Vizcaino, E.M., dan Nicolas, F.J., 2012, Fibroin and Sericin from Bombyx mori Silk Stimulate Cell Migration through Upregulation and Phosphorylation of c-Jun, *Journal PLoS ONE*, Volume 7, Issue 7: e42271. doi:10.1371.
- Mendes, S.C., Reis, R.L., Bovell, Y.P., Cunba, A.M., van Blitterswijk, C.A., de Bruijn, J.D., 2001, Biocompatibility Testing of Novel Starch-Based Materials With Potential Application in Orthopaedic Surgery: a Preliminary Study. *Biomaterials*; 22:2057–64.

- Miao, X., Lim, W.K., Huang, X., and Chen, Y, 2005, Preparation and Characterization of Interpenetrating Phased TCP/HA/PLGA Composites, *Mater Lett* 59:4000-4005
- Minoura, N., Aiba, S., Gotoh, Y., Tsukada, M., and Imai, Y, 1995, Attachment and Growth of Cultured Fibroblast Cells on Silk Protein Matrices., *Journal of Biomedical Materials Research*. 29, 1215–1221.
- Miyairi, S., and Sugiura, M., 1978. Properties of b-glucosidase Immobilized in Sericin Membrane. *Journal Ferment. Tech.* 56, 303–308.
- Mondal, M., Trivedy, K., Kumar, S.N., 2007, The Silk Proteins, Sericin and Fibroin in Silkworm, *Bombyx mory* Linn, -a review, *Caspian Journal environmental Science*, Vo.5, No.2, pp: 63-76.
- Murase, M., 1994., Method for Solubilizing and Molding Cocoon Silk, Artificial Organ Made of Cocoon Silk, and Medical Element Made of Cocoon Silk., *Japan Patent* 06-166850A.
- Musabbikhah., Saptoadi, H., Subarmono, Wibisono, M.A, 2015, Optimasi Proses Pembuatan Briket Biomassa Menggunakan Metode Taguchi Guna Memenuhi Kebutuhan Bahan Bakar Alternatif yang Ramah Lingkungan, *J. Manusia dan Lingkungan*, Vol. 22, No.1, 121-128.
- Narayanan, N., Roychoudhury, P.K., Srivastava, A., 2004, L (+) Lactic Acid Fermentation and its Product Polymerization, *Electronic Journal of Biotechnology*, Vol.7, No.2, ISSN: 0717-3458
- Narbat, M.K., Orang, F., Hashtjin, M.S., Gouda, A., 2006., Fabrication of Porous Hydroxyapatite-Gelatin Composite Scaffolds for Bone Tissue Engineering., *Iranian Biomedical Journal* 10 (4): 215-223.
- Nayak, S., Talukdar, S., Kundu, S.C., 2012, Potential of 2D Crosslinked Sericin Membranes With Improved Biostability For Skin Tissue Engineering, *Cell & Tissue Research*, 347(3): 783-94.
- Noviyanti., 2014, *Bioplastik Komposit Pati Tapioka dan Lilin Lebah dengan Tambahan Natrium Alginat Sebagai Pengemulsi*, Skripsi, Fakultas Matematika dan Ilmu Pengetahuan Alam, Institut Pertanian Bogor.
- Nursubiyantoro, E., 2004, Perancangan Parameter Proses Pemurnian Nira dengan Pendekatan Taguchi (Studi Kasus pada PG. Madukismo Yogyakarta)., *Jurnal Perancangan*, ISSN 1693 – 2102 OPSI, Vol. 2, No. 1: 311-326
- Ni, Y., Zhao, X., Zhou, L., 2008, Radiological and Histological Characterization of Silk Fibroin as Scaffold Coating for Tracheal Defect Repair, *Otolaryngology-Head & Neck Surgery*; 139(2): 256-261.

- Ogawa, A., Yamada, H., 1999, Antiaging Cosmetic Containing Sericin or Hydrolysates and Saccharomyces Extracts, *Japan Patent Publication*, Number 11193210 A2 to Noevier Co Ltd. and Seiren Co Ltd.
- Okazaki, Y., Tomotake, H., Tsujimoto, K., Sasaki, M., Kato, N., 2011, Consumption of a Resistant Protein, Sericin, Elevates Fecal Immunoglobulin A, Mucins, and Cecal Organic Acids in Rats Fed a High-Fat Diet. *The Journal of Nutrition*. 141 (11): 1975-81.
- Padamwar, M.N., Pawar, A.P., Daithankar, A.V., dan Mahadik, K.R., 2005, Silk Sericin as a Moisturizer an In Vivo Study. *J. Cosmet. Dermatol.* 4, 250-257.
- Patel, RJ. dan Modasiya, M.K., 2011, Sericin: Pharmaceutical Applications, *International Journal of Research in Pharmaceutical and Biomedical Sciences*, India.
- Poza, P., Perez-Rigueiro, J., Elices, M., and LLorca, J., 2002, Fractographic Analysis of Silkworm and Spider Silk. *Engineering Fracture Mechanics*, 69: 1035–1048.
- Pranamuda, H., 2009., *Pengembangan Bahan Plastik Biodegradabel Berbahan Baku Pati Tropis*, Badan Pengkajian dan Penerapan Teknologi Jakarta. Weblog Biology Resources on Shantybio.
- Pranoto, Y., 2007, Kajian Sifat Fisik-Mekanik dan Mikrostruktur Edible Film Alginat dan Kitosan dengan Penambahan Gliserol. *Seminar Nasional PATPI*, Bandung 17-18 Juli 2007, ISBN: 978-979-16456-0-7.
- Pritchard, E.M., dan Kaplan, D.L., 2011, Silk Fibroin Biomaterials for Controlled Release Drug Delivery., *Expert Opinion on Drug Delivery*, 8(6): 797-811.
- Pritchard, E.M., Dennis, P.B., Omenetto, F., Naik, R.R., Kaplan, D.L., 2012, Physical and Chemical Aspects of Stabilization of Compounds In Silk, *Biopolymers*, 97(6):479-98.
- Priyanto, G. 1987. *Teknik Pengawetan Pangan*. Pusat Antar Universitas (PAU) Pangan dan Gizi Universitas Gadjah Mada, Yogyakarta
- Puelacher, W.C., Vacanti, J.P., Ferraro, N.F., Schloo, B., Vacanti, C.A., 1996, Femoral Shaft Reconstruction Using Tissue-Engineered Growth of Bone, *International Journal of Oral and Maxillofacial Surgery*; 25(3): 223-228.
- Pujiyanto., E.,1998, *Melibatkan Faktor Tidak Terkontrol Terukur Pada Metode Pledger Dalam Upaya Meningkatkan Kualitas Proses Dan Produk, Sebagai Alternatif Metode Taguchi*, tesis magister.

- Pushpa, A., Vishnu, B.V., K.S., T.R., 2013, Preparation of Nano Silk Sericin Based Hydrogels From Silk Industry Waste, *Journal Environ Res Development*, 8, 243-253.
- Qu, J., Wang, L., Hu, Y., You, R., Li, M., 2013, Preparation of Silk Fibroin Microspheres and Its Cytocompatibility, *Journal of Biomaterials and Nanobiotechnology.*, 4(1): 84-90.
- Rajkhowa, R., Hu, X., Tsuzuki, T., Kaplan, D.L., Wang, X., 2012, Structure and Biodegradation Mechanism of Milled *Bombyx Mori* Silk Particles, *Biomacromolecules*; 13(8): 2503-12.
- Ren, Y.J., Zhou, Z.Y., Liu, B.F., Xu, Q.Y., and Cui, F.Z., 2009, Preparation and Characterization of Fibroin/Hyaluronic Acid Composite Scaffold. *International Journal of Biological Macromolecules* 44: 372–378.
- Reis, R.L., Cunba, A.M., 1995, Characterization of Two Biodegradable Polymers of Potential Application Within the Biomaterials Field., *Journal Material Science Mater Med*; 6:786–92.
- Ridho, H., 2014, *Evaluasi Laju Aliran Volumetrik Material Pasta Silika-Bioplastik Pada Sistem Pengumpanan Ekstrusi Ulir Tunggal Mesin Printer Tiga Dimensi*, Skripsi, Fakultas Teknik Mesin dan Industri, Universitas Gadjah Mada, Yogyakarta.
- Riyani, E., 2005, *Karakterisasi Senyawa Kalsium Fosfat Karbonat Hasil Presipitasi Menggunakan XRD, SEM, dan EDXA Pengaruh Perubahan Ion F dan Mg*, Skripsi, Departemen Fisika, Fakultas Matematika dan Ilmu Pengetahuan Alam., Bogor: Institut Pertanian Bogor.
- Ross, T. J., 1996. *Taguchi Techniques for Quality Engineering*, Second Edition. Mc Graw – Hill Companies Inc. New York.
- Sasaki, M., Kato, N., Watanabe, H., dan Yamada, H., 2000, Silk Protein Sericin Suppresses Colon Carcinogenesis, *Oncol Rep*, hlm.10049-1052.
- Sakamoto, K., and Yamakishi, K, Sericin Containing Cleaning Composition, 2000, *jpn Kokal Toklcyo Koho fop* 2000073090 A2 (to Seiren Co Lid, Japan) 7 March 2000, P 4; Chair Aba: 132 (2000) 196164.
- Sanjaya, I.G.M.H., dan Puspita, T., 2011., Pengaruh Penambahan Khitosan dan Plasticizer Gliserol Pada Karakteristik Plastik Biodegradable dari Pati Limbah Kulit Singkong., *Ekperimental*, laboratorium Limbah Industri Teknik Kimia, Teknologi Sepuluh November.
- Seigel, E., dan Lisa, B., 2007, *Biodegradable Plastics*. Online. Artikel diunduh tanggal 8 juli 2015.

- Selvia, N., 2012, *Sintesis dan Karakterisasi β -Tricalcium Phosphate Berbasis Cangkang Kerang Ranga pada Variasi Suhu Sintering*, Skripsi, Institut Pertanian Bogor. Bogor.
- Senakoon, W., Nuchadomrong, S., Sirimungkararat, S., Senawong, T., Kitikoon, P., 2009., Antibacterial Action of Eri (Samia Ricini) Sericin Against Escherichia Coli and Staphylococcus Aureus, *Asian Journal of Food and Agro-Industry*, 2 (Special Issue): S222-8.
- Shogren, R.L. 1993., *Effects of moisture and various plasticizers on the mechanical properties of extruded starch*. p.141-150. In: C. Ching, D. Kaplan and E. Thomas (eds.), *Biodegradable Polymers and Packaging*, Technomic Publishing Company, Inc., Pennsylvania
- Siswomihardjo, W., Sunarintyas, S., and Tontowi, A.E., 2012., The Effect of Zirconia in Hydroxyapatite on Staphylococcus epidermidis Growth, *Research Article, Hindawi Publishing Corporation, International Journal of Biomaterials*, Volume 2012, Article ID 432372, 4 pages, doi:10.1155/2012/432372.
- Sidi, P., Wahyudi M.T., 2013, Aplikasi Metoda *Taguchi* Untuk Mengetahui Optimasi Kebulatan Pada Proses Bubut Cnc, *Jurnal Rekayasa Mesin* Vol.4, No.2 Tahun 2013: 101-108 ISSN 0216-468X
- Sobajo, C., Behzad, F., Yuan, X.F., Bayat, A., 2008, Silk: A Potential Medium for Tissue Engineering, *e Plasty* 2008.
- Sothornvit, R. and Chollakup, R. 2009. Properties of sericin-glucomannan composite films. *International Journal of Food Science and Technology*. 44: 1395-1400.
- Sulistioso, G.S., Deswita., Wulanawati, A., dan Romawati, A., 2012., Sintesis Hidroksiapatit Berpori Dengan Porogen Kitosan dan Karakterisasinya., *Jurnal Kimia dan Kemasan* Volume 34 Nomor 1: 219-224
- Sunarintyas, A., Yustisia, Y., Tontowi A., 2011, Efek Aplikasi Sericin Pada Hidroksiapatit Terhadap Perlekatan Sel Osteoblas, *Jurnal TeknoSains*, Volume 1, No. 1, 22 Desember 2011: 35-41.
- Sugihara, A., Sugiura, K., Morita, H., Ninagawa, T., Tubouchi, K., Tobe. R., Izumiya, M., Horio, T., Abraham, N.G., Ikehara, S., 2000, Promotive Effects of a Silk Film on Epidermal Recovery from Full-Thickness Skin Wounds, *Proceedings of the Society for Experimental Biology and Medicine*; 225(1): 58-64.
- Takayasu, T., dan Fumihiro, F., 1997, Production of Bacterial Cellulose by Agitation Culture System. *Pure & Appl. Chem.* Vol 69, No 11, 2453-2458.

- Terada, S., Sasaki, M., Yanagihara, K., and Yamada, H., 2005, Preparation of Silk Protein Sericin as Mitogenic Factor for Better Mammalian Cell Culture, *Journal of Bioscience and Bioengineering*, 100: 667–671.
- Terada, S., Nishimura, T., Sasaki, M., Yamada, H., dan Miki, M., 2002, Sericin, a Protein Derived from Silkworms, Accelerates the Proliferation of Several Mammalian Cell Lines Including a Hybridoma, *Cytotechnology* 40: 3–12.
- Teramoto, H., Kameda, T., and Tamada, Y., 2008, Preparation of Gel Film From *Bombyx mori* Silk Sericin and its Characterization as a Wound Dressing, *Bioscience, Biotechnology, and Biochemistry*, 72: 3189–3196.
- Tresranto, H., 2004, Perancangan Eksperimen Pembuatan Bumbu Rawon Instan Bubuk. Laporan Skripsi SI Teknik Industri Universitas Kristen Petra. Surabaya.
- Trisnawati, M., Izak, D.R., Siswanto, 2014, Sintesis Dan Karakterisasi *Bone Graft* Hidroksiapatit-Alginat Dengan Metode *Ex-Situ*, *Jurnal Fisika dan Terapannya*, Volume 2, Nomor 3, ISBN: 9 772337 300009
- Triyono, J., Tontowi, A.E., Widowati., dan Rochmadi., 2011, Characterization of Hydroxyapatite Based Photo Bio-composites Material As Bone Substitute Material, *Internationa Conference and Exhibition on Sustainable Energy and Advanced Material*, pp. 253 – 257.
- Tipler., Paul, A., 1991, *Fisika Untuk Sains dan Teknik*, Penerbit Erlangga, Jakarta.
- Tontowi, A.E., 2012, *Pembuatan Filamen Feeder-3D Menggunakan Material Berbasis Tapioka*, Laporan Penelitian, Kegiatan Penelitian untuk Staf Pengajar Jurusan Teknik Mesin dan Industri, Universitas Gadjah Mada, Yogyakarta.
- Tontowi, A.E., 2008, Diametral Tensile Strength and Microstructure of Hydroxyapatyte-Photopolymer Composite, *Journal of Media Teknik*, no. 4 pp.550–553.
- Tsubouchi, K., Igarashi, Y., Takasu, Y., and Yamada, H., 2005, Sericin Enhances Attachment of Cultured Human Skin Fibroblasts., *Bioscience, Biotechnology, and Biochemistry* 69:403–405.
- Tsubouchi, K., 1999., Occlusive Dressing Consisting Essentially of Silk Fibroin and Silk Sericin and its Production. *Japan Patent* 11-070160A.
- Ulfiah., 2012, *Pencirian Edible Film Tepung Tapioka Terplastisasi Gliserol Dengan Penambahan Natrium Alginat*, Skripsi, Bogor (ID): Institut Pertanian Bogor.
- Vandenbrande., W., 2005, *Perbaikan Kualitas Pada Perancangan*. Bandung, ITB Bandung.

- Voegeli, R., Meier, J., and Blust, R., 1993, Sericin Silk Protein: Unique Structure and Properties. *Cosmetics Toiletries* 108: 101–108.
- Walpole.,and Ronald E., 1990, *Pengantar Statistika*. Jakarta: Gramedia.
- Wahjudi, D., San, G.S., Pramono, Y., 2001, Optimasi Proses Injeksi dengan Metode Taguchi, *Jurnal Teknik Mesin* Vol 3, No. 1, 24 – 28, Universitas Kristen Perta.
- Wahl, D.A., dan Czernuszka, 2006. Collagen-Hydroxiapatite Composites for Hard Tissue Repair. *Eropean Cells and Material* Vol.11 pages 43-56
- Wang, X., Wenk, E., Hu, X., Castro, G.R., Meinel, L., 2007, Silk coatings on PLGA and Alginate Microspheres for Protein Delivery, *Biomaterials* 28(28): 4161-9.
- Wang, Y., Kim, H.J., Vunjak-Novakovic, G., Kaplan, D.L., 2006, Stem Cell-Based Tissue Engineering With Silk Biomaterials, *Biomaterials* 2006; 27(33): 6064-6082.
- Wang, Z., Zhang, Y., Zhang, J., Huang, L., Liu, J., Li, Y., Zhang, G., Kundu, S.C., dan Wang, L., 2014, Exploring Natural Silk Protein Sericin for Regenerative Medicine: an Injectable, Photoluminescent, Cell-Adhesive 3D Hydrogel, *Scientific Reports*, 4 : 7064, DOI: 10.1038/srep07064.
- Wenk, E., Merkle, H.P., Meinel, L., 2011, Silk Fibroin as a Vehicle for Drug Delivery Applications., *Journal of Controlled Release*, 150 (2): 128-41.
- Wenk, E., Wandrey, A.J., Merkle, H.P., Meinel, L., 2008, Silk Fibroin Spheres as a Platform for Controlled Drug Delivery., *Journal of Controlled Release*, 132 (1): 26-34.
- Whang, K., Healy, K.E., Elenz, D.R., Nam, E.K., Tsai, D.C., Thomas, C.H., Nuber, G.W., Glorieux, F.H., Travers, R., Sprague, S.M., 1999., Engineering Bone Regeneration With Bioabsorbable Scaffolds With Novel Microarchitecture. *Tissue Engineering*, vol. 5, no. 1, pp. 35–51.
- Wibisono., Y., 2005, *Metode Statistik*. Yogyakarta: Gajah Mada University Press
- Widyaning, A.K., Supardi, A., Widiyanti, P, 2014, Sintesis dan Karakterisasi Kolagen dari Tendon Sapi (*Bos Sondaicus*) Sebagai Bahan *Bone Filler* Komposit Kolagen – Hidroksiapatit, *Jurnal Fisika dan Terapannya* Volume 2, Nomor 3, ISBN: 9 772337 300009
- Williams, D.F., 1987, Definitions in Biomaterials, *Proceedings of a Consensus Conference of the Society for Biomaterials*, Chester. England. 3-5 Maret 1986. Volume 4. New York: Elsevier.
- Witana, A, 2011, Kegunaan Gliserin [Online, diakses tanggal 12 april 2015], <http://anik-chemist-unipa.blogspot.com/2011/04/gliserin.html>.

- Wu, J.H., Wang, Z., and Xu, S.Y., 2007, Preparation and Characterization of Sericin Powder Extracted From Silk Industry Wastewater. *Food Chemistry* Yamada H, Yamazuki K and Nozaki K.
- Yamada, H., Yamazuki, K., and Nozaki, K., 2001, Skin Moisturizing and Conditioning Cosmetics Containing Sericin and Saccharides, *Jpn Kokai Tokkyo Koho fop* 2001064148 A2 (to Seiren Co Ltd & Teikoku Seiyaku Co Lid) 13 March 2001, P 6; Chem Abstr, 134(16) (2001) 227100. 103: 1255–1262.
- Yamada, H., Fuha, Y., Yuri, O., Obayashi, M., and Arashima, T., 1998, Collagen Formation Promoters Containing Sericin or its Hydrolyzates and Antiaging Cosmetics, *Japan Patent Publication*, Number 10226653 A2 to Noevirco Ltd. and Seiren Co Ltd., 25 August 1998.
- Yang, Y., Chen, X., Ding, F., Zhang, P., Liu, J., Gu, X, 2007, Biocompatibility Evaluation of Silk Fibroin With Peripheral Nerve Tissues and Cells In Vitro, *Biomaterials* 2007; 28(9): 1643-1652.
- Yoshii, F., Kume, N., Makuuchi, K., dan Sato, F, 2000, Hydrogel Composition Containing Silk Protein, *Japan Patent* 06-017373A.
- Yuliandari, G.A.P., Srinadi, I.G.A.M., Sumarjaya, I.W., 2013, Menentukan Komposisi Optimal dari Faktor-Faktor yang Mempengaruhi Ketahanan Aspal dengan Metode Taguchi, *e-Jurnal Matematika* Vol. 2, No. 1, 37-41
- Zhang, J., Pritchard, E., Hu, X., Valentin, T., Panilaitis, B., Omenetto, F.G, 2012, Stabilization of Vaccines and Antibiotics In Silk and Eliminating The Cold Chain, *Proceedings of the National Academy of Sciences*, 109 (30): 11981-6.
- Zhang, Y.Q., Tao, M.L., Shen, W.D., Mao, J.P. & Chen, Y.h. 2006. Synthesis of Silk Sericin Peptides–I-Asparaginase Bioconjugates and Their Characterization. *Journal Chem Technol Biotechnol*, 81, 136–145.
- Zhang, Y.Q, 2002, Application of Natural Silk Protein Sericin in Biomaterials, *Biotechnology Advances*, 20: 91-100.
- Zhang, W., Liao, S.S., and Cui,F.Z., 3003, Hierarchical Self-Assembly of Nano-Fibrils In Mineralized Collagen, *Chemistry of Materials*, vol. 15, no. 16, pp. 3221-3226, 2003.
- Zhaorigetu, S., Yanaka, N., Sasaki, M., Watanabe, H., Kato, N., 2003, Inhibitory Effects of Silk Protein, Sericin on UVB-Induced Acute Damage and Tumor Promotion by Reducing Oxidative Stress in The Skin of Hairless Mouse., *J Photochem Photobiol B* 2003;71:11–17.

Zhaorigetu, S., Sasaki, M., Watanabe, H., and Kato, N., 2001, Supplemental Silk Protein, Sericin, Suppresses Colon Tumorigenesis in 1,2-Dimethylhydrazine-Treated Mice by Reducing Oxidative Stress and Cell Proliferation., *Bioscience, Biotechnology, and Biochemistry* 65: 2181–2186.

Zhou, J., Cao, C., Ma, X., and Lin, J., 2010, Electrospinning of Silk Fibroin and Collagen for Vascular Tissue Engineering, *International Journal of Biological Macromolecules*, 47: 514–519.