UNIVERSITAS
GADJAH MADA
ANALISIS UKURAN PORI BIOKOMPOSIT [SERICIN-BIOPLASTIK] PADA BERBAGAI SUHU PEMBEKUAN AWAL DENGAN METODE TAGUCHI
GAUSTAMA PUTRA, Ir. Alva Edy Tontowi, M.Sc., Ph.D
Universitas Gadjah Mada, 2016 | Diunduh dari http://etd.repository.ugm.ac.id/

DAFTAR PUSTAKA

Adam, S., dan Clark, D, 2009, Landfill Biodegradation An in-depth Look at Biodegradation in Landfill Environments. *Bio-tec Environmental, Albuquerque & ENSO Bottles,* LLC, Phoenix. p. 9-11.

Alamsyah, D., 2014, *Desain Sistem Produksi Mini Plant Sericin dari Kepompong Ulat Sutera,* Skripsi, Fakultas Teknik Mesin dan Industri, Universitas Gadjah Mada, Yogyakarta.

Alifa, D.F., Rudyardjo, D.I., Ady, J, 2014, Sintesis dan Karakterisasi Hidrogel Kitosan-Glutaraldehid dengan Penambahan Asam Laurat Sebagai *Plasticizer* Untuk Aplikasi Penutup Luka, *Jurnal Fisika dan Terapannya*, volume 2, nomor 3, isbn: 9 772337 300009.

Altman, G.H., Horan, R.L., Lu, H., Moreau, J., Martin, I., Richmond, J.C., Kaplan, D.L., 2002, Silk Matrix for Tissue Engineered Anterior Cruciate Ligaments, *Biomaterials* 2002; 23(20): 4131-4141.

Amgoune, A., Thomas, C.M., Carpentier, J.F., 2007., Yttrium Complexes as Catalysts for Living and Immortal Polymerization of Lactide to Highly Heterotactic PLA., *Macromolecular Rapid Communications*, 28 (6), DOI: 10.1002/marc.200600862.

Anita, Z., Akbar, F., dan Harahap, H., 2013., Pengaruh Penambahan Gliserol Terhadap Sifat Mekanik Film Plastik Biodegradasi Dari Pati Kulit Singkong., *Jurnal Teknik Kimia* USU, Vol. 2, No. 2.

Annamaria, S., Maria, R., Tullia, M., Silvio, S., and Orio, C., 1998, The Microbial Degradation of Silk: a laboratory investigation. *Int. Biodeterior. Biodegrad*. 42, 203–211.

Aramwit, P., Ratanavaraporn, J., Ekgasit, S., Tongsakul, D., Bang, N., 2014, A Green Salt-Leaching Technique to Produce Sericin/PVA/Glycerin Scaffolds with Distinguished Characteristics for Wound-Dressing Applications, *Journal of Biomedical Materials Research,* Part B 2014:00 B:000–000.

Aramwit, P., Siritientong, T., Kanokpanont, S., Srichana, T., 2010a, Formulation and Characterization of Silk Sericin–PVA Scaffold Crosslinked With Genipin, *International Journal of Biological Macromolecules*, 47: 668–675

UNIVERSITAS
GADJAH MADA
ANALISIS UKURAN PORI BIOKOMPOSIT [SERICIN-BIOPLASTIK] PADA BERBAGAI SUHU PEMBEKUAN AWAL DENGAN METODE TAGUCHI
GAUSTAMA PUTRA, Ir. Alva Edy Tontowi, M.Sc., Ph.D
Universitas Gadjah Mada, 2016 | Diunduh dari http://etd.repository.ugm.ac.id/

Aramwit, P., Damrongsakkul, S., Kanokpanont, S., Srichana, T., 2010b, Properties and Anti-Tyrosinase Activity of Sericin from Various Extraction Methods. *Biotechnology and Applied Biochemistry*, 55: 91–98

Aramwit, P., Sangcakul, A., 2007, The Effects of Sericin Cream on Wound Healing in Rats, *Bioscience, Biotechnology, and Biochemistry,* 71:2473–2477.

Ariono, D., Fajrinia, L., Julyana, R., dan Manullang, 2007, Sifat Reologi Larutan Tapioka, *Jurnal Teknik Kimia Indonesia*, vol. 6, no. 2, pp. 602-608.

Belavendram, 1995, Quality by Design: Taguchi Techniques for Industrial Experimentation. *Prentice Hall, London*.

Bawono, B., Yuniarto, A, T., Anggoro, P,. 2011., Perancangan dan Pembuatan Alat Uji Modulus Patah untuk Pengujian Produk Keramik (Laporan Penelitian). Fakultas Teknologi Industri. Universitas Atma Jaya Yogyakarta

Beninca, C., 2008, Thermal Behaviour of Corn Starch Granules Modified by Acid Treatment at 30^{o}C and 50^{o}C, *Ecletica Quimica* 33:3.

Bird, R.B., Stewart, W.E., dan Lightfoot, E.N., 1960, Transport Phenomena, *John Willey & Sons Inc*., New York.

Bohner, M., Loosli, Y., Baroud, G., Lacroix, D, 2011, Deciphering The Link Between Architecture and Biological Response of a Bone Graft Substitute, *Acta Biomaterialia*, vol. 7, no. 2, pp. 478‑484.

Cao, Y., Wang, B., 2009, Biodegradation of Silk Biomaterials. *International Journal of Molecular Sciences*., 10 (4): 1514-24.

Chaplin, M., 2006, Starch as an Ingredients: Manufacture and Applications. Di dalam: Eliasson AC, editor. *Starch in Food*: *Structure, Function, and Application.* Boca Raton (US): CRC Press.

Chen, Q., Zhu, C., Thouas, G.A., 2012., Progress and challenges in biomaterials used for bone tissue engineering: bioactive glasses and elastomeric composites, *Progress in Biomaterials*, vol. 1, no. 1, article 2,.

Chen, J., Altman, G.H., Karageorgiou, V., Horan, R.L., Collette, A.L., Volloch, V., Colabro, T., Kaplan, D.L., 2003, Human Bone Marrow Stromal Cell and Ligament Fibroblast Responses on RGD-Modified Silk Fibers, *Journal of Biomedical Materials Research,* Part A 2003; 67(A) (2): 559-570.

UNIVERSITAS GADJAH MADA
ANALISIS UKURAN PORI BIOKOMPOSIT [SERICIN-BIOPLASTIK] PADA BERBAGAI SUHU PEMBEKUAN AWAL DENGAN METODE TAGUCHI
GAUSTAMA PUTRA, Ir. Alva Edy Tontowi, M.Sc., Ph.D
Universitas Gadjah Mada, 2016 | Diunduh dari http://etd.repository.ugm.ac.id/

Chirila, T.V., Barnard, Z., Zainuddin., Harkin, D.G., Schwab, I.R., Hirst, L.W., 2008, Bombyx Mori Silk Fibroin Membranes as Potential Substrata for Epithelial Constructs Used in The Management of Ocular Surface Disorders, *Tissue Engineering Part A* 2008; 14(7): 1203-1211.

Ciechańska, D., 2004, Multifunctional Bacterial Cellulose/Chitosan Composite Material for Medical Applications. *Journal of Fibres & Textiles in Eastern Europe*. Vol. 12. No. 4.48

Cornell, C.N., 1999, Osteoconductive Materials and Their Role as Substitutes For Autogenous Bone Grafts, *Orthopedic Clinics of North America*, vol. 30, no. 4, pp. 591‑598.

Darwis, D., dan Abbas, B., 2010, *Aplikasi Isotop dan Radiasi Dalam Pembuatan dan Pengembangan Bahan Biomaterial Untuk Keperluan Klinis*, Seminar Nasional Keselamatan Kesehatan dan Lingkungan VI, Jakarta, 15-16 Juni 2010.

Develioglu, H., Koptagel, E., Gedik, R., dan Dupoirieux, L., 2005., The effect of a Biphasic Ceramic on Calvarial Bone Regeneration In Rats. *Journal of Oral Implantology* 31(6):309-312.

Desrosier, N.W., 1988, *Teknologi Pengawetan Pangan*. Edisi Ketiga. Terjemahan M. Muljohardjo. UI-Press, Jakarta.

Dinescu, S., Gslsueanu, B., Albu, M., Lungu, A., Radu, E., Hermenean, A., dan Costache, M., 2013, Biocompatibility Assessment of Novel Collagen-Sericin Scaffolds Improved with Hyaluronic Acid and Chondroitin Sulfate for Cartilage Regeneration, *Research Article, Hindawi Publishing Corporation, BioMed Research International,* Volume 2013, Article ID 598056.

Du, C., Cui, F.Z., Feng, Q.L., Zhu, X.D., and deGroot, K., 1998., Tissue Response To Nano-Hydroxyapatite/Collagen Composite Implants In Marrow Cavity., *Journal of Biomedical MaterialsResearch*, vol. 42, no. 4, pp. 540‑548.

El-Ghannam, A.R, 2004, Advanced Bioceramic Composite For Bone Tissue Engineering: Design Principles and Structure–Bioactivity Relationship, *Published online in Wiley InterScience* (www.interscience.wiley.com). DOI: 10.1002/jbm.a.30022.

Fachry, A. R., dan Sartika, A., 2012, Pemanfaatan Limbah Kulit Udang dan Limbah Kulit Ari Singkong Sebagai Bahan Baku Pembuatan Plastik Biodegradable, *Jurnal Teknik Kimia* No. 3, Vol. 18.

Fan, H., Liu, H., Wong, E.J.W., Toh, S.L., Goh, J.C.H., 2008, In Vivo Study of Anterior Cruciate Ligament Regeneration Using Mesenchymal Stem Cells and Silk Scaffold, *Biomaterials* 2008; 29(23): 3324- 3337.

UNIVERSITAS
GADJAH MADA
ANALISIS UKURAN PORI BIOKOMPOSIT [SERICIN-BIOPLASTIK] PADA BERBAGAI SUHU PEMBEKUAN AWAL DENGAN METODE TAGUCHI
GAUSTAMA PUTRA, Ir. Alva Edy Tontowi, M.Sc., Ph.D
Universitas Gadjah Mada, 2016 | Diunduh dari http://etd.repository.ugm.ac.id/

Fauzi, A., 2010, *Uji Kandungan Protein Sericin Kokon Antheraea SP (Famili Saturninndae*), Skripsi, Universitas Gadjah Mada, Yogyakarta.

Firdaus, F., dan Anwar, C., 2004., Potensi Limbah Padat-Cair Industri Tepung Tapioka Sebagai Bahan Baku Film Plastik Biodegradabel., *Jurnal Logika*, Vol. 1, Issue 2, Pages 1410-2315.

Fitria, N., 2009., *Analisis Metode Desain Eksperimen Taguchi Dalam Optimasi Karakteristik Mutu*, Skripsi, Universitas Islam Negeri Maulana Malik Ibrahim, Malang

Gaman, P.M., dan Sherrington, K.B., 1981, *Ilmu Pangan: Pengantar Ilmu Pangan Nutrisi dan Mikrobiologi.* UGM-Press, Yogyakarta.

Ghassemifar, R., Redmond, S., Zainuddin., Chirila. T.V., 2010, Advancing Towards a Tissue-engineered Tympanic Membrante: Silk Fibroin as a Substratum for Growing Human Eardrum Keratinocyte. *Journal of Biomaterial Application* 2010; 24(7): 591-606.

Gil, E.S., Park, S.H., Marchant, J., Omenetto, F., Kaplan, D.L., 2010, Response of Human Corneal Fibroblasts on Silk Film Surface Patterns, *Macromolecular Bioscience*; 10(6): 664-673.

Gomes, M.E., Ribeiro, A.S., Malafaya, P.B., Reis, R.L., Cunba, A.M, 2001, A New Approach Based on Injection Moulding to Produce Biodegradable Starch-Based Polymeric Scaffolds: Morphology, Mechanical and Degradation Behavior. *Biomaterials*; 22:883–9.

Gomes, M.E., Reis, R.L., Cunba, A.M., van Blitterswijk, C.A., de Bruijn, J.D, 2001, Cytocompatibility and Response of Osteoblastic-Like Cells to Starch-Based Polymers: Effect of Several Additives and Processing Conditions. *Biomaterials*; 22:1911–7.

Grace, M.R., 1977. Cassava Processing., *FAO Plant Production and Protection, Rome*. pp. 16.

Harjono, S., 1991, *Dasar-dasar Spektroskopi*, Edisi Kedua, Penerbit Liberti Yogyakarta.

Hasanah, N., 2012, *Pembuatan dan Pencirian Plastik Pati Tapioka Dengan Pemlastis Gliserol*, Skripsi. Bogor (ID): Institut Pertanian Bogor.

Hazeri, N., Tavanai, H., Moradi, A.R., 2012, Production and Properties of Electrosprayed Sericin Nanopowder, *Science and Technology of Advanced Materials*, 13(3): 035010.

UNIVERSITAS
GADJAH MADA
ANALISIS UKURAN PORI BIOKOMPOSIT [SERICIN-BIOPLASTIK] PADA BERBAGAI SUHU PEMBEKUAN AWAL DENGAN METODE TAGUCHI
GAUSTAMA PUTRA, Ir. Alva Edy Tontowi, M.Sc., Ph.D
Universitas Gadjah Mada, 2016 | Diunduh dari http://etd.repository.ugm.ac.id/

Herliansyah, M.K., Muzafar, C., Tontowi, A.E., 2012, Natural Bioceramics Bone Graft: A Comparative Study of Calcite Hydroxyapatite, Gypsum Hydroxyapatite, Bovine Hydroxyapatite and Cuttlefish Shell Hydroxyapatite, *Proceedings of the Asia Pacific Industrial Engineering & Management Systems Conference* 2012.

Hillig, W.B., Choi, S., Murtha, S., 2008., An Open-Pored Gelatin/Hidroxyapatite Composite as a Potential Bone Substitute, *J. Mater Sci: Mater Med* 19: 11-17.

Hoenich, N., 2006, Cellulose for Medical Applications: Past, Present, and Future. *BioRes*. 1 (2).270-280.

Hollister, S.J., Lin, C.Y., Saito, E, 2005, Engineering Craniofacial Scaffolds, *Orthodontics and Craniofacial Research*, vol. 8, no. 3, pp. 162‑173.

Hoppe, U., Koerbaecher, K., and Roeckl, M, 1984, Hair and Bath Preparations Containing Sericin, *Ocr Offen* 0ff 3233388 A1(to Beiersdorf A 0, Ckr) 15 March 1984, P 15; Client Abstr, 100(1984)215305.

Hsieh, W.C., Chang, C.P., and Lin, S.M., 2007, Morphology and Characterization of 3D Micro-Porous Structured Chitosan Scaffolds for Tissue Engineering, *Colloids and Surfaces B: Biointerfaces*, 57: 250–255.

Hu, X., and Kaplan, D.L., 2011, Silk Biomaterials, In: Editor-in-Chief: Paul D, editor. *Comprehensive Biomaterials*. Oxford: Elsevier; 2011. p. 207-19.

Hummel, D.O., 1985, *Infrared Spectra Polymer in The Medium and Long Wavelength region*., Jhon Willey and Sons, London

Ichsan, M.Z., Siswanto., Hikmawati, D., 2013, Sintesis Komposit Kolagen-Hidroksiapatit Sebagai Kandidat *Bone Graft*, *Jurnal Fisika dan Terapannya*, Vol 1, No.1, Januari 2013. Hal 2-3.

Ishak dan Aulia. 2002. *Rekayasa Kualitas.* Universitas Sumatra Utara, 2: 124.

Irawati, N., Putri, N.T., Herryandie, A.BA., 2015, Strategi Perencanaan Jumlah Material Tambahan Dalam Memproduksi Semen Dengan Pendekatan Taguchi Untuk Meminimalkan Biaya Produksi (Study Kasus PT Semen Padang), *Jurnal Optimasi Sistem Industri*, Vol.14 No. 1, 159-172.

Janssen, L., and Moscicki, L., 2009, *Thermoplastic Starch*, Willey-VCH Verlag GmbH & Co. KGaA.

Karageorgiou, V., Kaplan, D., 2005, Porosity of 3D Biomaterial Scaffolds and Osteogenesis, *Biomaterials*, vol. 26, no. 27, pp. 5474‑5491,

UNIVERSITAS
GADJAH MADA
ANALISIS UKURAN PORI BIOKOMPOSIT [SERICIN-BIOPLASTIK] PADA BERBAGAI SUHU PEMBEKUAN AWAL DENGAN METODE TAGUCHI
GAUSTAMA PUTRA, Ir. Alva Edy Tontowi, M.Sc., Ph.D
Universitas Gadjah Mada, 2016 | Diunduh dari http://etd.repository.ugm.ac.id/

Kaewkorna, W., Limpeanchoba, N., Tiyaboonchaib, W., Pongcharoenc, S., Sutheerawattananondad, M., 2012, Effects of Silk Sericin on The Proliferation and Apoptosis of Colon Cancer Cells, *Biol Res* 45*:* 45-50,

Kato, N., Sato, S., Yamanaka, A., Yamada, H., Fuwa, N., and Nomura, M., 1998, Silk Protein, Sericin, Inhibits Lipid Peroxidation and Tyrosinase Activity, *Bioscience, Biotechnology and Biochemistry*, 62: 145–147.

Ki, C.S., Kim, J.W., Oh, H.J., Lee, K.H., and Park, Y.H., 2007, The Effect of Residual Silk Sericin on The Structure and Mechanical Property of Regenerated Silk Filament. *International Journal of Biological Macromolecules*, 41: 346–353.

Kim, H.J., Kim, U.J., Kim, H.S., Li, C., Wada, M., Leisk, G.G., Kaplan, D.L., 2008, *Bone tissue engineering with premineralized silk scaffolds, Bone*; 42(6): 1226-1234.

Kim, S.Y., 2014, *Formulation of biologically-inspired silk-based drug carriers for pulmonary drug delivery targeted for lung cancer*, Thesis, Faculty of Pharmacy, The University of Sydney, Sydney.

Kiremitci-Gumusderelioglu, M., dan Deniz, G., 1998, Synthesis, Characterization and in Vitro Degradation of Poly(DL-Lactide)/Poly(DL-Lactide-co-Glycolide) Films, *Turk J Chem*, 153-161.

Koushic, U., and Sonia, A., 2010, A Comparitive Study on Silk Dyeing with Acid Dye and Reactive Dye. *International Journal of Engineering and Technology*, 10(6): p. 6.

Krochta, J.M., Baldwin, E.A., and M.O, Nisperos-Carriedo, 1994, *Edible Coatings and Films to Improve Food Quality*, Technomic Publishing, Company, Inc., Lancaster.

Kroschwitz, and Jacqueline., 1990, *Polymer Characterization and Analysis*., Canada: John Willey and Sons.

Kundu, B., Rajkhowa, R., Kundu, S.C., Wang, X., 2013, Silk Fibroin Biomaterials for Tissue Regenerations., *Advanced Drug Delivery Reviews*, 65(4) :457-70.

Kundu, S.C., Kundu, B., Talukdar, S., Bano, S., Nayak, S., Kundu, J., 2012, Invited Review Nonmulberry Silk Biopolymers., *Biopolymers*, 97 (6): 455-67.

Kundu, J., Chung, Y.I., Kim, Y.H., Tae, G., Kundu, S.C, 2010, Silk Fibroin Nanoparticles for Cellular Uptake and Control Release., *International Journal of Pharmaceutics*, 388 (1–2): 242-50.

UNIVERSITAS
GADJAH MADA
ANALISIS UKURAN PORI BIOKOMPOSIT [SERICIN-BIOPLASTIK] PADA BERBAGAI SUHU PEMBEKUAN AWAL DENGAN METODE TAGUCHI
GAUSTAMA PUTRA, Ir. Alva Edy Tontowi, M.Sc., Ph.D
Universitas Gadjah Mada, 2016 | Diunduh dari http://etd.repository.ugm.ac.id/

Kundu, S.C., Dash, B.C., Dash, R., Kaplan, D.L., 2008, Natural Protective Glue Protein, Sericin Bioengineered by Silkworms: Potential for Biomedical and Biotechnological Applications, *Progress in Polymer Science*., 33: 998–1012.

Kurniawan, E. 2010. Pengelolaan Sampah di Indonesia. *Indonesia Environmental Consultant* 21 April. Online. Tersedia di www.iec.co.id *[*diakses 10 juni 2015].

Kurioka, A., Kurioka, F., Yamazaki, M., 2004, Characterization of Sericin Powder Prepared From Citric Acid Degraded Sericin Polypeptides of The Silkworm, Bombyx Mori., *Bioscience, Biotechnology and Biochemistry*, 68:774–780.

Kurioka, A., 1998, Application of Silk Proteins To New Biomaterial (Silk Sci Res Inst Tokyo, Japan), *Zairyo GKjuLsu*: 16(5):195-201.

Lestari, A., 2009, *Sintesis dan Karakterisasi Komposit Apatit-Kitosan dengan Metode in-situ dan ex-situ*, Skripsi, Departemen Fisika, Fakultas Matematika dan Ilmu Pengetahuan Alam, Institut Pertanian Bogor.

Livingston, T., Ducheyne, P., Garino, J., 2002, In Vivo Evaluation of a Bioactive Scaffold for Bone Tissue Engineering, *Journal of Biomedical Materials Research* 2002; 62(1): 1-13.

Lovett, M.L., Cannizzaro, C.M., Vunjak-Novakovic, G., Kaplan, D.L., 2008, Gel Spinning of Silk Tubes For Tissue Engineering, *Biomaterials* 2008; 29(35): 4650-4657.

Lu, J.X., Flautre, B., 1999. Role of Interconnections In Porous Bioceramics on Bone Recolonization In Vitro and Vivo. *Journal Mater Sci Mater Med* 10:111–120.

Mandal, B.B., Priya, A.S., and Kundu, S.C., 2009, Novel Silk Sericin/Gelatin 3-D Scaffolds and 2-D Films: Fabrication and Characterization for Potential Tissue Engineering Applications, *Acta Biomaterialia* 5:3007–3020.

Martinez-Mora, C., Mrowiec, A., Garcia-Vizcaino, E.M., dan Nicolas, F.J., 2012, Fibroin and Sericin from Bombyx mori Silk Stimulate Cell Migration through Upregulation and Phosphorylation of c-Jun, *Journal PLoS ONE*, Volume 7, Issue 7: e42271. doi:10.1371.

Mendes, S.C., Reis, R.L., Bovell, Y.P., Cunba, A.M., van Blitterswijk, C.A., de Bruijn, J.D., 2001, Biocompatibility Testing of Novel Starch-Based Materials With Potential Application in Orthopaedic Surgery: a Preliminary Study. *Biomaterials*; 22:2057–64.

UNIVERSITAS
GADJAH MADA
ANALISIS UKURAN PORI BIOKOMPOSIT [SERICIN-BIOPLASTIK] PADA BERBAGAI SUHU PEMBEKUAN AWAL DENGAN METODE TAGUCHI
GAUSTAMA PUTRA, Ir. Alva Edy Tontowi, M.Sc., Ph.D
Universitas Gadjah Mada, 2016 | Diunduh dari http://etd.repository.ugm.ac.id/

Miao, X., Lim, W.K., Huang, X., and Chen, Y, 2005, Preparation and Characterization of Interpenetrating Phased TCP/HA/PLGA Composites, *Mater Lett* 59:4000-4005

Minoura, N., Aiba, S., Gotoh, Y., Tsukada, M., and Imai, Y, 1995, Attachment and Growth of Cultured Fibroblast Cells on Silk Protein Matrices., *Journal of Biomedical Materials Research.* 29, 1215–1221.

Miyairi, S., and Sugiura, M., 1978. Properties of b-glucosidase Immobilized in Sericin Membrane. *Journal Fermen. Tech.* 56, 303–308.

Mondal, M., Trivedy, K., Kumar, S.N., 2007, The Silk Proteins, Sericin and Fibroin in Silkworm, *Bombyx mory* Linn, -a review, *Caspian Journal environmental Science*, Vo.5, No.2, pp: 63-76.

Murase, M., 1994., Method for Solubilizing and Molding Cocoon Silk, Artificial Organ Made of Cocoon Silk, and Medical Element Made of Cocoon Silk., *Japan Patent* 06-166850A.

Musabbikhah., Saptoadi, H., Subarmono, Wibisono, M.A, 2015, Optimasi Proses Pembuatan Briket Biomassa Menggunakan Metode Taguchi Guna Memenuhi Kebutuhan Bahan Bakar Alternatif yang Ramah Lingkungan, *J. Manusia dan Lingkungan*, Vol. 22, No.1, 121-128.

Narayanan, N., Roychoudhury, P.K., Srivastava, A., 2004, L (+) Lactic Acid Fermentation and its Product Polymerization, *Electronic Journal of Biotechnology*, Vol.7, No.2, ISSN: 0717-3458

Narbat, M.K., Orang, F., Hashtjin, M.S., Gouda, A., 2006., Fabrication of Porous Hydroxyapatite-Gelatin Composite Scaffolds for Bone Tissue Engineering., *Iranian Biomedical Journal* 10 (4): 215-223.

Nayak, S., Talukdar, S., Kundu, S.C., 2012, Potential of 2D Crosslinked Sericin Membranes With Improved Biostability For Skin Tissue Engineering, *Cell & Tissue Research*, 347(3): 783-94.

Noviyanti., 2014, *Bioplastik Komposit Pati Tapioka dan Lilin Lebah dengan Tambahan Natrium Alginat Sebagai Pengemulsi*, Skripsi, Fakultas Matematika dan Ilmu Pengetahuan Alam, Institut Pertanian Bogor.

Nursubiyantoro, E., 2004, Perancangan Parameter Proses Pemurnian Nira dengan Pendekatan Taguchi (Studi Kasus pada PG. Madukismo Yogyakarta)., Jurnal Perancangan, ISSN 1693 – 2102 OPSI, Vol. 2, No. 1: 311-326

Ni, Y., Zhao, X., Zhou, L., 2008, Radiological and Histological Characterization of Silk Fibroin as Scaffold Coating for Tracheal Defect Repair, *Otolaryngology-Head & Neck Surgery*; 139(2): 256-261.

UNIVERSITAS
GADJAH MADA
ANALISIS UKURAN PORI BIOKOMPOSIT [SERICIN-BIOPLASTIK] PADA BERBAGAI SUHU PEMBEKUAN AWAL DENGAN METODE TAGUCHI
GAUSTAMA PUTRA, Ir. Alva Edy Tontowi, M.Sc., Ph.D
Universitas Gadjah Mada, 2016 | Diunduh dari http://etd.repository.ugm.ac.id/

Ogawa, A., Yamada, H., 1999, Antiaging Cosmetic Containing Sericin or Hydrolysates and Saccharomyces Extracts, *Japan Patent Publication*, Number 11193210 A2 to Noevier Co Ltd. and Seiren Co Ltd.

Okazaki, Y., Tomotake, H., Tsujimoto, K., Sasaki, M., Kato, N., 2011, Consumption of a Resistant Protein, Sericin, Elevates Fecal Immunoglobulin A, Mucins, and Cecal Organic Acids in Rats Fed a High-Fat Diet. *The Journal of Nutrition*. 141 (11): 1975-81.

Padamwar, M.N., Pawar, A.P., Daithankar, A.V., dan Mahadik, K.R., 2005, Silk Sericin as a Moisturizer an In Vivo Study. *J. Cosmet. Dermatol*. 4, 250-257.

Patel, RJ. dan Modasiya, M.K., 2011, Sericin: Pharmaceutical Aplications, *International Journal of Research in Pharmaceutical and Biomedical Sciences*, India.

Poza, P., Perez-Rigueiro, J., Elices, M., and LLorca, J., 2002, Fractographic Analysis of Silkworm and Spider Silk. *Engineering Fracture Mechanics*, 69: 1035–1048.

Pranamuda, H., 2009., *Pengembangan Bahan Plastik Biodegradabel Berbahan Baku Pati Tropis*, Badan Pengkajian dan Penerapan Teknologi Jakarta. Weblog Biology Resources on Shantybio.

Pranoto, Y., 2007, Kajian Sifat Fisik-Mekanik dan Mikrostruktur Edible Film Alginat dan Kitosan dengan Penambahan Gliserol. *Seminar Nasional PATPI*, Bandung 17-18 Juli 2007, ISBN: 978-979-16456-0-7.

Pritchard, E.M., dan Kaplan, D.L., 2011, Silk Fibroin Biomaterials for Controlled Release Drug Delivery., *Expert Opinion on Drug Delivery*, 8(6): 797-811.

Pritchard, E.M., Dennis, P.B., Omenetto, F., Naik, R.R., Kaplan, D.L., 2012, Physical and Chemical Aspects of Stabilization of Compounds In Silk, *Biopolymers*, 97(6):479-98.

Priyanto, G. 1987. *Teknik Pengawetan Pangan*. Pusat Antar Universitas (PAU) Pangan dan Gizi Universitas Gadjah Mada, Yogyakarta

Puelacher, W.C., Vacanti, J.P., Ferraro, N.F., Schloo, B., Vacanti, C.A., 1996, Femoral Shaft Reconstruction Using Tissue-Engineered Growth of Bone, *International Journal of Oral and Maxillofacial Surgery*; 25(3): 223-228.

Pujiyanto., E.,1998, *Melibatkan Faktor Tidak Terkontrol Terukur Pada Metode Pledger Dalam Upaya Meningkatkan Kualitas Proses Dan Produk, Sebagai Alternatif Metode Taguchi*, tesis magister.

UNIVERSITAS
GADJAH MADA
ANALISIS UKURAN PORI BIOKOMPOSIT [SERICIN-BIOPLASTIK] PADA BERBAGAI SUHU PEMBEKUAN AWAL DENGAN METODE TAGUCHI
GAUSTAMA PUTRA, Ir. Alva Edy Tontowi, M.Sc., Ph.D
Universitas Gadjah Mada, 2016 | Diunduh dari http://etd.repository.ugm.ac.id/

Pushpa, A., Vishnu, B.V., K.S., T.R, 2013, Preparation of Nano Silk Sericin Based Hydrogels From Silk Industry Waste, *Journal Environ Res Development*, 8, 243-253.

Qu, J., Wang, L., Hu, Y., You, R., Li, M., 2013, Preparation of Silk Fibroin Microspheres and Its Cytocompatibility, *Journal of Biomaterials and Nanobiotechnology.*, 4(1): 84-90.

Rajkhowa, R., Hu, X., Tsuzuki, T., Kaplan, D.L., Wang, X., 2012, Structure and Biodegradation Mechanism of Milled *Bombyx Mori* Silk Particles, *Biomacromolecules*; 13(8): 2503-12.

Ren, Y.J., Zhou, Z.Y., Liu, B.F., Xu, Q.Y., and Cui, F.Z., 2009, Preparation and Characterization of Fibroin/Hyaluronic Acid Composite Scaffold. *International Journal of Biological Macromolecules* 44: 372–378.

Reis, R.L., Cunba, A.M., 1995, Characterization of Two Biodegradable Polymers of Potential Application Within the Biomaterials Field., *Journal Material Science Mater Med*; 6:786–92.

Ridho, H., 2014, *Evaluasi Laju Aliran Volumetrik Material Pasta Silika-Bioplastik Pada Sistem Pengumpanan Ekstrusi Ulir Tunggal Mesin Printer Tiga Dimensi*, Skripsi, Fakultas Teknik Mesin dan Industri, Universitas Gadjah Mada, Yogyakarta.

Riyani, E., 2005, *Karakterisasi Senyawa Kalsium Fosfat Karbonat Hasil Presipitasi Menggunakan XRD, SEM, dan EDXA Pengaruh Perubahan Ion F dan Mg*, Skripsi, Departemen Fisika, Fakultas Matematika dan Ilmu Pengetahuan Alam., Bogor: Institut Pertanian Bogor.

Ross, T. J., 1996. *Taguchi Techniques for Quality Engineering*, Second Edition. Mc Graw – Hill Companies Inc. New York.

Sasaki, M., Kato, N., Watanabe, H,. dan Yamada, H., 2000, Silk Protein Sericin Suppresses Colon Carcinogenesis, *Oncol Rep*, hlm.10049-1052.

Sakamoto, K., and Yamakishi, K, Sericin Containing Cleaning Composition, 2000, *jpn Kokal Toklcyo Koho fop* 2000073090 A2 (to Seiren Co Lid, Japan) 7 March 2000, P 4; Chair Aba: 132 (2000) 196164.

Sanjaya, I.G.M.H., dan Puspita, T., 2011., Pengaruh Penambahan Khitosan dan Plasticizer Gliserol Pada Karakteristik Plastik Biodegradable dari Pati Limbah Kulit Singkong., *Ekperimental*, laboratorium Limbah Industri Teknik Kimia, Teknologi Sepuluh November.

Seigel, E., dan Lisa, B., 2007, *Biodegradable Plastics*. Online. Artikel diunduh tanggal 8 juli 2015.

UNIVERSITAS
GADJAH MADA
ANALISIS UKURAN PORI BIOKOMPOSIT [SERICIN-BIOPLASTIK] PADA BERBAGAI SUHU PEMBEKUAN AWAL DENGAN METODE TAGUCHI
GAUSTAMA PUTRA, Ir. Alva Edy Tontowi, M.Sc., Ph.D
Universitas Gadjah Mada, 2016 | Diunduh dari http://etd.repository.ugm.ac.id/

Selvia, N., 2012, *Sintesis dan Karakterisasi β-Tricalcium Phosphate Berbasis Cangkang Kerang Ranga pada Variasi Suhu Sintering,* Skripsi, Institut Pertanian Bogor. Bogor.

Senakoon, W., Nuchadomrong, S., Sirimungkararat, S., Senawong, T., Kitikoon, P., 2009., Antibacterial Action of Eri (Samia Ricini) Sericin Against Escherichia Coli and Staphylococcus Aureus, *Asian Journal of Food and Agro-Industry*, 2 (Special Issue): S222-8.

Shogren, R.L. 1993., *Effects of moisture and various plasticizers on the mechanical properties of extruded starch*. p.141-150. In: C. Ching, D. Kaplan and E. Thomas (eds.), Biodegradable Polymers and Packaging, Technomic Publishing Company, Inc., Pennsylvania

Siswomihardjo, W., Sunarintyas, S., and Tontowi, A.E., 2012., The Effect of Zirconia in Hydroxyapatite on Staphylococcus epidermidis Growth, *Research Article, Hindawi Publishing Corporation, International Journal of Biomaterials,* Volume 2012, Article ID 432372, 4 pages, doi:10.1155/2012/432372.

Sidi, P., Wahyudi M.T., 2013, Aplikasi Metoda *Taguchi* Untuk Mengetahui Optimasi Kebulatan Pada Proses Bubut Cnc, *Jurnal Rekayasa Mesin* Vol.4, No.2 Tahun 2013: 101-108 ISSN 0216-468X

Sobajo, C., Behzad, F., Yuan, X.F., Bayat, A., 2008, Silk: A Potential Medium for Tissue Engineering, *e Plasty* 2008.

Sothornvit, R. and Chollakup, R. 2009. Properties of sericin-glucomannan composite films. *International Journal of Food Science and Technology*. 44: 1395-1400.

Sulistioso, G.S., Deswita., Wulanawati, A., dan Romawati, A., 2012., Sintesis Hidroksiapatit Berpori Dengan Porogen Kitosan dan Karakterisasinya., *Jurnal Kimia dan Kemasan* Volume 34 Nomor 1: 219-224

Sunarintyas, A., Yustisia, Y., Tontowi A., 2011, Efek Aplikasi Sericin Pada Hidroksiapatit Terhadap Perlekatan Sel Osteoblas, *Jurnal TeknoSains*, Volume 1, No. 1, 22 Desember 2011: 35-41.

Sugihara, A., Sugiura, K., Morita, H., Ninagawa, T., Tubouchi, K., Tobe. R., Izumiya, M., Horio, T., Abraham, N.G., Ikehara, S., 2000, Promotive Effects of a Silk Film on Epidermal Recovery from Full-Thickness Skin Wounds, *Proceedings of the Society for Experimental Biology and Medicine*; 225(1): 58-64.

Takayasu, T., dan Fumihiro, F., 1997, Production of Bacterial Cellulose by Agitation Culture System. Pure & Appl. *Chem*. Vol 69, No 11, 2453-2458.

UNIVERSITAS
GADJAH MADA
ANALISIS UKURAN PORI BIOKOMPOSIT [SERICIN-BIOPLASTIK] PADA BERBAGAI SUHU PEMBEKUAN AWAL DENGAN METODE TAGUCHI
GAUSTAMA PUTRA, Ir. Alva Edy Tontowi, M.Sc., Ph.D
Universitas Gadjah Mada, 2016 | Diunduh dari http://etd.repository.ugm.ac.id/

Terada, S., Sasaki, M., Yanagihara, K., and Yamada, H., 2005, Preparation of Silk Protein Sericin as Mitogenic Factor for Better Mammalian Cell Culture, *Journal of Bioscience and Bioengineering*, 100: 667–671.

Terada, S., Nishimura, T., Sasaki, M., Yamada, H., dan Miki, M., 2002, Sericin, a Protein Derived from Silkworms, Accelerates the Proliferation of Several Mammalian Cell Lines Iincluding a Hybridoma, *Cytotechnology* 40: 3–12.

Teramoto, H., Kameda, T., and Tamada, Y., 2008, Preparation of Gel Film From *Bombyx mori* Silk Sericin and its Characterization as a Wound Dressing, *Bioscience, Biotechnology, and Biochemistry*, 72: 3189–3196.

Tresranto, H., 2004, Perancangan Eksperimen Pembuatan Bumbu Rawon Instan Bubuk. Laporan Skripsi SI Teknik Industri Universitas Kristen Petra. Surabaya.

Trisnawati, M., Izak, D.R., Siswanto, 2014, Sintesis Dan Karakterisasi *Bone Graft* Hidroksiapatit-Alginat Dengan Metode *Ex-Situ*, Jurnal Fisika dan Terapannya, Volume 2, Nomor 3, ISBN: 9 772337 300009

Triyono, J., Tontowi, A.E., Widowati., dan Rochmadi., 2011, Characterization of Hydroxyapatite Based Photo Bio-composites Material As Bone Substitute Material, *Internationa Conference and Exhibition on Sustainable Energy and Advanced Material*, pp. 253 – 257.

Tipler., Paul, A., 1991, *Fisika Untuk Sains dan Teknik*, Penerbit Erlangga, Jakarta.

Tontowi, A.E., 2012, *Pembuatan Filamen Feeder-3D Menggunakan Material Berbasis Tapioka*, Laporan Penelitian, Kegiatan Penelitian untuk Staf Pengajar Jurusan Teknik Mesin dan Industri, Universitas Gadjah Mada, Yogyakarta.

Tontowi, A.E., 2008, Diametral Tensile Strength and Microstructure of Hydroxyapatyte-Photopolymer Composite, *Journal of Media Teknik*, no. 4 pp.550–553.

Tsubouchi, K., Igarashi, Y., Takasu, Y., and Yamada, H., 2005, Sericin Enhances Attachment of Cultured Human Skin Fibroblasts., *Bioscience, Biotechnology, and Biochemistry* 69:403–405.

Tsubouchi, K., 1999., Occlusive Dressing Consisting Essentially of Silk Fibroin and Silk Sericin and its Production. *Japan Patent* 11-070160A.

Ulfiah., 2012, *Pencirian Edible Film Tepung Tapioka Terplastisasi Gliserol Dengan Penambahan Natrium Alginat*, Skripsi, Bogor (ID): Institut Pertanian Bogor.

Vandenbrande., W., 2005, *Perbaikan Kualitas Pada Perancangan.* Bandung, ITB Bandung.

UNIVERSITAS
GADJAH MADA
ANALISIS UKURAN PORI BIOKOMPOSIT [SERICIN-BIOPLASTIK] PADA BERBAGAI SUHU PEMBEKUAN AWAL DENGAN METODE TAGUCHI
GAUSTAMA PUTRA, Ir. Alva Edy Tontowi, M.Sc., Ph.D
Universitas Gadjah Mada, 2016 | Diunduh dari http://etd.repository.ugm.ac.id/

Voegeli, R.., Meier, J., and Blust, R., 1993, Sericin Silk Protein: Unique Structure and Properties. *Cosmetics Toiletries* 108: 101–108.

Walpole.,and Ronald E., 1990, *Pengantar Statistika*. Jakarta: Gramedia.

Wahjudi, D., San, G.S., Pramono, Y., 2001, Optimasi Proses Injeksi dengan Metode Taguchi, *Jurnal Teknik Mesin* Vol 3, No. 1, 24 – 28, Universitas Kristen Perta.

Wahl, D.A., dan Czernuszka, 2006. Collagen-Hydroxiapatite Composites for Hard Tissue Repair. *Eropean Cells and Material* Vol.11 pages 43-56

Wang, X., Wenk, E., Hu, X., Castro, G.R., Meinel, L., 2007, Silk coatings on PLGA and Alginate Microspheres for Protein Delivery, *Biomaterials* 28(28): 4161-9.

Wang, Y., Kim, H.J., Vunjak-Novakovic, G., Kaplan, D.L., 2006, Stem Cell-Based Tissue Engineering With Silk Biomaterials, *Biomaterials* 2006; 27(33): 6064-6082.

Wang, Z., Zhang, Y., Zhang, J., Huang, L., Liu, J., Li, Y., Zhang, G., Kundu, S.C., dan Wang, L., 2014, Exploring Natural Silk Protein Sericin for Regenerative Medicine: an Injectable, Photoluminescent, Cell-Adhesive 3D Hydrogel, *Scientific Reports*, 4 : 7064, DOI: 10.1038/srep07064.

Wenk, E., Merkle, H.P., Meinel, L., 2011, Silk Fibroin as a Vehicle for Drug Delivery Applications., *Journal of Controlled Release*, 150 (2): 128-41.

Wenk, E., Wandrey, A.J., Merkle, H.P., Meinel, L., 2008, Silk Fibroin Spheres as a Platform for Controlled Drug Delivery., *Journal of Controlled Release*, 132 (1): 26-34.

Whang, K., Healy, K.E., Elenz, D.R., Nam, E.K., Tsai, D.C., Thomas, C.H., Nuber, G.W., Glorieux, F.H., Travers, R., Sprague, S.M., 1999., Engineering Bone Regeneration With Bioabsorbable Scaffolds With Novel Microarchitecture. *Tissue Engineering*, vol. 5, no. 1, pp. 35–51.

Wibisono., Y., 2005, *Metode Statistik.* Yogyakarta: Gajah Mada University Press

Widyaning, A.K., Supardi, A., Widiyanti, P, 2014, Sintesis dan Karakterisasi Kolagen dari Tendon Sapi (*Bos Sondaicus*) Sebagai Bahan *Bone Filler* Komposit Kolagen – Hidroksiapatit, Jurnal Fisika dan Terapannya Volume 2, Nomor 3, ISBN: 9 772337 300009

Williams, D.F., 1987, Definitions in Biomaterials, *Proceedings of a Consensus Conference of the Society for Biomaterial*s, Chester. England. 3-5 Maret 1986. Volume 4. New York: Elsevier.

Witana, A, 2011, Kegunaan Gliserin [Online, diaksis tanggal 12 april 2015], http://anik-chemist-unipa.blogspot.com/2011/04/gliserin.html.

UNIVERSITAS
GADJAH MADA
ANALISIS UKURAN PORI BIOKOMPOSIT [SERICIN-BIOPLASTIK] PADA BERBAGAI SUHU PEMBEKUAN AWAL DENGAN METODE TAGUCHI
GAUSTAMA PUTRA, Ir. Alva Edy Tontowi, M.Sc., Ph.D
Universitas Gadjah Mada, 2016 | Diunduh dari http://etd.repository.ugm.ac.id/

Wu, J.H., Wang, Z., and Xu, S.Y., 2007, Preparation and Characterization of Sericin Powder Extracted From Silk Industry Wastewater. *Food Chemistry* Yamada H, Yamazuki K and Nozaki K.

Yamada, H., Yamazuki, K., and Nozaki, K, 2001, Skin Moisturizing and Conditioning Cosmetics Containing Sericin and Saccharides, *Jpn Kokai Tokkyo Koho fop* 2001064148 A2 (to Seiren Co Ltd & Teikoku Seiyaku Co Lid) 13 March 2001, P 6; Chem Abstr, 134(16) (2001) 227100. 103: 1255–1262.

Yamada, H., Fuha, Y., Yuri, O., Obayashi, M., and Arashima, T., 1998, Collagen Formation Promoters Containing Sericin or its Hydrolyzates and Antiaging Cosmetics, *Japan Patent Publication*, Number 10226653 A2 to Noevirco Ltd. and Seiren Co Ltd., 25 August 1998.

Yang, Y., Chen, X., Ding, F., Zhang, P., Liu, J., Gu, X, 2007, Biocompatibility Evaluation of Silk Fibroin With Peripheral Nerve Tissues and Cells In Vitro, *Biomaterials* 2007; 28(9): 1643-1652.

Yoshii, F., Kume, N., Makuuchi, K., dan Sato, F, 2000, Hydrogel Composition Containing Silk Protein, *Japan Patent* 06-017373A.

Yuliandari, G.A.P., Srinadi, I.G.A.M., Sumarjaya, I.W., 2013, Menentukan Komposisi Optimal dari Faktor-Faktor yang Mempengaruhi Ketahanan Aspal dengan Metode Taguchi, *e-Jurnal Matematika* Vol. 2, No. 1, 37-41

Zhang, J., Pritchard, E., Hu, X., Valentin, T., Panilaitis, B., Omenetto, F.G, 2012, Stabilization of Vaccines and Antibiotics In Silk and Eliminating The Cold Chain, *Proceedings of the National Academy of Sciences*, 109 (30): 11981-6.

Zhang, Y.Q., Tao, M.L., Shen, W.D., Mao, J.P. & Chen, Y.h. 2006. Synthesis of Silk Sericin Peptides–l-Asparaginase Bioconjugates and Their Characterization. *Journal Chem Technol Biotechnol*, 81, 136–145.

Zhang, Y.Q, 2002, Application of Natural Silk Protein Sericin in Biomaterials, *Biotechnology Advances*, 20: 91-100.

Zhang, W., Liao, S.S., and Cui,F.Z., 3003, Hierarchical Self-Assembly of Nano-Fibrils In Mineralized Collagen, *Chemistry of Materials*, vol. 15, no. 16, pp. 3221‑3226, 2003.

Zhaorigetu, S., Yanaka, N., Sasaki, M., Watanabe, H., Kato, N., 2003, Inhibitory Effects of Silk Protein, Sericin on UVB-Induced Acute Damage and Tumor Promotion by Reducing Oxidative Stress in The Skin of Hairless Mouse., *J Photochem Photobiol* B 2003;71:11–17.

UNIVERSITAS
GADJAH MADA
ANALISIS UKURAN PORI BIOKOMPOSIT [SERICIN-BIOPLASTIK] PADA BERBAGAI SUHU PEMBEKUAN AWAL DENGAN METODE TAGUCHI
GAUSTAMA PUTRA, Ir. Alva Edy Tontowi, M.Sc., Ph.D
Universitas Gadjah Mada, 2016 | Diunduh dari http://etd.repository.ugm.ac.id/

Zhaorigetu, S., Sasaki, M., Watanabe, H., and Kato, N., 2001, Supplemental Silk Protein, Sericin, Suppresses Colon Tumorigenesis in 1,2-Dimethylhydrazine-Treated Mice by Reducing Oxidative Stress and Cell Proliferation., *Bioscience, Biotechnology, and Biochemistry* 65: 2181–2186.

Zhou, J., Cao, C., Ma, X., and Lin, J., 2010, Electrospinning of Silk Fibroin and Collagen for Vascular Tissue Engineering, *International Journal of Biological Macromolecules,* 47: 514–519.