



## DAFTAR PUSTAKA

- Abebe R, Kumesa B, Wessene A. 2008. Epidemiology of *Eimeria* infections in calves in Addis Ababa and Debre Zeit Dairy Farms, Ethiopia Intern. J Appl Res Vet Med. 24-30.
- Alemayehu A, Belina T, Nuru M. 2013. Prevalance of Bovine Coccidia in Kombolcha district of South Wollo, Ethiopia. J Vet Med. 5(2): 41-45.
- Almeida V.D.A., Magalhaes, V.C.S., Muniz-Neta, E.S. and Munhoz, A.D. 2011 Frequency of species of the genus *Eimeria* in naturally infected cattle in Southern Bahia, Northeast Brazil. Braz. J. Vet. Parasitol., 20: 78-81.
- Ananta S.M, Suharno, Hidayat, Matsubayashi M. 2014. Survey on gastrointestinal parasites and detection of *Cryptosporidium* spp. on cattle in West Java, Indonesia. Asian Pac J. Trop. Med. 7 (3): 197–201.
- Astiti LGS, Panjaitan T, Prisdimminggo. 2011. Identifikasi Parasit Internal Pada Sapi Bali di Wilayah Dampungan Sarjana Membangun Desa di lokasi Bima. Semnas Teknologi Peternakan dan Veteriner (TPV 2011).
- Bangoura B., Mundt H.C., Schmäsckhe R., Westphal B., Dauschies A. 2012. Prevalence of *Eimeria bovis* and *Eimeria zuernii* in German cattle herds and factors influencing oocyst excretion. J. Parasitol. Res. 110(2): 875-81.
- Bosco A., Rinaldi L., Maurelli M.P., Musella V., Coles G.C., Cringoli G. 2014. The comparison of FLOTAC, FECPAK and Mc. Master techniques for nematode egg counts in cattle. Acta Parasitol. 59(4): 625-628.
- BPS RI (Badan Pusat Statistik Republik Indonesia). 2017. Livestock and Animal Health Statistics 2017. Directorate General of Livestock and Animal Health Service. Ministry of agriculture, ISBN: 978-979-628-034-6
- Bruhn F.R.P, Lopes M.A., Demeu F.A., Perazza C.A., Pedrosa M.F., Guimarães A.M. 2011. Frequency of species of *Eimeria* in females of the Holstein-Friesian breed at the post-weaning stage during autumn and winter. Rev. Bras. Parasitol. Vet. 20(4): 303-307.
- Budiharta, S. 2013. Prevalensi Koksidiosis pada Pedet di lokasi Klaten Jawa Tengah. Yogyakarta (ID): Universitas Gadjah Mada.
- Carvalho F.S., Wenceslau A.A., Teixeira M., Matos Carneiro J.A., Melo A.D., Albuquerque G.R. 2011. Diagnosis of *Eimeria* species using traditional and molecular methods in field studies. Vet. Parasitol. 176(2-3): 95-100.
- Claerebout E., Vercruyse J. 2000. The immune response and the evaluation of acquired immunity against gastrointestinal nematodes in cattle: a review. J. Parasitol 120: S25-42.
- Dauschies A., Najdrowski M. 2005. Eimeriosis in cattle: current understanding. J. Vet. Med. B. Infect. Dis. Vet. Public Health. 52(10): 417-427.



- Davoudi Y, Garedaghi Y, Nourmohammadzadeh F, Eftekhari Z, Safarmashaei S. 2011. Study on prevalence rate of Coccidiosis in diarrheic calves in East-Azerbaijan province. *Adv Environ Biol* 5(7):1563-1565.
- Dawid F, Amede Y, Bekele M (2012): Calf coccidiosis in selected dairy farms of Dire Dawa, Eastern Ethiopia. *Global Veterinaria* 9, 460–464.
- Dewi D.A., Wardhana A.H, Sawitri D.H, Ekawasti F, Akbari R.A. 2016. Parasitic Diseases in Dairy Cattle in Cibungbulang District of West Java. DOI: <http://dx.doi.org/10.14334/Proc.Intsem.LPVT-2016-p.170-177>
- Dong H, Zhao Q, Han H, Jiang L, Zhu S, Li T, Kong C, Huang B. 2012. Prevalence of Coccidial Infection in Dairy Cattle in Shanghai, China. *J Parasitol.* 98 (5): 963-966.doi: 10.1645/GE-2966.1.
- Faber J.E., Kollmann D., Heise A., Bauer C., Failing K., Bürger H.J., Zahner H. 2002. *Eimeria* infections in cows in the periparturient phase and their calves: oocyst excretion and levels of specific serum and colostrum antibodies. *Vet.Parasitol.* 104(1): 1-17.
- Fernandez, S., Pagotto, A.H., Furtado, M.M., Katsuyama, A.M., Madeira, A.M.B.D., Gruber, A., 2003. A Multiplex PCR assay for the simultaneous detection and discrimination of the seven *Eimeria* species that infect domestic fowl. *Parasitol. Res.* 127, 317–325
- Fitriastuti ER, Atikah N, Ria NM. 2011. Studi Penyakit Koksidirosis pada Sapi Betina di 9 Provinsi di Indonesia Tahun 2011. Bogor (ID): Balai Besar Penelitian Mutu dan Sertifikasi Obar Hewan
- Florião M.M., Bruno do Bomfim Lopes, Bruno Pereira Berto, CarlosWilson Gomes Lopes. 2016. New approaches for morphological diagnosis of bovine *Eimeria* species: a study on a subtropical organic dairy farm in Brazil. *Trop Anim Health Prod* DOI 10.1007/s11250-016-0998-5
- Fraser CM. 2006. *The Merck Veterinary Manual, A Hand Book of Diagnosis Therapy and Disease Prevention and Control for Veterinarians.* Ed ke-7. Amerika Serikat (US): NIT.
- Gordon H., Whitlock H.V. 1939. A new technique for counting nematode eggs in sheep faeces. *Journal Council Scientific Industrial Research*, 12, 50–52.
- Grisi L., Leite R.C., Martins J.R., Barros A.T., Andreotti R., Cançado P.H., León A.A., Pereira J.B., Villela H.S. 2014. Reassessment of the potential economic impact of cattle parasites in Brazil. *Rev. Bras. Parasitol. Vet.* 23(2): 150-156.
- Hamid P.H., Yuli P.K., Joko P. and Liliana M.R.D.S. 2016. Gastrointestinal parasites of cattle in Central Java. *Am. J. Anim. Vet. Sci.* 11: 119-124.
- Haug A., Thebo P., Mattsson J.G. 2007. A simplified protocol for molecular identification of *Eimeria* species in field samples. *Vet. Parasitol.* 146(1-2): 35-45.



- Heidari H, Gharekhani J. 2014. Detection of *Eimeria* Species in Iranian Native Cattle. *Int J Adv Res.* 2 (7):731-734
- Indraswari, AAS., Suwiti, NK., Apsari, IAP. 2017. Protozoa Gastrointestinal: *Eimeria Auburnensis* dan *Eimeria Bovis* Menginfeksi Sapi Bali Betina Di Nusa Penida. *Buletin Veteriner Udayana*, 9 (1): 112-116.
- Iskandar T. 2007. Parasit Penyebab Diare pada Sapi Perah Friesian Holstein (FH) di lokasi Bandung dan Sukabumi Jawa Barat. Di dalam: *Semiloka Nasional Prospek Industri Sapi Perah Menuju Perdagangan Bebas 2020*. Bogor (ID): Balai Besar Penelitian Veteriner. hlm 384-388.
- Jonsson N.N., Piper E.K., Gray C.P., Deniz A., Constantinoiu C.C. 2011. Efficacy of toltrazuril 5% suspension against *Eimeria bovis* and *Eimeria zuernii* in calves and observations on the associated immunopathology. *Parasitol. Res.* 109: S113-S128.
- Kaewthamasorn M., Wongsamee S. 2006. A preliminary survey of gastrointestinal and haemoparasites of beef cattle in the tropical livestock farming system in Nan Province, northern Thailand. *Parasitol Res.* 99(3): 306-8.
- Kawahara F., Zhang G., Mingala C.N., Tamura Y., Koiwa M., Onuma M., Nunoya T. 2010. Genetic analysis and development of species-specific PCR assays based on ITS-1 region of rRNA in bovine *Eimeria* parasites. *Vet. Parasitol.* 174(1-2): 49-57.
- Keeton, S.T., Navarre, C.B., 2018. Coccidiosis in large and small ruminants. *Vet. Clin. North Am. Food Anim. Pract.* 34, 201–208. <https://doi.org/10.1016/j.cvfa.2017.10.009>
- Kementan, 2018. Livestock and animal health statistic. Ministry of Agriculture Republic Indonesia.
- Koutny H., Joachim A., Tichy A., and Baumgartner W. 2012. Bovine *Eimeria* species in Austria. *Parasitol Res.* 110: 1893-1901
- Lassen B, Jarvis T. 2009. *Eimeria* and *Cryptosporidium* in Lithuanian Cattle Farms. *Vet Med Zoot.* 48 (70): 24-28.
- Lassen B., Lepik T., Järvis T. 2014. Seasonal recovery of *Eimeria* oocysts from soil on naturally contaminated pastures. *Parasitol. Res.* 113(3): 993-9.
- Lee, B.H., Kim, W.H., Jeong, J., Yoo, J., Know, Y., Jung, B.Y., Know, J.H., Lillehoj, H.S., Min, W., 2010. Prevalence and cross-immunity of *Eimeria* species on Korean chicken farms. *J. Vet. Med. Sci.*, doi:10.1292/jvms.09-0517.
- Lew, A.E., Anderson, G.R., Minchin, C.M., Jeston, P.J., Jorgensen, W.K., 2003. Inter- and intra-strain variation and PCR detection of the internal transcribed spacer 1 (ITS-1) sequences of Australian isolates of *Eimeria* species from chickens. *Vet. Parasitol.* 28, 33–50.



- Li, G., Xiao, S., Zhou, R., Li, W., Wade, H., 2007. Molecular characterization of Cyclospora-like organism from dairy cattle. *Parasitol. Res.* 100, 955–961.
- Lien YY, Sheu SC, Liu HJ, Chen SC, Tsai MY, Luo SC, Wu KC, Liu SS, SuHY. Cloning and nucleotide sequencing of the second internal transcribed spacer of
- Lo, Y.M.D., Chiu. R.W.K., Chan, K.C.A. 2006. *Clinical Application of PCR*. Humana Press. New Jersey.
- Lopez G, Figuerola J, Soriguer R. Time of day, age and feeding habits influence coccidian oocyst shedding in wild passerines. *Int J Parasitol.* 2007;37(5):559–64. doi: 10.1016/j.ijpara.2006.12.014. [PubMed: 17289051].
- Maas John. 2007. *Coccidiosis in cattle*, UCD Vet Views California Cattlemen's Magazine. School of Veterinary Medicine University of California.
- Makau DN. 2014. A Study of Factors Associated With the Prevalence of Coccidia Infection in Cattle and its Spatial Epidemiology in Busia, Bungoma and Siaya Counties, Kenya [tesis]. Kenya (KY): University of Nairobi.
- Malek Safaa S. and Kuraa H. M. 2018..Detection and Identification of Eimeria species in Naturally Infected Calves at Assiut Governorate. *Zagazig Veterinary Journal* Volume 46, Number 1, p. 60-69
- Marquez JC. 2014. Calf Intestinal Health: Assessment and Dietary Interventions
- Matjila P.T., Penzhorn B.L. 2002. Occurrence and diversity of bovine coccidia at three localities in South Africa. *Vet. Parasitol.* 104(2): 93-102.
- Matsubayashi M, Kita T, Narushima T, Kimata I, Tani H, Sasai K, Baba E. 2009. Coprological survey of parasitic in pigs and cattle in slaughterhouse in Osaka, Japan. *J Vet Med Sci* 71(8): 1079-1083.
- Mirani AH, Shah MGU, Mirbahar KB, Khan MS, Lochi GM, Khan IU, Alam F, Hasan SM, Tariq M. 2012. Prevalence of coccidiosis and other gastrointestinal nematode species in buffalo calves at Hyderabad, Sindh, Pakistan. *Afr. J. Microbiol. Res.* 6(33) 6291-6294
- Morris, G.M., Gasser, R.B., 2006. Biotechnological advances in the diagnosis of avian coccidiosis and the analysis of genetic variation in Eimeria. *Biotechnol. Adv.* 24, 590–603
- Mulyatni, A. S., Priyatmojo, A., Purwantara, A. 2011. Sekuen Internal Transcribed Spacer (ITS) DNA ribosomal *Oncobasidium theobromae* dan jamur sekerabat pembanding. *Menara Perkebunan.* 79 (1): 1-5.
- Mundt, H.-C., B. Bangoura, M. Rinke, M. Rosenbruch, and A. Dauschies, 2005: Pathology and treatment of Eimeria zuernii coccidiosis in calves: investigations in an infection model. *Parasitol. Int.* 54, 223–230.
- Nanditya, W.K. 2014. Prevalensi Koksidirosis pada Sapi dan Prevalensi Kematian Pedet di Sragen, Jawa Tengah, Indonesia: Studi Kasus. Skripsi. Fakultas Kedokteran Hewan Universitas Gadjah Mada. Yogyakarta.



- Nugroho WS. 2013. Prevalensi Koksidiosis pada Pedet di lokasi Wonogiri. [Skripsi]. Yogyakarta (ID): Universitas Gadjah Mada.
- Nurtjahyani, S and Agustin, DS. 2015. Comparison of parasite infection degree in cattle (*Bos* sp.) using faecal egg counting method in two East Java regions, Lamongan and Gresik. *Asian Pac J Trop Dis*, 5(8): 614-616.
- Oluwadare AT. 2004. Studies on Bovine *Coccidia* [Apicomplexa: Eimeriidae] in Parts of Plateau State, Nigeria [tesis]. Jos (NG): University of Jos.
- Pandit BA. 2009. Prevalance of coccidiosis in cattle in Kashmir valley. *Vet Scan*. 4: 16-20. Pohan DS. 2015. Prevalensi koksidiosis pada sapi perah di kelompok ternak tirta kencana dan baru sireum, Cisarua, lokasi Bogor. [Skripsi]. Bogor (ID) : IPB Pr.
- Pedersen S. 2013. Coccidiosis in Cattle and Sheep Control and Management Methods. *Splight Pars Diss*. 1:18-19
- Pfukenyi DM, Mukaratirwa S, Willingham AL, Monrad J. 2007. Epidemiological Studies of Parasitic Gastrointestinal Nematodes, Cestodes and *Coccidia* Infections in Cattle in The Highveld and Lowveld Communal Grazing Areas of Zimbabwe. *Ondersteprt J Vet Res*. 74:129–142.
- Priti, M., S.R.P. Sinha, S. Sucheta, S.B. Verma, S.K. Sharma, and K.G. Mandal. 2008. Prevalence of bovine coccidiosis at Patna. *J. Vet. Parasitol*. 22(2):73-76
- Purnamasari, M. I., Prihatna, C., Gunawan, A. W., Suwanto, A. 2012. Isolasi dan identifikasi secara molekuler *Ganoderma* spp. yang berasosiasi dengan penyakit busuk pangkal batang di kelapa sawit. *Jurnal Fitopatologi Indonesia*. 8 (1): 9-15.
- Purwanta, Nuraeni,, Hutaeruk JD, Setiawaty S. 2009. Identifikasi Cacing Saluran Pencernaan (Gastrointestinal) Pada Sapi Bali Melalui Pemeriksaan tinja di lokasi Gowa. *Jurnal Agrisistem*, 5(1): 10-21
- Senjavi Rakhmana S., Saryono, Titania T., Nugroho. 2015. Ekstraksi DNA dan Amplifikasi ITS rDNA Isolat Fungi Endofit Lbkurcc67 Umbi Tanaman Dahlia (*Dahlia variabilis*). *JOM FMIPA Volume 2 No. 1*.
- Raharjo S. 2013. Tingkat Kejadian Koksidiosis pada Pedet Sapi Perah di Kelompok Ternak Sebrang Wetan Wukirsari Cangkringan Sleman [Skripsi]. Yogyakarta (ID): Universitas Gadjah Mada
- Rehman TU, Khan MN, Sajid MS, Abbas RZ, Arshad M, Iqbal Z, Iqbal A. 2011. Epidemiology of *Eimeria* and associated risk factor in cattle of district Toba Tek Singh, Pakistan. *Parasitol Res*. 108 (2011):1171-1177. doi: 10.1007/s00436-010-2159-5.
- Rind R, Probert AJ, Rind MI. 2000. Studies on Morphological Characteristics of *Eimeria* Species Oocysts. *Pakistan Vet. J.* [Internet]. [diunduh 2014 November 24]; 20 (3): 113-117. Tersedia pada: [www.pvj.com.pk/113-117.pdf](http://www.pvj.com.pk/113-117.pdf).



- Sánchez, R.O., Romero, J.R., Founroge, R.D., 2008. Dynamics of *Eimeria* oocyst excretion in dairy calves in the Province of Buenos Aires (Argentina), during their first 2 months of age. *Vet. Parasitol.* 151, 133–138.
- Shamim A, Hassan M, Yousaf A, Iqbal MF, Zafar MA, Siddique RM, dan Abubakar M. 2015. Occurrence and Identification of *Eimeria* Species in Broiler Rearing Under Traditional System. *Journal of Animal Science and Technology* 57(41): 1-4
- Shirley MW, Smith, AL, dan Blake DP. 2007. Challenges in The Successful Control of The Avian Coccidia. *Journal of Vaccine* 25: 5540–5547
- Shirzad MR, Seifi S, Gheisari HR, Hachesoo BA, Habibi H, dan Bujmehrani H. 2011. Prevalence and Risk Factors for Subclinical Coccidiosis in Broiler Chicken Farms in Mazandaran Province, Iran. *Journal of Trop Anim Health Prod* 43: 1601–1604.
- Simamora S., Apsari I.A.P., Dwinata M. 2017. Prevalensi Protozoa *Eimeria tenella* pada Ayam Buras di Wilayah Bukit Jimbaran, Badung. *Indonesia Medicus Veterinus* 6(3): 254-261.
- Soulsby E.J.L. 1986. *Helminths, Arthropods and Protozoa of Domesticated Animals*. Ed ke-7. London (GB): Bailliere Tindall.
- Sufi IM, Cahyaningsih U, Sudarnika E. 2016. Prevalence and Risk Factor of Coccidiosis in Dairy Cattle in Bandung District. *Jurnal Kedokteran Hewan*, 10(2): 195-199.
- Sumiarto B. 2013. Prevalensi dan faktor risiko koksidiosis (*Eimeria* spp.) pada pedet di lokasi Boyolali [skripsi]. Yogyakarta (ID): Universitas Gadjah Mada.
- Taryu. 2015. Koksidiosis Pada Sapi Potong di Sekolah Peternakan Rakyat (SPR) Kecamatan Kasiman lokasi Bojonegoro. [Tesis]. Bogor (ID): IPB Pr.
- Taylor MA, Coop RL, Wall RL. 2007. *Veterinary Parasitology Third Edition*. UK: Blackwell Publishing.
- von Samson-Himmelstjerna G., Epe C., Wirtherle N., von der Heyden V., Welz C., Radeloff I., Beening J., Carr D., Hellmann K., Schnieder T., Krieger K. 2006. Clinical and epidemiological characteristics of *Eimeria* infections in first-year grazing cattle. *Vet. Parasitol.* 136(3-4): 215-221.
- Witcombe DM dan Smith NC. 2014. Strategies for Anti-coccidial Prophylaxis. *Journal of Parasitology* 141: 1379–1389.
- Yu S.K., Gao M, Huang N, Jia YQ, Lin Q. 2011. Prevalence of coccidial infection in cattle in Shanxi Province, Northwestern China. *J An Vet Adv.* 10 (20): 2716-2719. doi: 10.3923/javaa.2011.2716.2719
- Zajac AM, Conboy GA. 2012. *Veterinary Clinical Parasitology*. Ed ke-8. Oxford (GB): Wiley-Blackwell.