

DAFTAR PUSTAKA

- Albuquerque, D., Nobrega, C., Manco, L., 2012. Association of FTO polymorphisms with obesity and obesity-related outcomes in Portuguese children. *PLoS One* 8(1):1-6.
- Ali A.T., Crowther, N.J., 2009. Factors predisposing to obesity: a review of the literature. *JEMDSA* 14(2):81-84.
- Antonio, J., Knafo, S., Kapoor, R., Tartar, J.L., 2018. A fat mass and obesity-associated gene polymorphism influences fat mass in exercise-trained individuals. *J Int Soc Sports Nutr* 15(1):40-44.
- Aras, S., Ustunsoy, S., Armutcu, F., 2015. Indices of central and peripheral obesity; anthropometric measurements and laboratory parameters of metabolic syndrome and thyroid function. *Balkan Med J* 32(4):414-420.
- Attaoua, R., Ait El Mkaem, S., Lautier, C., Kaouache, S., Renard, E., Brun, J.F. *et al.*, 2009. Association of the FTO gene with obesity and the metabolic syndrome is independent of the IRS-2 gene in the female population of Southern France. *Diabetes Metab* 35(6):476-483.
- Bastien, M., Poirier, P., Lemieux, I., Després, J., 2014. Overview of epidemiology and contribution of obesity to cardiovascular disease. *Prog Cardiovasc Dis* 56(4):369-381.
- Bostrom, P., Wu, J., Jedrychowski, M.P., Korde, A., Ye, L., Lo, J.C. *et al.*, 2012. A PGC1- α -dependent myokine that drives brown-fat-like development of white fat and thermogenesis. *Nature* 481(7382):463-468.
- Botham, K.M., Mayes, P.A., 2015. The respiratory chain & oxidative phosphorylation. In: Harper's illustrated biochemistry. 30th ed. New York: McGraw-Hill Medical:126-136.
- Bredella, M.A., 2017. Sex differences in body composition. *Adv Exp Med Biol* 1043:9-27.
- Castro, A.V.B., Kolka, C.M., Kim, S.P., Bergman, R.N., 2014. Obesity, insulin resistance and comorbidities – mechanisms of association. *Arq Bras Endocrinol Metabol* 58(6):600-609.
- Chandler-Laney, P.C., Morrison, S.A., Goree, L.L.T., Ellis, A.C., Casazza, K., Desmond, R. *et al.*, 2014. Return of hunger following a relatively high carbohydrate breakfast is associated with earlier recorded glucose peak and nadir. *Appetite* 80: 236-241.
- Claussnitzer, M., Dankel, S.N., Kim, K.H., Quon, G., Meuleman, W., Haugen, C. *et al.*, 2015. FTO obesity variant circuitry and adipocyte browning in humans. *N Engl J Med* 373:895-907.
- Cohen, P., Spiegelman, B.M., 2015. Brown and beige fat: molecular parts of a thermogenic machine. *Diabetes* 64(7):2346-2351.
- Crichton, P.G., Lee, Y., Kunji, E.R.S., 2017. The molecular features of uncoupling protein 1 support a conventional mitochondrial carrier-like mechanism. *Biochimie* 134:35-50.

- Cypess, A.M., Lehman, S., Williams, G., Tal, I., Rodman, D., Goldfine, A.B. *et al.*, 2009. Identification and importance of brown adipose tissue in adult humans. *N Engl J Med* 360(15):1509–1517.
- Depkes RI, 2017. Profil kesehatan Provinsi D.I. Yogyakarta tahun 2017. http://www.depkes.go.id/resources/download/profil/PROFIL_KES_PROVINSI_2017/14_DIY_2017.pdf diakses tanggal 18 Januari 2019.
- Despres, J., 2006. Is visceral obesity the cause of the metabolic syndrome? *Ann Med* 38(1):52-63.
- Deurenberg, P., Deurenberg-Yap, M., Guricci, S., 2002. Asians are different from Caucasians and from each other in their body mass index/body fat per cent relationship. *Obes Rev* 3(3):141-146.
- Dina, C., Meyre, D., Gallina, S., Durand, E., Körner, A., Jacobson, P. *et al.*, 2007. Variation in FTO contributes to childhood obesity and severe adult obesity. *Nat Genet* 39(6):724–726.
- Do, R., Bailey, S.D., Desbiens, K., Belisle, A., Montpetit, A., Bouchard, C. *et al.*, 2008. Genetics variants of FTO influence adiposity, insulin sensitivity, leptin levels, and resting metabolic rate in the Quebec family study. *Diabetes* 57:1147-1150.
- Eckel, R.H., Grundy, S.M., Zimmet, P.Z., 2005. The metabolic syndrome. *Lancet* 365:1415-1428.
- Elbers, J.M., Asscheman, H., Seidell, J.C., Gooren, L.J., 1999. Effects of sex steroid hormones on regional fat depots as assessed by magnetic resonance imaging in transsexuals. *Am J Physiol* 276(2):317-325.
- Fawcett, K.A., Barroso, I., 2010. The genetics of obesity: FTO leads the way. *Trends Genet* 26(6):266-274.
- Frayling, T.M., Timpson, N.J., Weedon, M.N., Zeggini, E., Freathy, R.M., Lindgren, C.M. *et al.*, 2007. A common variant in the FTO gene is associated with body mass index and predisposes to childhood and adult obesity. *Science* 316(5826):889-894.
- Fredriksson, R., Hagglund, M., Olszewski, P.K., Stephansson, O., Jacobsson, J.A., Olszewska, A.M. *et al.*, 2008. The obesity gene, FTO, is of ancient origin, up-regulated during food deprivation and expressed in neurons of feeding-related nuclei of the brain. *Endocrinology* 149(5):2062-2071.
- Gerken, T., Girard, C.A., Tung, Y.L., Webby, C.J., Saudek, V., Hewitson, K.S. *et al.*, 2007. The obesity-associated FTO gene encodes a 2-oxoglutarate-dependent nucleic acid demethylase. *Science* 318(5855):1469-1472.
- Gorkin, D.U., Ren, B., 2014., Closing the distance on obesity culprits. *Nature* 507(7492):309-310.
- Guclu-geyik, F., Onat, A., Yusbasiogullari, A.B., Coban, N., Can, G., Lehtimaki, T. *et al.*, 2016. Risk of obesity and metabolic syndrome associated with variants discloses clinically relevant gender difference among Turks. *Mol Biol Rep* 43(6):485-494.
- Guo, S.S., Zeller, C., Chumlea, W.C., Siervogel, R.M., 1999. Aging, body composition, and lifestyle: the fels longitudinal study. *Am J Clin Nutr* 70(3):405–411.

- Haman, F., Blondin, D.P., 2017. Shivering thermogenesis in humans: origin, contribution and metabolic requirement. *Temperature* 4(3):217–226.
- Herrera, B.M., Lindgren, C.M., 2010. The genetics of obesity. *Curr Diab Rep* 10:498–505.
- Herrera, L.G., Castro, J.Z., Caceres, C.A., Mendoza, G.P., Gonzalez, M.J.L., Escalante, D.P. *et al.*, 2018. Genetic variation of FTO: rs1421085 T>C, rs8057044 G>A, rs9939609 T>A, and copy number (CNV) in Mexican Mayan school-aged children with obesity/overweight and with normal weight. *Am J Hum Biol* 31(1):1-13.
- Heymsfield, S.B., Wadden, T.A., 2017. Mechanisms, pathophysiology and management of obesity. *N Engl J Med* 376:254-266.
- Hotta, K., Nakamura, M., Nakamura, T., Matsuo, T., Nakata, Y., Kamohara, S. *et al.*, 2010. Polymorphisms in NRXN3, TFAP2B, MSRA, LYPLAL1, FTO and MC4R and their effect on visceral fat area in the Japanese population. *J Hum Genet* 55:738-742.
- Ikeda, K., Maretich, P., Kajimura, S., 2018. The common and distinct features of brown and beige adipocytes. *Trends Endocrinol Metab* 29(3):191–200.
- Iskandar, K. Hubungan polimorfisme rs9939609 gena FTO dengan resistensi insulin pada remaja putri obese di Yogyakarta, Indonesia [tesis]. Yogyakarta: Universitas Gadjah Mada, 2014.
- Item F., Konrad, D., 2012. Visceral fat and metabolic inflammation: the portal theory revisited. *Obes Rev* 13 Suppl 2:30-39.
- Karastergiou, K., Smith, S.R., Greenberg, A.S., Fried, S.K., 2012. Sex differences in human adipose tissues-the biology pear shape. *Biol Sex Differ* 3:1-12.
- Kemenkes RI, 2013. Peraturan menteri kesehatan nomor 75 tahun 2013 tentang angka kecukupan gizi yang dianjurkan bagi bangsa Indonesia. <http://gizi.depkes.go.id/download/Kebijakan%20Gizi/PMK%2075-2013.pdf> diakses tanggal 18 Mei 2019.
- Kemenkes RI, 2013. Riset kesehatan dasar (Riskesdas) tahun 2013. <http://www.depkes.go.id/resources/download/general/Hasil%20Riskesdas%202013.pdf> diakses tanggal 26 November 2018.
- Kemenkes RI, 2016. Rencana aksi nasional kesehatan lanjut usia tahun 2016-2019. [http://hukor.kemkes.go.id/uploads/produk_hukum/PMK_No._25_ttg_Rencana_Aksi_Nasional_Kesehatan_Lanjut_Usia_Tahun_2016-2019 .pdf](http://hukor.kemkes.go.id/uploads/produk_hukum/PMK_No._25_ttg_Rencana_Aksi_Nasional_Kesehatan_Lanjut_Usia_Tahun_2016-2019.pdf) diakses tanggal 9 Juni 2019.
- Kemenkes RI, 2018. Hasil utama Riskesdas 2018. http://www.depkes.go.id/resources/download/info-terkini/materi_rakorpop_2018/Hasil%20Riskesdas%202018.pdf diakses tanggal 3 Januari 2019.
- Khalil S.F., Mohktar, M.S., Ibrahim, F., 2014. The theory and fundamentals of bioimpedance analysis in clinical status monitoring and diagnosis of diseases. *Sensors* 14(6):10895-10928.
- Kiefer, F.W., 2017. The significance of beige and brown fat in humans. *Endocr Connect* 6(5):70-79.
- Landgraf, K., Scholz, M., Kovacs, P., Kiess, W., Korner, A., 2016. FTO obesity risk variants are linked to adipocyte IRX3 expression and BMI of children -

- relevance of FTO variants to defend body weight in lean children? *PLoS One* 11(8):1-10.
- Leon-Mimila, P., Villamil-Ramirez, H., Villalobos-Comparan, M., Villarreal-Molina, T., Romero-Hidalgo, S., Lopez-Contreras, B. *et al.*, 2013. Contributions of common genetic variants to obesity and obesity-related traits in Mexicans children and adults. *PLoS One* 8(8):1-9.
- Morrison, S.F., Nakamura, K., Madden, C.J., 2008. Central control of thermogenesis in mammals. *Exp Physiol* 93(7):773–797.
- Mozaffarian, D., Hao, T., Rimm, E.B., Willett, W.C., Hu, F.B., 2011. Changes in diet and lifestyle and long-term weight gain in women and men. *N Engl J Med* 364(25):2392-2404.
- Nuttal, F.Q., 2015. Body mass index: obesity, BMI and health: a critical review. *Nutr Today* 50(3):117-128.
- Omron, 2018. Instruction manual, body composition monitor model HBF-375 karada scan.
- Onat, A., Avci, G.S., Barlan, M.M., Uyarel, H., Uzunlar, B., Sansoy, V., 2004. Measure of abdominal obesity assessed for visceral adiposity and relation to coronary risk. *Int J Obes Relat Metab Disord* 28(8):1018-1025.
- Palmer, B. F., Clegg, D. J., 2017. Non-shivering thermogenesis as a mechanism to facilitate sustainable weight loss. *Obes Rev* 18(8):819-831.
- Papathanasopoulos, A., Camilleri, M., 2010. Dietary fiber supplements: effect in obesity and metabolic syndrome and relationship to gastrointestinal functions. *Gastroenterology* 138(1):65-72.
- Park, A., Kim, W.K., Bae, K., 2014. Distinction of white, beige and brown adipocytes derived from mesenchymal stem cells. *World J Stem Cells* 6(1):33-42.
- Pearson, N., Biddle, S.J.H., 2011. Sedentary behavior and dietary intake in children, adolescents, and adults. A systematic review. *Am J Prev Med* 41(2):178-188.
- Peeters, A., Beckers, S., Verrijken, A., Roevens, P., Peeters, P., Van Gaal, L. *et al.*, 2008. Variants in the FTO gene are associated with common obesity in the Belgian population. *Mol Genet Metab* 93(4):481-484.
- Peng, S., Zhu, Y., Xu, F., Ren, X., Li, X., Lai, M., 2011. FTO gene polymorphisms and obesity risk: a meta-analysis. *BMC Med* 9:2-15.
- Pigeyre, M., Yazdi, F.T., Kaur, Y., Meyre, D., 2016. Recent progress in genetics, epigenetics and metagenomics unveils the pathophysiology of human obesity. *Clin Sci (Lond)* 130(12):943-986.
- Poirier, P., Giles, T.D., Bray, G.A., Hong, Y., Stern, J.S., Pi-Sunyer, F.X. *et al.*, 2006. Obesity and cardiovascular disease: pathophysiology, evaluation, and effect of weight loss. *Circulation* 113:898-918.
- Price, R.A., Li, W.D., Zhao, H., 2008. FTO gene SNPs associated with extreme obesity in cases, controls and extremely discordant sister pairs. *BMC Med Genet* 9:4-8.

- Priyambodo, S. Polimorfisme gena Fat Mass and Obesity Associated (FTO) sebagai faktor risiko Diabetes Mellitus (DM) tipe 2 dengan sindroma metabolik di RSUP DR. Sardjito Yogyakarta [tesis]. Yogyakarta: Universitas Gadjah Mada, 2009.
- Redinger, R.N., 2007. The pathophysiology of obesity and its clinical manifestations. *Gastroenterol Hepatol* 3(11):856-863.
- Richelsen, B., 1986. Increased alpha 2- but similar beta-adrenergic receptor activities in subcutaneous gluteal adipocytes from females compared with males. *Eur J Clin Invest* 16:302-309.
- Salim, A. Stratifikasi etnik kajian mikro sosiologi interaksi Etnis Jawa dan Cina. Yogyakarta: Tiara Wacana, 2006.
- Samodro, P. Polimorfisme gena Transcription Factor 7-Like 2 (TCF7L2) dan Fat Mass and Obesity Associated (FTO) serta implikasi klinisnya pada pengidap diabetes mellitus tipe 2 obes, penelitian pada etnik Jawa [disertasi]. Yogyakarta: Universitas Gadjah Mada, 2015.
- Schrauwen, P., Westerterp, K.R., 2000. The role of high-fat diets and physical activity in the regulation of body weight. *Br J Nutr* 84(4):417-427.
- Schwartz, M.W., Seeley, R.J., Zeltser, L.M., Drewnowski, A., Ravussin, E., Redman, L.M. *et al.*, 2017. Obesity pathogenesis: an endocrine society scientific statement. *Endocr Rev* 38(4):267-296.
- Seale, P., Kajimura, S., Yang, W., Chin, S., Rohas, L., Uldry, M. *et al.*, 2007. Transcriptional control of brown fat determination by PRDM16. *Cell Metab* 6(1):38-54.
- Sharma, A.M., Chetty, V.T., 2005. Obesity, hypertension and insulin resistance. *Acta Diabetol* 42:3-8.
- Sharma, B.K., Patil, M., Satyanarayana, A., 2014. Negative regulators of brown adipose tissue (BAT)-mediated thermogenesis. *J Cell Physiol* 229(12):1901-1907.
- Shuster, A., Atlas, M., D, Pinthus, J.H., Mourtzakis, M., 2012. The clinical importance of visceral adiposity: a critical review of methods for visceral adipose tissue analysis. *Br J Radiol* 85(1009):1-10.
- Silva, J.E., 2006. Thermogenic mechanisms and their hormonal regulation. *Physiol Rev* 86:435-464.
- Smemo, S., Tena, J.J., Kim, K., Gamazon, E.R., Sakabe, N.J., Gómez-Marín, C. *et al.*, 2014. Obesity-associated variants within FTO form long-range functional connections with IRX3. *Nature* 507:371-375.
- Sobalska-Kwapis, M., Suchanecka, A., Slomka, M., Siewierska-Gorska, A., Kepka, E., Strapagiel, D., 2017. Genetic association of FTO/IRX region with obesity and overweight in the Polish population. *PLoS One* 12(6):1-17.
- Solak, M., Erdogan, M.O., Yildiz, S.H., Ucok, K., Yuksel, S., Terzi, E.S.A. *et al.*, 2014. Association of obesity with rs1421085 and rs9939609 polymorphisms gene. *Mol Biol Rep* 41(11):7381-7386.
- Speakman, J.R., 2015. The 'fat mass and obesity related' (FTO) gene: mechanisms of impact on obesity and energy balance. *Curr Obes Rep* 4:73-91.

- St-Onge, M.P., Gallagher, D., 2010. Body composition changes with aging: the cause of the result of alterations in metabolic rate and macronutrient oxidation? *Nutrition* 26(2):152-155.
- Sweeting, H.N., Measurement and definitions of obesity in childhood and adolescence: a field guide for the uninitiated. *Nutr J* 6:32-39.
- Tan, J.T., Dorajoo, R., Seielstad, M., Sim, X.L., Ong, R.T., Chia, K.S. *et al.*, 2008. FTO variants are associated with obesity in the Chinese and Malay populations in Singapore. *Diabetes* 57:2851-2857.
- Tansey, J.T., Sztalryd, C., Hlavin E.M., Kimmel, A.R., Londos, C., 2004. The central role of perilipin a in lipid metabolism and adipocytes lipolysis. *IUBMB Life* 56(7):379-385.
- Tchernof A., Despres, J.P., 2000. Sex steroid hormones, sex hormone-binding globulin, and obesity in men and women. *Horm Metab Res* 32(11-12):526-536.
- Tchernof A., Despres, J.P., 2013. Pathophysiology of human visceral obesity: an update. *Physiol Rev* 93:359-404.
- Virtanen, K.A., Lidell, M.E., Orava, J., Heglind, M., Westergren, R., Niemi, T. *et al.*, 2009. Functional brown adipose tissue in healthy adults. *N Engl J Med* 360(15):1518-1525.
- Wahrenberg, H., Lonnqvist, F., Arner, P., 1989. Mechanisms underlying regional differences in lipolysis in human adipose tissue. *J Clin Invest* 84:458-467.
- Wang, L., Yu, Q., Xiong, Y., Liu, L., Zhang, X., Zhang, Z. *et al.*, 2013. Variant rs1421085 in the FTO gene contribute childhood obesity in Chinese children aged 3-6 years. *Obes Res Clin Pract* 7(1):14-22.
- Wajcenberg, B.L., 2000. Subcutaneous and visceral adipose tissue: their relation to the metabolic syndrome. *Endocr Rev* 21(6):697-738.
- Wells, J.C.K., Fewtrell, M.S., 2006. Measuring body composition. *Arch Dis Child* 91(7):612-617.
- Westerterp, K.R., 2004. Diet induced thermogenesis. *Nutr Metab (Lond)* 1(1):5.
- Westphal, S.A., 2008. Obesity, abdominal obesity, and insulin resistance. *Clin Cornerstone* 9(1):23-29.
- Wing, M.R., Ziegler, J., Langefeld, C.D., Ng, M.C.Y., Haffner, S.M., Norris, J.M. *et al.*, 2009. Analysis of FTO gene variants with measures of obesity and glucose homeostasis in the IRAS family study. *Hum Genet* 125:615-626.
- World Health Organization, 2008. Waist circumference and waist-hip ratio, report of a WHO Expert Consultation. Geneva. http://apps.who.int/iris/bitstream/handle/10665/44583/9789241501491_eng.pdf;jsessionid=10FE5BB1CA7F76C65B799D80B26E0B5E?sequence=1 diunduh tanggal 3 November 2018.
- World Health Organization, 2014. Global status report on noncommunicable diseases. http://apps.who.int/iris/bitstream/handle/10665/148114/9789241564854_eng.pdf?sequence=1 diunduh tanggal 17 September 2018.
- World Health Organization, 2018. Obesity and overweight. <https://www.who.int/news-room/fact-sheets/detail/obesity-and-overweight> diakses tanggal 1 Januari 2019.

- World Health Organization Western Pacific Region, 2000. Redefining obesity and its treatment. <http://www.wpro.who.int/nutrition/documents/docs/Redefiningobesity.pdf> diunduh tanggal 4 November 2018.
- Wu, J., Cohen, P., Spiegelman, B.M., 2013. Adaptive thermogenesis in adipocytes: is beige the new brown? *Genes Dev* 27(3):234-250.
- Wu, Q., Saunders, R.A., Szkudlarek-Mikho, M., Serna, I., Chin, K., 2010. The obesity-associated FTO gene is a transcriptional coactivator. *Biochem Biophys Res Commun* 401(3):390–395.
- Yang, Q., Xiao, T., Guo, J., Su, Z., 2017. Complex relationship between obesity and the fat mass and obesity locus. *Int J Biol Sci* 13(5):615-662.
- Zhang, M., Zhang, Y., Ma, J., Guo, F., Cao, Q., Zhang, Y. *et al.*, 2015. The demethylase activity of FTO (fat mass and obesity associated protein) is required for preadipocyte differentiation. *PLoS One* 10(7):1-15.