

DAFTAR PUSTAKA

- Arumugasamy, K., Latha, K.V., Kumar, N.H.S., 2004. Studies on some pharmacognostic profiles of swietenia macrophylla K. *Ancient Science of Life* 26 (2): 97-102
- Balitbang Kemeskes R.I., 2013. *Riset Kesehatan Dasar 2013*. Jakarta: Kementerian Kesehatan RI
- Basseri, S dan Austin, R.C., 2012. Review article endoplasmic reticulum stress and lipid metabolism: mechanism and therapeutic potential. *Biochemistry Research International*: 1-13
- Bawazeer, N.A., Choudary, H., Zamzami, M.A., Abdulaal, W.M., Zeyadi, M., Albukhari, A., *et al.*, 2017. *African Journal of Traditional, Complementary and Alternative Medicine*. 14 (1): 278-287
- Bergen, W.G., dan Mersmann, H.J., 2005. Comparative aspect of lipid metabolism: impact on contemporary research and use of animal models. *Journal of Nutritional*. 135: 2499-2502
- Bok, S., Lee, S., Park, Y., Bae, K., Son, K., Jeong, T., Choi, M., 1999. Plasma and hepatic cholesterol and hepatic activities 3-hydroxy-e-methyl-glutaryl-CoA reductase and acyl CoA: Cholesterol Transferase are lower in rats fed citrus peel extract or a mixture of citrus bioflavonoids. *Journal of Nutrition*. 129: 1182-1185
- Boone, L.R., Brooks, P.A., Niesen, M.I., Ness, G.C., 2011. Mechanism of resistance to dietary cholesterol. *Journal of Lipids*: 1-10
- Botham, K.M., dan Mayes, P.A., 2015. Cholesterol Synthesis, Transport & Excretion. In: Rodwell, V.W., Bender D.A., Bothman K.M., Kennelly P.J., Weil P A. *Harper's Illustrated Biochemistry 30th Edition*, pp: 266-279 New York: MC graw Hill

- Burga J.S, dan Espenshade P.J., 2011. Regulation of HMG-CoA reductase in mammals and yeast. *Journal of Lipid Research*. 50 (4): 403–410
- Buss, G.D., Constatin, J., Lima, L.C.N., Teodoro, G.R., Comar, J.F., Ishii-Iwamoto, E.L., *et al.*, 2005. The action of quercetin on mitochondrial NADH to NAD⁺ ratio in the isolated perfused rat liver. *Planta Medica*. 71 : 1118-1122
- Carocho, M dan Ferreira, C.F.R., 2013. A review on antioxidant, prooxidant and related controversy: natural and synthetic compound, screening analysis methodologies and future perspective. *Food and Chemical Toxicology*. 51: 16-23
- Chen, K., Zhao, L., He, H., Wan, X., Wang, F., Mo, Z., 2014. Silibini protects β cells from glucotoxicity through regulation of the insig-1/SREBP-Ic pathway. *International Journal of Molecular Medicine*. 34: 1073-1080
- Chen, W., Lin, Y.C., Ma, X.Y., Jiang, Z.Y., Lan, S.P., 2014. High concentration of genistein exhibit pro-oxidant effect in primary muscle cells through mechanisms involving 5-lipoxygenase-mediated production of reactive oxygen species. *Food and Chemical Toxicology*. 67 : 72-79
- Chen, W., Ma, X., Lin, Y., Xiong, Y., Zheng, C., Hu, Y., *et al.*, 2016. Dietary supplementation with a high dose of daidzen enhances the antioxidant capacity in swine muscle but exerts pro-oxidant function in liver and fat tissue. *Journal of Animal Science and Biotechnology*. 7 (43) : 1-11
- Chobot, V dan Hadacek, F., 2011. Exploration of pro-oxidant and antioxidant activities of the flavonoid myricetin. *Redox Report*. 16 (6): 242-247
- Colgan, S.M., Tang, D., Werstuck, G.H., Austin, R.C., 2007. Endoplasmic reticulum stress cause the activation of sterol regulatory binding protein-2. *The international Journal of Biochemistry & Cell Biology* 39: 1843-1851
- Constantin, R.P., Nascimento, G.S., Constantin, R.P., Salgueiro, C.L., Bracht, A., Ishii-Iwamoto, E.L., *et al.*, 2013. Citrus flavonoid affect hepatic fatty acid oxidation in rats by acting as prooxidant agents. *BioMed Research International* : 1-12
- Espenshade, P.J dan Hughes, A.L., 2007. Regulation of sterol synthesis in eukaryotes. *The Annual Review of Genetics*. 41: 401-427

- Field, E. J., Born, E., Murthy, S., Mathur, S.N., 2001. Regulation of sterol regulatory element-binding protein by cholesterol flux in CaCo-2 cell. *Journal of Lipid Research*. 42: 1687-1698
- Gopaju, R., Panangipalli, S., Kotamraju, S., 2018. Metformin treatment prevents SREBP2-mediated cholesterol uptake and improves lipid homeostasis during oxidative stress-induced atherosclerosis. *Free Radical Biology and Medicine*: 1-29
- Gross, M., 2004. Flavonoid and cardiovascular disease. *Pharmaceutical Biology*. 42: 21-35
- Gu, Y., lee, W., dan Shen, J., 2014. Site-2 protease respond to oxidative stress and regulate oxidative injury in mamalia cells. *Scientific Reports* 4: 1-9
- Guevera, A.P., Apilado, A., Sakarai, H., Kozuka, M., Tokunda, H., 1996. Antiinflammatory, antimutagenicity and antitumor activity of mahagony seeds *Swietenia macrophylla* (Meliaceae). *Philippine Journal of Science*. 125: 271-78
- Han, J dan Kaufman, R.J., 2016. The role of ER stress in lipid metabolism and lipotoxicity. *Journal of Lipid Research*. 57: 1329-1338
- Hashim, M.A., Yam, M.F., Hor, S.Y., Lim, C.P., Asmawi, M.Z., Sadikun, A., 2013. Anti-hyperglycaemic activity of *Swietenia macrophylla* king (meliaceae) seed extracts in normoglycaemic rats undergoing glucose tolerance tests. *Chinese Medicine*. 8: 1-11
- Horton, J.D., Goldstein, J.L., Brown, M.S., 2002. SREBPs: activators of the complete program of cholesterol and fatty acid synthesis in the liver. *The Journal of Clinical investigation*. 109: 1125-1131
- Iqbal, D., Khan, M.S., Khan, M.S., Ahmad, S., Hussain, S., Ali, M., 2015, Bioactivity guided fractionation and hypolipidemic property of a novel HMG-CoA reductase inhibitor from *Ficus virens* Ait . *Lipids in Health and Disease*. 14: 15
- Jain, K.S., Kathiravan, M.K., Somania, R.S., Shishoo, C.J., 2007. The biology and chemistry of hyperkolesterolemia. *Bioorganic & Medicinal Chemistry*. 15: 4674-4699
- Jiang, W & Hu, M., 2012. Mutual interaction between flavonoids and enzymatic and transporter element responsible for flavonoid disposition via phase II metabolic pathways. *RSC Advances*. 2 (21) : 7948-7963

- Jiang, Y., Fu, C., Liu, G., Guo, J., Su, Z., 2018. Cholesterol lowering effect and potential mechanism chitoooligosaccharide capsules in hyperlipidemic rats. *Food and Nutrition*. 62: 1-15
- Kalaivana, K dan Pugalendi, K.V., 2011. Antihyperglycemic effect of the alcoholic seed extract of *Swietenia macrophylla* on streptozotocin-diabetic rats. *Pharmacognosy Research*. 3 (1): 67-71
- Khamis, A.A., Salama, A.F., Kenawy, M.E., Mohamed, T.M., 2017. Regulation of hepatic hydroxy methyl glutarate CoA reductase for controlling hypercholesterolemia in rats. *Biomedicine & Pharmacotherapy*. 95: 1242-1250
- Livak, K.J dan Schmittgen, T.D., 2001. Analysis of Relative Gene Expression Data Using Real-Time Quantitative PCR and the $2^{-\Delta\Delta CT}$ method. *Methods*. 25: 402-408
- Marais, J.P.J., Deavours, D., Dixon, R.A., Ferreira, D., 2006. The Stereochemistry of Flavonoid. In: Grotewold, E (Ed). *The Science of Flavonoid*, pp: 1-46. Ohio: Springer
- Miranta-Nantes, C.C.B., Forseca, E.A.I., Zaia, C.T.B.V., Dekker, R.F.H., Khaper, N., Castro, I.A., Barbosa, A.M., 2011. Hypoglycemia and hypocholesterolemic effect of botryosphaeran from *Botryosphaeria rhodina* MAMB-05 in diabetes-induced and hypercholesterolemia conditions in rats. *Mycobiology*. 39 (3): 187-193
- Monte M.J dan Jimenez R., 1993. Effect of hypocholesterolaemia-inducing diet on biliary electrolytes and lipid secretion in the rat. *International journal of Experimental Pathology*. 74: 203-210
- Mursiti, S., 2015. *Isolasi Senyawa Metabolit Sekunder Antihiperqlikemia dari Biji Mahoni (Swietenia macrophylla, King [disertasi]*. Universitas Gadjah Mada, Yogyakarta.
- Nakamuta, M., Fujino, T., Yada, R., Yada, M.S., Yasutake, K., Yoshimoto, T., *et al.*, 2009. Impact of cholesterol metabolism and the LXR α -SREBP-Ic pathway on nonalcoholic fatty liver disease. *International Journal of Medicine*. 23: 603-608
- Nelson R.H., 2013. Hypercholesterolemia as a risk factor for cardiovascular disease. *Primary Care: Clinics in Office Practice*. 40: 195–211
- Panche, A.N., Diwan, A.D., Chandra, S.R., 2016. Flavonoid: an overview. *Journal Of Nutritional Science*. 5(47):1-15

- Perez-Belmontel, L.M., Mpreno-santos, I., Cabrera-Bueno, F., Sanches-Espin, G., Castellano, D., Such, M., *et al.*, 2017. Expression of Sterol Regulatory Element-Binding Proteins in epicardial adipose tissue in patients with coronary artery disease and diabetes mellitus: preliminary study. *International Journal of Medical Science*. 14 (3): 268-274.
- Ponchel, F., 2006. Real-Time PCR using SYBR Green. In: Dorak, M.T (ed). *Real-Time PCR*. pp: 139-154. New York: Taylor & Francis Group
- Prasad, Eswara., 2016. *Antioxidants Market by Type (Natural (Vitamin A, Vitamin B, Vitamin C, and Rosemary Extract), Synthetic (Butylated Hydroxyanisole, Butylated Hydroxytoluene, and Others) - Global Opportunity Analysis and Industry Forecast, 2014-2022*. Canada. <https://www.alliedmarketresearch.com/anti-oxidants-market>. Diakses tanggal 9 juni 2019
- Procházková, D., Boušová, I., Wilhelmová, N., 2011. Antioxidant and prooxidant properties of flavonoid. *Fitoterapia*. 82: 513-523
- Repa, J.Y., Liang, G., Ou, J., Bashmakov, Y., Lobaccaro, J.A., Shimomura, L., Shan. B., 2000. Regulation of mouse sterol regulatory element binding protein-1c gene (SREBP-1c) by oxysterol receptor, LXR α and LXR β . *Gen and Development*. 14: 2819-2830
- Rietjens, I.M.C.M., Boersma, M.G., Haan, L., Spenkelink, B., Awad, H.M., Cnubben, N.H.P., *et al.* 2002. The pro-oxidant chemistry of the natural antioxidant vitamin C, vitamin E, carotenoids, and flavonoid. *Enviromental Toxicology and Pharmacology*. 11. 321-333
- Rong, S., Cortes, V.A., Rashid, S., Anderson, N.N., McDonald, J.G., Liang, G., *et al.*, 2017. Expression of SREBP-1c requires SREBP-2-mediated generation of a sterol ligand for LXR in liver of mice. *eLIFE Human Biology and Medicine*: 1-17
- Sa, Carla., Oliveira, A.R, Machado, C., Azevedo, M., Pereira-Wilson, C., 2015. Effect on liver lipid metabolism of the naturally occurring dietary flavone luteolin-7-glucoside. *Evidence-Based Complementary and Alternative Medicine* : 1-10
- Seo, K dan Shin, S.M., 2017. Induction of lipin-1 by ros-dependent srebp-2 activation. *Toxicology Research*. 33 (3): 219-224

- Seo, Y.K., Jeon, T., Chong, H.K., Beisinger, J., Xie, X., Osbomel, T.F., 2011. Genome-wide Localization of SREBP-2 in Hepatic Chromatin Predicts a Role in Rahal Autophagy. *Cell Metabolism*. 13(4): 367–375
- Shi, J., Li, R., Liu, Y., Lu, H., Zhang, F., 2019. Shuangyu tiaozhi granule attenuates hypercholesterolemia through the reduction of cholesterol synthesis in rat fed a high cholesterol diet. *Biomed Research International*. 2019: 1-11
- Simic, A., Manojlevic, D., Segan, D., Todorovic, M., 2007. Electrochemical behavior and antioxidant and prooxidant activity of natural phenolic. *Molecules*. 12: 2327-2340
- Tang, W., Jiang, Y., Punnusamy, M., Diallo, M., 2014. Role of nrf2 in chronic liver disease. *World Journal Of Gastroenterology*. 20 (36): 13079-13087
- Thilakarathna, S.H., Rupasinghe, H.P.V., 2013. Flavonoid bioavailability and attempts for bioavailability enhancement. *Nutrient*. 5: 3367-3387
- Unnikrishnan, M.K., Veerapurt, V., Nayak, Y., Mudgal, P.P., Mathew, G., 2014. *Polyphenols in Human Health and Disease* Antidiabetic, Antihyperlipidemic and Antioxidant Effects of the Flavonoids. Waltham: Elsevier Inc
- Verma, N., 2016. Introduction to Hyperkolesterolemia and its Treatment: A review. *International Journal of Current Pharmaceutical Research*. 9: 6-14
- Wang, Y., Zhang, B., Xue, Y., Li, Z., Wang, J., Xue, C., Yanagita, T., 2010. The mechanism of dietary cholesterol effects on lipids metabolism in rats. *Lipids in health and disease*. 9 (4): 1-6
- WHO. Global Health Observatory (GHO) Data – Raised Cholesterol (*Online data base*). Geneva. World Health Organization. http://www.who.int/gho/ncd/risk_factors/cholesterol_text/en/. Diakses pada 01 Maret 2018
- Wong, T.Y., Lin, S., Leung, L.K., 2015. The flavone Luteolin Suppresses SREBP-2 expression and post-translational activated in hepatic cells. *PLOS one*. 10 (8): 1-18
- Wu, T., Zhong, L., Hong, Z., Li, Y., Liu, X., Pan, L., Xin, H., Zhu, Y., 2015, The effects of *Zanthoxylum bungeanum* extract on lipid metabolism induced by sterols *Journal of Pharmacology Science* 127: 251-259
- Xiao, X dan Song, B., 2013. SREBP: a novel therapeutic target. *Acta Biochimistry Biophysiology Science*. 45: 2-10

- Yen, G., Duh, P., Tsai, H., Huang, S., 2003. Pro-oxidant properties of flavonoid in human lymphocyte. *Bioscience Biotechnology Biochemistry*. 67: 1215-1222
- Zeka, K., Ruparelia, K., Arroo, R.R.J., Budriesi, R., Mucucci, M., 2017. Flavonoid and their metabolites: prevention in cardiovascular disease and diabetes. *Disease*. 5 (19): 1-18
- Zeraik, M.L., Petronio, M.S., Coelho, D., Regasini, L.C., Silva, D.H.S., Fonseca, L.M., *et al.*, 2014. Improvement of pro-oxidant capacity of protocatechuic acid by esterification. *Plos One*. 9 (10): 1-9
- Zhang, X.L., Wu, Y.F., Wang, Y.S., Wang, X.Z., Piao, C.H., Liu, J.M., *et al.*, 2017. The protective effects of probiotic-fermented soymilk on high-fat diet-induced hyperkolesterolemia and liver injury. *Journal of Functional Foods*. 30: 220–227
- Zhou, X., Zhang, W., Liu, X., Zhang, W., Li, Y., 2015. Review Interrelationship between diabetes and periodontitis: Role of hyperkolesterolemia. *Archives of Oral Biology*. 60: 667–674