

DAFTAR PUSTAKA

- Al-Omran, F., and El-Khair, A., 2014, The Behavior of 3-Anilinoenone and N-Phenyl Cinnamamide toward Carbon Nucleophiles: Spectroscopy and X-Ray Studies Reveal Interesting New Synthesis Routes to Nicotinonitriles and Tetrahydropyridine-3-Carbonitrile, *Org.Chem. Curr. Res*, 3(1), 1-10.
- Arce, G., Carrau., G., Bellomo. A., and Gonzalez. D., 2015, Greener Synthesis of an Amide by Direct Reaction of an Acid and Amine under Catalytic Conditions, *World. J. Chem. Edu.*, 3(1), 27-29.
- Arjona, D.G., Perez, G.L. Dominguez, M.M., and Looken, C.V., 2015, Study of Sunscreen Lotions, A molekular Chemistry Project, *J. Labor. Chem.Edu.*, 3(3), 44-52.
- Balakhrisman, K., dan Narayanaswamyi, N., 2011, Botanicals as Sunscreen: Their Role in the Prevention of Photoaging and Skin Cancer, *Int. J. Res Cosm.Sci.*, 1(1), 1-12.
- Barajas, J.G.H., Mendes, L.Y.V., Kouznetsov, V.V., and Stashenko, E.E., 2008, Efficient Synthesis of New N-Benzyl- or N-(2-Furylmethyl) Cinnamamides Promoted by the 'Green' Catalyst Boric Acid, and Their Spectral Analysis, *J. Synth.*, 3, 0377-0382.
- Berrada, M.G.P., Ficheux, A.S., Rakotomalala, S., Guillou, S., Bellec, M., Javel, D.D., Roudot, A.C., and Ferret, P.J., 2018, Consumption and Exposure Assessment to Sunscreen Products: A Key Point for Safety Assessment, *Food Chem. Toxicol.*, 114, 170-179.
- Budavari, S., O'Neil, M.J., Smith, A., Heckelman, P.E., and Kinneary, J.F., 1996, *The Merck Index, An En-cyclopedia of Chemical, Drug, and Biologicals*, 12th Ed, Merck Co Inc. Whitehouse Station, NJ, USA.
- Caldwell, N., Jamieson, C., Simpson, I., and Watson, A.J.B., 2012, Catalytic Amidation of Unactivated Ester Derivatives Mediated by Trifluoroethanol, *The Royal Society of Chemistry*. Carleton University.
- Cefali, L.C., Ataide, J.A., Moriel, P., Foglio, M.A., and Mazzola, P.A., 2016, Plant-based Active Photoprotectants for Sunscreen, *Int. J. Cosm. Sci.*, 38(4).
- Chiriac, C.I., Tanasa, F., and Onciu, M., 2005, A Novel Approach in Cinnamic Acid Synthesis: Direct Synthesis of Cinnamic Acid from Aromatic Aldehydes and Aliphatic Carboxylic Acids in the Presence of Boron Tribromide, *Molecules*, 10, 481-487.
- Dalessandro, E.V., Collin, H.P., Guimaraes, L.G.L., Valle, M.S., and Pliego, J.R., 2017, Mechanism of the Piperidine-Catalyzed Knoevenagel Condensation Reaction in Methanol: The Role of Iminium and Enolate Ions, *J. Phys. Chem.* 121, 5300-5307.

- Donglikar, M.M., and Deore, S.L., 2016, Sunscreen: A Review, *Pharm. J.*, 3(8), 171-179.
- Elmets, C.C., Cala, C.M., and Xu, J., 2014, Photoimmunology, *Dermatol Clin*, 32 (3), 277-290.
- Fequiredo, D.R.M., Suppo, J.S., and Campegne, J.M., 2016. Nonclassical Routes for Amide Bond Formation, *Chem. Rec.*, 116(19, 12029-12122).
- Gunia-Krzyzak, A., Scloczynska, K., Kockzukiewics, P., and Pekala, E., 2018, Cinnamic Acid Derivatives in Cosmetics: Current Use and Future Prospects, *Int. J. Cosm. Sci.*, 40, 356-366.
- Guzman. J.D., 2014, Natural Cinnamic Acids, Synthetic Derivatives and Hybrids with Antimicrobial Activity, *Molucules*, 19, 19292-19349.
- Han, M., Ma, X., Jin, Y., Zhou, W., Cao, J., Wang, Y., Zhou, S., Wang, G., and Zhu, Y., 2014, Synthesis and Structur-Activity Relationship of Novel Cinnamamide Deerivatives as Antidepressant Agents, *Bioorg. Med. Chem. Lett.*, 24(22), 5384-5287.
- Helga, K., and Furstner, A., Discussion Addendum for: Boric Acid Catalyzed Amide Formation From Carboxylic Acids and Amines : *n*-benzyl-4-phenylbutyramide, 2012, *Org. Synth*, 89, 432-437.
- Herzog, B., Schultheiss, A., and Giesinger, J., 2018, On The Validity of Beer-Lambert Law and its Significance for Sunscreens. *J.Photochem. Photobio.*, 92(2), 384-389.
- Jiang, Y., Zhu, L., Liang, Y., Man, X., and Bi, S., 2017, Mechanism of Amide Bond Formation from Carboxylic Acids and Amines Promoted by 9-Silafluorenyl Dichloride Derivatives, *J. Org. Chem*, 82, 9087-9096.
- Keuseman, K.J., and Morrow, N.C., 2014, A "Green" Approach To Synthesis Of Trans-4-Methoxycinnamic Acid in The Undergraduate Teaching Laboratory, *Chem. Educ.*, 19, 347-350.
- Kockler, J., Oelgemoller, M., Robertson, S., and Glass, B.D., 2012, *Photostability of Sunscreen*, *Journal of Photochemistry and Photobiology*, 13(1), 91-110.
- Komala, I., Supandi, Nurhasni, Betha, O.S., Yardi, Mufidah, S., Reza, M., Ali, M.S., Aulia, N.S dan Sutar, 2017, Microwave Assisted Synthesis of *p*-methoxycinnamamides and *p*-methoxy- β -nitrosytrenes from ethyl *p*-methoxycinnamates and Screening their Anty-inflammatory Actifity, *Nat. Prod. Commun.*, 12(8),1265-1268.
- Leggio, A., Bagala, J., Belsito, E.L., Comande, A., Greco, M., and Ligouri, A., 2017, Formation of Amides: One-pot Condensation of Carboxylic Acids and Amines Mediated by TiCl₄, *Chem. Centr. J.*, 11, 87-99.
- Lubis, N.A., 2018, Synthesis of Butyl Cinnamates and Its Derivatives as Potential UV Filter Compounds, *Skripsi*, Departemen Kimia FMIPA UGM, Yogyakarta.

- Lunberg, H., Tinnis, F., and Adolfsson, H., 2012, Direct Amide Coupling of Non-activated Carboxylic Acids and Amines Catalysed by Zirconium(IV) Chloride, *Chem. Eur. J.*, 18, 3822-3826.
- Maras, N., and Kecevar, M., 2011, Boric Acid-Catalyzed Direct Condensation of Carboxylic Acid with Benzene-1,2-diamine into Benzimidazoles, *Helv. Chim. Acta*, 94, 1860-1873.
- Maria, P., Edardo, Z., Piergiorgio, N., Denis, P., and Mauro, G., 2012, *In Vitro* Evaluation of Sunscreen: An Update for the Clinicians. *ISRN Derm.*
- McMurry, J., 2012, *Organic Chemistry, 8th Edition*, Brooks/Cole-Thomson Learning, USA.
- More, B.H., Sakharwade, S.N., Thembrune S.V., Sakarkar, D.M., Evaluation of Sunscreen Activity of Cream Containing Leaves Extract of *Butea monosperma* for Topical Application, *Int. j. Res. Cosm. Sci.* 3(1), 1-6.
- Oroh, E., dan Harun, E.S., *Tabir Surya (Sunscreen)*, *Berkala Ilmu Penyakit dan Kelamin*, 13, 36-44.
- Pardede, E.M., Formulasi dan Uji Aktivitas Tabir Surya dan Antioksidan Krim O/W Nanokitosan, *Skripsi*, Fakultas Farmasi Universitas Gadjah Mada, Yogyakarta.
- Pawar, H.S., Wagh, A.S., and Lali, A.M., 2013, 2013, Triethylamine: A Potential N-Base Surrogate for Pyridine in Knoevenagel Condensation of Aromatic Aldehyde and Malonic Acid, *J. Chem.* 00, 1-3.
- Pontiki, E., Hadjipavlou-Litina, D., Litinas, K., and Geromicholas, G., 2014, Novel Cinnamic Acid Derivatives as Antioxidant and Anticancer Agents: Design, Synthesis and Modeling Studies, *Molecules*, 19, 9655-9674.
- Prasiddha, I.J., Laeliocattleya, R.A., and Estiasih, T., 2016, The Potency of Bioactive Compounds from Corn Silk (*Zea mays* L.) for the Use as a Natural Sunscreen : A Review, *J. Pangan dan Agroindustri*, 4, 40-45.
- Rafidha, U.N., 2018, Sintesis Senyawa Turunan Kalkon dan Pirazolina Berbahan Dasar 4-aminoasetofenon Serta Uji Aktivitasnya Sebagai Senyawa Antioksidan dan Tabir Surya, *Skripsi*, Fakultas Matematika dan Ilmu Pengetahuan Alam Universitas Gadjah Mada, Yogyakarta.
- Rahmi, B.A., Sintesis 2-akson, 4-akson-dihidroksi, 3-4-dimetoksikhalkon dan 7-hidroksi-3-akson, 4-akson-dimetoksiflavanon serta Uji Aktivitasnya sebagai Tabir Surya, *Skripsi*, Departemen Kimia FMIPA UGM, Yogyakarta.
- Rodrigues, N.D.N., Staniforth, M., dan Stavros, V.G., 2016, Photophysics of Sunscreen Molecules in the Gas Phase: Stepwise Approach Towards Understanding and Developing Next-Generation Sunscreen, *Proc. R. Soc. A*, 472, 20160677.

- Salim, I.N., 2016, Sintesis C-Aralkaliks[4]pirogallolarena dan Turunan Sinamat-nya Sebagai Senyawa Antioksidan serta Tabir Surya, *Skripsi*, Departemen Kimia FMIPA UGM, Yogyakarta.
- Schijndel, J.V., Canalle, L.A., dan Molendijk, D., and Meuldijk, J., The Green Knoevenagel Condensation: Solvent- Free Condensation of Benzaldehyde, *J. Chem. Lett. Rev.*, 10(4), 404-411.
- Seelolla, G., Cheera, P., and Ponneri, V., 2014, Synthesis, Antimicrobial and Antioxidant Activities of Novel Series of Cinnamamide Derivatives Having Morpholine Moiety, *Med. Chem.*, 4(12), 778-783.
- Sharma, P., 2011, Cinnamic Acid Derivates: A New Chapter of Various Pharmacological Activities, *J. Chem. Pharm. Res.*, 3(2), 403-423.
- Shorey, S., Choudhary, P.C., and Intodia, K., 2013, Microwave Irradiation Synthesis of Various Substituted Chalcones Using Various Heterogeneous Catalysts Under Solvent-free Conditions and Their Biological Studies, *Chem. Sci. Trans.*, 2(2), 343-348.
- Sova, M., 2012, Antioxidant and Antimicrobial Activities of Cinnamic Acid Derivatives, *Rev.Med.Chem*, 12, 749-767.
- Suryanto, E., 2012, *Fitokimia Antioksidan*, Penerbit Putra Media Nusantara, Surabaya.
- Suryawanshi, J.A.S., 2016, *In-Vitro* Determination of Sun Protection Factor and Evaluation of Herbal Oils, *Int. J. Pharm. Res.*, 6(1), 37-43.
- Suyanto, B., dan Syarief, S.H., 2013, Uji Aktivitas Tabir Surya Paduan Oktal *p*-metoksisinamat (OPMS)-Nanopartikel Emas sebagai Bahan Kosmetik, *UNESA J. Chem.*, 2(3), 32-37.
- Taufikkurohmah, T., 2005, Sintesis *p*-Metoksisinamoil dari Etil *p*-Metoksisinamat Hasil Isolasi Rimpang Kencur (*Kaempferia Galanga L.*) Sebagai Kandidat Tabir Surya. *Indones. J. Chem.*, 5(3), 153.
- Tolstorozhev, G.B., Bel'kov, M.V., Skorniyakov, L.V., Bazyl, O.K., Artyukhov, V.Y., Mayer, G.V., Shadyro, O.I., Kuzovkov, P.V., Brinkevich, S.D., and Samovich, S.N., 2014, Infrared Spectroscopy of Hydrogen Bonds in Benzoic Acid Derivatives, *Appl. Spectro.*, 81(1), 109-117.
- Wahyuni, N.F., 2018, Sintesis Turunan Sinamat dan Uji Aktivitasnya Sebagai Senyawa Tabir Surya, *Skripsi*, Fakultas Matematika dan Ilmu Pengetahuan Alam Universitas Gadjah Mada, Yogyakarta.
- Wolf, R., Wolf, D., Morganti, P., and Ruocco, V., 2001, Sunscreen, *Clinic. Dermatol.*, 19, 452-459.



- Yulastuti, I., Susanti, D., and Dwiono, B., 2002, Perlindungan Kulit dari Sinar Ultraviolet dengan Bahan Tabir Surya Produk Reaksi Esterifikasi n-amil asetat dan Veratraldehida, *Bul. Penal. Mhs. UGM*, 10,29-32.
- Zeslawska, E., Nitek, W., Marona, H., dan Gunia-Kryzak, A., 2018, Cinnamamide Pharmacophore for Anticonvulsant Activity: Evidence From Crystallograph Studies, *J. Struct. Chem.*, 74(7), 782-788.