

DAFTAR PUSTAKA

- Anonim.2012.<http://bumn.go.id/perhutani/berita/1425/ekspor.benih.jati.perlu.hati-hati> (diakses 5 Maret 2018)
- Anonim. 2014. <http://bumn.go.id/perhutani/halaman/144>(diakses pada 5 Maret 2018)
- Anonim. 2014. Suara Rimba. <http://www.bumn.go.id/perhutani/halaman/144>. Diakses pada 26 Februari 2018.
- Achmadi, Suminar. 1990. Kimia Kayu. Departemen Pendidikan dan Kebudayaan. Direktorat Jenderal Pendidikan Tinggi. Pusat Antar Universitas. Ilmu Hayat. Institut Pertanian Bogor.
- American Society for Testing and Materials. 1984. *Standard Test Method for Alcohol-benzene Solubility of Wood*. Designation of D 1107-84. Philadelphia: ASTM.
- American Society for Testing and Materials. 1984a. *Standard test method for alcohol-benzenesolubility of wood*. (D 1107-84). Philadelphia, PA: ASTM.
- American Society for Testing & Materials. 1984b. *Standard test method for water solubility of wood*. (D 1110-84). Philadelphia, PA: ASTM.
- Arauja, S.O., Vital, B.R., Oliveira, B., Carneiro, A., Lourenco, A., Pereira, H.M. 2016. *Physical and Mechanical Properties of Heat Treated Wood from *Aspidosperma populifolium*, *Dipteryx odorata*, and *Minosa scrabella**. Maderas Ciencia Tecnologia, 18(1), 143-156.
- Ayadi, N., Lejeune, F., Charrier, F., Charrier, B., Merlin, A. 2003. Color Stability if Heat-treated Wood During Artificial Weathering. *European Journal of Wood and Wood Products* 61(3), 221-226.
- Ayata, U., Gurleyen, L., Esteves, B., Gurleyen, T., Cakicier, N. 2017. *Effect of Heat Treatment (Thermowood) on Some Surface Properties of Parquet Beech (*Fagus orientalis* Lipsky.) with Different Layers of UV system Applied*. BioResources, 12(2), 3876-3889.
- Bhat, K. M., Nair, K. K. N., Bhat, K. V., Muralidharan, E. M., Sharma, J. K. (2003). Quality Timber Products of Teak from Sustainable Forest Management. *Proceedings of the International Conference*, Peechi, India.
- Bhat, K.M., Thulasidas, P.K., Florence, E.J. 2005. Wood Durability of Home garden Teak Against Brown-Rot and White-Rot Fungi. *Trees* 9, 654-660.
- Bakar, B.F., Hiziroglu, S., Tahir, P.M. 2013. Properties of Some Thermally Modified Wood Species. *Materials and Design*, 43, 348-355.

- Barcik, S., Gasparik, M., Razumov, E.Y. 2015. Effect of Temperature on the Color Changes of Wood During Thermal Modification. *Cellulose Chemistry and Technology*, 49(9-10), 789-798.
- Basri, E., Wahyudi, I. 2013. Sifat Dasar Kayu Jati Plus Perhutani dari Berbagai Umur dan Kaitannya dengan Sifat dan Kualitas Pengeringan. *Jurnal Penelitian Hasil Hutan*, 31(2), 93-102.
- Berrocal, A., Baeza, J., Rodriguez, J., Espinosa, M., Freer, J. 2004. Effect of Tree Age on Variation of Pinus radiata. *Journal of the Chilean Chemical Society*, 49(3), 251-256.
- Boonstra M.J. 2008. A Two-Stage Thermal Modification of Wood. *Ph.D. dissertation in cosupervision Ghent University and Université Henry Poincaré - Nancy 1*, 297 p.
- Bourgois, J., Janin, G., Guyonnet, R. 1991. Measuring Colour: A Method of Studying and Optimising the Chemical Transformations of Thermally-Treated Wood. *Holzforschung* 45(5), 377-382.
- British Standard Institution. 1957. *British Standard 373:1957*. Testing small clear specimens of timber, BSI, London.
- Cademartori, P.H.G., Schneid, E., Gatto, D.A., Stangerlin, D.M., Beltrame, R. 2013. Thermal Modification of Eucalyptus grandis Wood: Variation of Colorimetric Parameters. *Maderas Ciencia Tecnologia* 15(1), 57-64.
- Candelier, K., Dumarcay, S., Petrisans, A., Desharnais, L., Gerardin, P., Petrisans, M. 2013. Comparison of Chemical Composition and Decay Durability of Heat Treated Wood Cured Under Different Inert Atmospheres: Nitrogen or Vacuum. *Polymer Degradation and Stability* 9, 677-681.
- Cao, Y., Lu, J., Huang, R., Zhao, Y., Wu, Y. 2011. Evaluation of Decay Resistance for Steam Heat Treated Wood. *Bioresouces* 6(4), 4696-4704.
- Chen, Y., Sianmin G., Yongming F., Mandla A.T., Nicole M.S. 2012. Heat-Induced Chemical and Color Changes of Extractive-free Black Locust Wood. *BioResources* 7(2), 2236-2248.
- Commission Internationale de l'Eclairage. (CIE). 1976. Colorimetry. *Publication No. 15.2*.
- Cordes, J. W. H. 1881. The Teak Forests of Java: Their Nature, History and Exploitation. *Batavia: Ogilvie & Co.*
- Cuccui, I., Negro, F., Zanuttini, R., Espinoza, M., Allegretti, O. 2017. Thermo-Vacuum Modification of Teak Wood from Fast-Growth Plantation. *BioResources*, 12(1), 1903-1915.

- Dahali, R., Ashaari, Z., Lee, S.H., Bakar, E.S. 2018. Phsyco-Mechanical Properties of Light Red Meranti (*Shorea Spp.*) and Kedondong (*Canarium Spp.*) Wood Heat Treated in Convection Oven. *Indian Academy of Wood Science*, 15(1), 41-44.
- Desch, H.E., J.M. Dinwoodie. 1981. Timber Its Structure, Properties and Utilisation 6th Edition. *MacMillan Education LTD*. London.
- Dubey, M.K., Susheng, P., John, W. 2010. Color and Dimensional Stability od Oil Haet Treated Radiata Pinewood after Accelerated UV Weathering. *Forest Pruduct Journal*, 60(5), 453-459.
- Dumanauw, J. F. 1984. Mengenal kayu. Pedidikan Industry Kayu Atas. Semarang.
- Dzurenda, L. 2018. The Shades of Color of *Quercus Robur L.* Wood Obtained through the Processes of Thermal Treatment with Saturated Water Vapor. *BioResources* 13(1), 1525-1533.
- Esteves, B., Graca, J., Pereira, H.M. 2008a. Extractive Composition and Summative Chemical Analysis of Thermally Treated Eucalypt Wood. *Holzforschung* 62, 344-351.
- Esteves, B. M., Domingos, I.J., Pereira, H.M. 2008b. Pine Wood Modification by Heat Treatment in Air. *BioResources*. 3(1), 142-154.
- Esteves, B., Pereira, H.M. 2009. Heat Treatment of Wood. *BioResources* 4(1), 370-404.
- Esteves, B., Videira, R., Pereira, H.M. 2011. Chemistry and Ecotoxicity of Heat-Treated Pine Wood Extractives. *Wood Science Technology* 45, 661-676.
- Fengel, D., G. Wegener. 1995. Kayu: Kimia, Ulastruktur, Reaksi-Reaksi. *Gadjah Mada University Press* (terjemahan). Yogyakarta.
- Garcia, R. A., de Oliveira Lopes, J., do Nascimento, A.M., de Figueiredo Latorraca, J.V. 2014. Color Stability of Weathered Heat-Treated Teak Wood. *Maderas. Ciencia y tecnología*, 16(4), 453-462.
- Gasparík, M., Gaff, M., Kačík, F., Sikora, A. (2019). Color and Chemical Changes in Teak (*Tectona grandis L. f.*) and Meranti (*Shorea spp.*) Wood after Thermal Treatment. *BioResources*, 14(2), 2667-2683.
- Gunduz, G., Aydemir, D., Karakas, G. 2009. The Effect of Thermal Treatment on the Mechanical Propeties of Wild Pear Wood and Changes in Physical Properties. *Mater Design*, 30, 4391-4395.

- Guo, F., Huang, R., Lu, J., Chen, Z., Cao, Y. 2014. Evaluation the Effect of Heat Treating Temperature and Duration on Selected Wood Properties Using Comprehensive Cluster Analysis. *Journal Wood Science* 60, 255-262.
- Gurleyen, L., Bruno, E., Umit, A., Tugba, G., Hamza, C. 2018. The Effects of Heat Treatment on Colour and Glossiness of Some Commercial Woods in Turkey. *Drewno* 61(201), 81-90.
- Hardjodarsono, M. S. 1984. Jati. *Yayasan Pembina Fakultas Kehutanan UGM*. Yogyakarta.
- Haygreen, J. G., Bowyer, J. L. 1989. Hasil Hutan dan Ilmu Kayu, Terjemahan Ir. H.A. Sutjipto, *Gadjah Mada University Press*, Yogyakarta.
- Hedges, J.I., Cowie, G.L., Ertel, J.R. 1985. Degradation of Carbohydrates and Lignin in Buried Woods. *Geochimica et Cosmochimica Acta* 49, 701-711.
- Herawati, E. 2005. Warna Alami Kayu. *E-USU Repository*. Universitas Sumatera Utara.
- Herwanto, H., Sutijasno, Wibowo, A. 2007. Kajian Jati Plus Perhutani (JPP). *Pusat Penelitian dan Pengembangan, Perum Perhutani*. Cepu.
- Hill, C. A. S. 2006. Wood Modification. *John Wiley & Sons*, Ltd.
- Hillis, W.E. 1987. Heartwood and Tree Exudates. Berlin. Springer-Verlag.
- Homan, W. J., Jorissen, A. J. M. (2004). Wood Modification Developments. *Heron*, 49(4), 361-385.
- Hon, D.N.S., Shiraishi, N. 1991. Wood and Cellulosic Chemistry. *Marcel Dekker, Inc.*, New York, 26-65.
- Hon, D.N.S., Minemura, N. 2001. Color and Discoloration. *Wood and Cellulosic Chemistry*, 385-442.
- Hu, C., Guifen, J., Jianhui, Z., Min, X., Zhao, Y. 2013. Effects of the Thickness of the Heat Treated Wood Specimen on Water-Soluble Extractives and Mechanical Properties of Merbau Heartwood. *BioResources*, 8(1), 603-611.
- Jamsa, S., Viitaniemi, P. 2001. Heat Treatment of Wood, Better Durability without Chemicals. Proceeding. Review on Heat Treatment of Wood. European Thematic Network for Wood Modification. *BFH The Federal Research Centre for Forestry and Forest Products*. Germany.
- Jankowska, A., Kozakiewicz, P. 2014. Influence of Thermal Modification of Scots Pine Wood on Color Changes. *Annals of Warsaw University of Life Science, Forestry and Wood Technology*, 92-96.

- Johansson, D. 2005. Strength and Colour Response of Solid Wood to Heat Treatment. *University of Technology*, 93.
- Jones, D., Howard, N. 2004. Improvement in the Durability of UK Grown Timbers by Various Wood Modification Techniques. COST E22 Final Conference.
- Kamperidou, V., Barboutis, I., Vasileiou, V. (2013). Response of Colour and Hygroscopic Properties of Scots Pine Wood to Thermal Treatment. *Journal of Forestry Research*, 24(3), 571–575.
- Keogh, R. M. 2009. The Future of Teak and the High-Grade Tropical Hardwood Sector. Planted Forests and Trees Working Papers. *FAO*. Italy.
- Keey, R.B. 2005. Colour Development on Drying. *Maderas Ciencia y Tecnologia* 7(1), 3-16.
- Kocaefe, D., Shi, J.L., Yang, D.Q., Bouazara, M. 2008. Mechanical Properties, Dimensional, Stability, and Mold Resistance of Heat-Treated Jack Pine and Aspen. *Forest Product Journal*, 58, 88-93.
- Kollman, F.F.P., Wilfred, C.J. 1968. Principle of Wood Science on Technology I. *Springer-Verlag Inc*. New York.
- Korkut, S., Kocaefe, D. 2009. Effect of Heat Treatment on Wood Properties. *Duzce University Journal of Forestry* 5(2), 11-34.
- Korkut, S., Aytin, A. 2015. Evaluation of Physical and Mechanical Properties of Wild Cherry Wood Heat-Treated Using the Thermowood Process. *Maderas Ciencia Tecnologia*, 17(1), 171-178.
- Kucerova, V., Lagana, R., Vybohova, E., Hyrosova, T. 2016. The Effect of Chemical Changes During Heat Treatment on the Color and Mechanical Properties of Fir Wood. *Bioresources*, 11(4), 9079-9094.
- Lestari, E., Pramasari, D.A., Amin, Y., Adi, D.S., Bahanawan, A., Dwinto, W. 2016. The Chemical Components Changes of Platinum Teak Wood. *The 6th International Symposium for Sustainable Humanosphere*.
- Listyanto, T. 2011. Skedul Pengeringan dalam Pengeringan Kayu dan Solusi Permasalahannya. *Cakrawala Media*. Yogyakarta.
- Liu, S., Loup, C., Gril, J., Dumonceaud, O., Thibaut, A., Thibaut, B. 2005. Studies on European Beech. Part 1: Variations of Wood Color Parameters. *Annual Forest Science* 62, 625-632.
- Lukmandaru, G. 2009a. Sifat Kimia Kayu Teras Jati pada Tiga Umur Berbeda. *Journal Tropical Wood Science and technology*, 7(1).

- Lukmandaru, G., Ashitani, T., Takahashi, K. 2009b. Color and Chemical Characterization of Partially Black-Streaked Heartwood in Teak (*Tectona Grandis*). *Journal of Forestry Research*, 20(4), 377-380.
- Lukmandaru, G. 2011. Komponen Kimia Kayu Jati dengan Pertumbuhan Eksentris. *Jurnal Ilmu Kehutanan* 5(1).
- Lukmandaru, G., Sayudha IGN. 2012 Komposisi Ekstraktif Pada Kayu Jati Juvenil. *Prosiding Seminar Nasional MAPEKI XIV*; 2011 November 2; Yogyakarta, Indonesia. Yogyakarta: MAPEKI. 361-366.
- Lukmandaru, G. 2015. Kadar Kinon dalam Kayu Teras Jati yang Didolasi dengan Ekstraksi Rendaman Dingin. *Jurnal Ilmu Teknologi Kayu Tropis* 31(1), 28-38.
- Lukmandaru, G. 2016. Hubungan Antara Kadar Ekstraktif dengan Sifat Warna pada Kayu Teras Jati. *Jurnal Penelitian Hasil Hutan*, 34(3), 207-216.
- Lukmandaru, G., Hasanah, M., Retnaningrum, N.I. 2017. Termite Resistance, Chemical, and Color Properties of Teak Wood from Community Forest of Kulon Progo. *Jurnal Ilmu Teknologi Kayu Tropis*, 15(2), 118-132.
- Marsoem, S.N. 1999. Pengaruh Terasan Terhadap Sifat Fisika dan Tegangan Pertumbuhan Kayu Jati. *Prosiding Seminar Mapeki II*. Yogyakarta. Buku I.
- Marsoem, S.N., V.E. Prasetyo, J. Sulistyono, Sudaryono, G. Lukmandaru. 2015. Studi Mutu Kayu Jati Di Hutan Rakyat Gunungkidul IV. Sifat Mekanika Kayu. *Jurnal Ilmu Kehutanan*, 9(2), 117-127.
- Martawijaya, A., I. Kartasudjana, Y.I. Mandang. 1981. Atlas Kayu Indonesia. *Badan Penelitian dan Pengembang Kehutanan*. Bogor.
- Martawijaya, A., I. Kartasudjana. Y. I. Mandang, S.A. Prawira, K. Kadir. 2005. Atlas Kayu Indonesia Jilid I. *Badan Penelitian dan Pengembangan Kehutanan*. Bogor.
- Mauludi, A.S. 2000. Komponen Kimia Kayu Jati (*Tectona grandis* L.f) pada Berbagai Kelas Umur dari KPH Saradan. IPB. Bogor.
- Matsuo, M., Umemura, K., Kawai, S. 2012. Kinetic Analysis of Colour Changes on Cellulose During Heat Treatment. *Journal Wood Science* 58(2), 113-119.
- Mawardi, P. 2012. Kaya dari Investasi Jati Barokah. *PT Agro Media Pustaka*. Jakarta.
- McDonald, A., Fernandez, M., Kreber, B. 1997. *The 9th International Symposium of Wood and Pulping Chemistry*. Montreal-Canada. 70, 1-5.

- Mejias, L.D., Roger, M. 2018. Effect of Thermo-Treatment on the Physical and Mechanical, Color, Fungal Durability of Wood of *Tectona grandis* and *Gmelina arborea* from Forest Plantations. *Material Science*, 24(1), 59-68.
- Militz, H., Tjeerdsma, B. 2001. Heat Treatment of Wood by the "Plato- Process". Review on Heat Treatments of Wood. *European Thematic Network for Wood Modification*. Hamburg-Jerman
- Militz, H. 2002. Heat Treatment Technologies in Europe: Scientific Background and Technological State-of-Art. *Proceeding of Conference on "Enhancing the Durability of Lumber and Engineered Wood Product"*. Forest Product Society. Madison. US.
- Mohebbi, B. dan Sanaei I. 2005. Influences of The Hydro-Thermal Treatment on Physical Properties of Beech Wood (*Tagus orientalis*). *The International Research Group on Wood Protection*. Bangalore, India.
- Moya, R., Berrocal, A. 2010. Wood Colour Variation in Sapwood and Heartwood of Young Trees of *Tectona grandis* and its Relationship with Plantation Characteristics, Site, and Decay Resistance. *Annals of Forest Science*, 67(109).
- Moya, R., Alvarado, J.C. 2012. Variation of Wood Color Parameters of *Tectona grandis* and its Relationship with Physical Environmental Factors. *Annals of Forest Science*, 69, 947-959.
- Moya, R., Luis, D.M. 2016. Effects on Density, Shrinking, Color Changing and Chemical Surface Analysis through FTIR of *Tectona Grandis* Thermo-Treated. *Scientia Forestalis*, 44(112), 811-820.
- Namujahe, G., Orikiriza, L.J.B. 2013. Natural Durability of Eucalyptus Clones Against Termite Attack. *International Journal of Science: Basic and Applied Research*, 10(1), 176-183.
- Nazri, W.M., Jamaludin, K., Rudaini, M.N., Rahim, S., Yuziah, M.Y.N. 2009. Effects of Chemical Components on Properties of Oriented Strand Board from *Leucaena leucocephala* wood. *Journal of Tropical Forest Science*, 21(4), 353-360.
- Nuopponen, M., Vuorinen, T., Jamsa, S., Viitaniemi, P. 2003. The Effects of a Heat Treatment on the Behaviour of Extractives in Softwood Studied by FTIR Spectroscopic Methods. *Wood Science Technology*, 37, 109-115.
- Nuopponen M., Vuorinen T., Jamsa S., Viitaniemi P. 2004. Thermal Modification in Softwood Studied by FTIR and UV Resonance Raman Spectroscopies. *Journal Wood Chemical and Technology*, 24(1), 13-26.

- Pelit, H., Budakci, M., Sonmer, A. 2018. Density and Some Mechanical Properties of Densified and Heat Post-Treated Uludag Fir, Linden, and Black Poplar Woods. *European Journal Wood Product*, 76, 79-87.
- Perhutani. 2014. www.puslitbangperhutani.com. Diakses pada 26 Februari 2018
- Pincelli, A.L., De Moura, L.M., Brito, J.O. 2012. Effect of Thermal Rectification on Colors of Eucalyptus saligna and Pinus caribea Woods. *Maderas Ciencia Tecnologia* 14(2), 239-248.
- Polato, R., Laming, P.B., Sierra-Alvarez, R. 2003. Assesment Some Wood Characteristics of Teak of Brazilian Origin. Proceeding of the International Conference on Quality Timber Products of Teak from Sustainable Forest Management. Kerala. India. 257-265.
- Pontis, J.A., L.A. Costa, S.J. Silva, A. Flach. 2014. Color, Phenolic, and Flavonoid Content, and Antioxidant Activity of Honey from Roraima, Brazil. *Food Science and Technology* 34(1), 69-73.
- Prawirohatmodjo, S. 1999. Struktur dan Sifat-Sifat Kayu, Jilid I. Sifat-Sifat Makroskopis dan Identifikasi Kayu. *Fakultas Kehutanan, Universitas Gadjah Mada*. Yogyakarta.
- Prawirohatmodjo, S. 2004. Kimia Kayu. *Fakultas Kehutanan Universitas Gadjah Mada*. Yogyakarta.
- Putra, H.P., Listyanto, T. 2018. Sifat Keawetan Alami dan Cara Pengawetan Kayu Jati Plus Perhutani (JPP). Tesis (Tidak Dipublikasi). Fakultas Kehutanan, Universitas Gadjah Mada. Yogyakarta.
- Rapp, A.O., Sailer. M. 2001. Oil Heat Treatment of Wood in Germany-State of the Art. Review on Heat Treatments of Wood. *European Thematic Network for Wood Modification*. Hamburg-Jerman.
- Rodha, J.M., Cedene P., Guizol P., Santoso L., Fauzan A.U. 2007. Atlas Industri Mebel Kayu di Jepara. *CIFOR*. Bogor.
- Rowell, R., Davis, M., Lange, S., McSweeny, J. 2002. Modification of Wood Fiber Using Steam. *Proceeding: 6th Pacific Rim Bio-Based Composites Symposium*, 2, 606-615.
- Salca, E.A., Hikaru, K., Tetsuya, I., Yoichi, K., shigehiko, S. 2016. Effect of Heat Treatment on Colour Changes of Black Alder and Beech Veneers. *Journal Wood Science* 62, 297-304.
- Seng, O.D. 1990. Berat Jenis dari Jenis-jenis Kayu Indonesia dan Pengertian Beratnya Kayu untuk Keperluan Praktek. Cetakan Kedua. Diterjemahkan

oleh Soewarsono P.H. *Pusat Penelitian dan Pengembangan Hasil Hutan*. Bogor.

Severo, E., Calonego, F., Sansigolo, C.A., Bond, B. 2016. Changes in the Chemical Composition and Decay Resistance of Thermally-Modified Hevea brasiliensis Wood. *PloS ONE*, 11(3), e0151353.

Sikora, A., Kacik, F., Gaff, M., Vondrova, V., Bubenikova, T., Kubovsky, I. 2018. Impact of Thermal Modification on Color and Chemical Changes of Spruce and Oak Wood. *Journal of Wood Science*, 64, 406-416.

Simon, H. 2010. Perencanaan Pembangunan Sumber Daya Hutan Jilid 1a Timber Management. *Pustaka Pelajar*. Yogyakarta.

Sivrikaya H., Ekinsi E., Can A., Tasdelen M., Gokmen K. 2015. Effect of Heat Treatment on the Weathering and Hardness Properties of Some Wood Species. *Proceedings 11th Meeting of the Northern European Network for Wood Sciences and Engineering*. Poland.

Sjostrom, E. 1955. Kima Kayu: Dasar-Dasar Dan Penggunaan. *Gadjah Mada University Press*. Yogyakarta.

Sjostrom, E. 1981. Wood Chemistry, Fundamental and Application. *Academic Press*. New York.

Soenardi, P. 1967. Sifat-Sifat Kima Kayu. *Yayasan Pembina Fakultas Kehutanan UGM*. Yogyakarta.

Srinivas K., Pandey K.K. 2012. Effect of Heat Treatment on Color Changes, Dimensional Stability, and Mechanical Properties of Wood. *Journal of Wood Chemistry and Technology*, 32, 304-316.

Syrjanen, T., Oy, K., Jämsä, S., Viitaniemi, P. 2000. Heat Treatment of Wood in Finland-State of the Art. *Proceedings of the Trä skydd-, vä rmebehandlat träegenskaper och användningsområ den*, Stockholm, Sweden, 21.

Thulasidas, P.K., Bhat, K.M., Okuyama, T. 2006. Heartwood Colour Variation in Home Garden Teak from Wet and Dry Localities of Kerala, India. *Journal of Tropical Forest Science* 18(1), 51-54.

Tsoumis, G. 1991. Science and Technology of Wood: Structure, Properties, Utilization. New York: Van Nostrand Reinhold.

USDA. 2016. Plants Database. *Nature Resources Conservation Service*. United States Department of Agriculture.

- Vernois, M. 2001. Heat Treatment of Wood in France—State of the Art. *In Proceedings of Special Seminar “Review on Heat Treatments of Wood”*. Antibes, France.
- Wahyudi, I., Okuyama, T., Hadi, Y. S., Yamamoto, H., Yoshida, M., Watanabe, H. 2000. Relationship Between Growth Rate and Growth Stresses in *Paraserianthes falcataria* Grown in Indonesia. *Journal of Tropical Forest Science*, 6(1), 95-105.
- Wahyuni, I., Danang, S., Dwi, A., Yusup, A., Teguh, D., Jayadi, Sudarmanto, Wahyu, A. 2014. Pengaruh Umur Terhadap Komponen Kimia Kayu Jati Platinum. Pusat Penelitian Biomaterial. LIPI.
- Wang J.Y., Cooper P.A., 2005: Effect of Oil Type, Temperature and Time on Moisture Properties of Hot Oil-Treated Wood. *Holz Roh- und Werkstoff* 63, 417-422.
- Wei, Y., Mingjie, W., Peng, Z., Yao, C., Jianmin, G., Yongming, F. 2017. The Role of Phenolic Extractives in Color Change of Locust Wood during Heat Treatment. *BioResources*, 12(4), 7041-7055.
- Windeisen, E., Klassen, A., Wegener, G. 2003. On the Chemical Characterisation of Plantation Teakwood from Panama. *Holz als Roh-und Werkstoff*, 61, 416-418.
- Yalcin, M., H.I. Sahin. 2015. Changes in the Chemical Structure and Decay Resistance of Heat-Treated Narrow-Leaved Ash Wood. *Maderas Ciencia Tecnologia* 17(2), 435-446.
- Yildiz, S., E.D. Tomak, U.C. Yildiz, D. Ustaomer. 2013. Effect of Artificial Weathering on the Properties of Heat-Treated Wood. *Polymer Degradation and Stability* 98(8), 1419-1427.
- Yilgor, N., Unsal, O., Kartal, S. N. 2001. Physical, Mechanical, and Chemical Properties of Steamed Beech Wood. *Forest Products Journal*, 51(12), 89.
- Zanuncio, A.J., Amelia G.C., Milene T.S. 2015. Effect of Extractives on Wood Color of Heat-Treated *Pinus radiata* and *Eucalyptus pellita*. *Ciencia y Tecnologia*, 17(4), 857-864.