

DAFTAR PUSTAKA

- Abuljadayel, M. A., J. Sabir, A. S., and Abo-aba S.E.M.. 2015. 16S rDNA Identification and Phylogenetic Relationship of Marine Bacterial Communities Isolated from Red Sea, Jeddah, KSA. *Wufenia Journal* 22 (2): 334–50.
- Anna, S. L.M., Sebastian G.V., Menezes E.P., Alves T.L.M., Pereira N., and Freire D.M.G. 2002. Production Biosurfactant from *Pseudomonas aeruginosa* PA1 Isolated in oil environment. *Braz,J. Chem.Eng.* Vol.19(2).
- Avanti Polar Lipid Inc. 2016. *Solvent system-lipid migration*. www.avantilipid.com. Diakses 10 Juni 2019.
- Banat, I. M. 1997. Microbial Production of Surfactants and Their Commercial Potential. *Fuel and Energy Abstracts* 38 (4): 221.
- Bodour, A. A., Claudia G. B, Beth V. J, Mark E. M., Amanda K. P, Arpad S., Long N. T., Robert B. B., and Raina M. M. 2004. Structure and Characterization of Flavolipids, a Novel Class of Biosurfactants Produced by *Flavobacterium* Sp. Strain MTN11. *Applied and Environmental Microbiology* 70 (1): 114–20.
- Broto, W. 2010. Produksi Surfaktan Glukosa Ester dari Beras dan Berbagai Asam Lemak : Kajian Panjang Rantai Carbon Terhadap Kestabilan Emulsi. *Tesis*. Universitas Diponegoro. Semarang.
- Cai, L. 2014. Thin Layer Chromatography. *Current Protocol Essential Laboratory Technique*. Vol.8(1).
- Campos, J. M, Tânia L. M. S., Leonie A.S., Juliana M. de L, Raquel D. R., and Ibrahim M. B. 2013. Microbial Biosurfactants as Additives for Food Industries. *Biotechnology Progress* 29 (5): 1097–1108.
- Casas, J. A., S. García De L., and García-Ochoa F. 1997. Optimization of a Synthetic Medium for *Candida Bombicola* Growth Using Factorial Design of Experiments. *Enzyme and Microbial Technology* 21 (3): 221–29.
- Carrillo, P.G., Mardaraz C, Pitta-Alvarez S.I, and Giulietti A.M. 1996. Isolation and selection of biosurfactant-producing bacteria. *World J Microbiol Biotechnol.* 12(1):82- 84.
- Daverey, A, and Kannan P. 2009. Production, Characterization, and Properties of Sophorolipids from the Yeast *Candida Bombicola* Using a Low-Cost Fermentative Medium. *Applied Biochemistry and Biotechnology*. 158 (3):

663–74.

- Desai, J. D., Banat I.M., 1991. Microbial Production of Surfactant and Their Commercial Potential. *Microbiol. Mol. Biol. Rev.* 61:47-64.
- Eeles, R.A., and Stamps A. C. 1988. *Polymerase Chain Reaction (PCR) The Technique and Its Applications*. Austin RG Landes. USA.
- Gakpe, Edward, Pattanathu K S. M. R., and Mohamed H. A A. 2007. Microbial Biosurfactants – Review. *Journal of Marine and Atmospheric Research* 3 (2): 1–17.
- Gitter, R.J., Bobbie J.N., and Schwarting A.E. 1991. *Pengantar Kromatografi Edisi II*. Diterjemahkan oleh Kosasih Padmawinata. ITB. Bandung.
- Hamzah, A., Sabturani N., and Radiman S. 2013. Screening and optimization of biosurfactant production by the hydrocarbon-degrading bacteria. *Sains Malays*, 42(5):615-623.
- Hommel, R.K., and Huse, K. 1993. Regulation of Sophorose Lipid Production by *Candida (Torulopsis) Apicola*. *Biotechnology Letters* 15 (8): 853–58.
- Janda, J. M., and Sharon, L. A. 2007. 16S rRNA Gene Sequencing for Bacterial Identification in the Diagnostic Laboratory : Pluses , Perils , and Pitfalls. *MINIREVIEW* 45 (9): 2761–64.
- Joshi, S., Bharucha, C., Jha, S., Yadav, S., Nerurkar, A., dan Desai, A. J. (2008). Biosurfactant production using molasses and whey under thermophilic conditions. *Bioresour. Technol* 99 (1). 195–199.
- Karanth, N.G.K., Deo P.G., and Veenanadig N.K. 1999. Microbial Production of Biosurfactant and Their Importance. *Current Science*. Vol.77(1): 116-126.
- Kearse, M., Richard, M., Amy, W., Steven, S. H., Matthew, C., Shane, S., and Simon, B. 2012. Geneious Basic: An Integrated and Extendable Desktop Software Platform for the Organization and Analysis of Sequence Data. *Bioinformatics* 28 (12): 1647–49.
- Kitamoto, D., Ikegami T., Tiemi S. G., Sasaki A., Takeyama Y., Idemoto Y., Koura N., and Yanagishita H. 2001. Microbial Conversion of N-Alkanes into Glycolipid Biosurfactants, Manosylerytol Lipids, by Pseudozyma (*Candida antarctica*). *Biotechnol Letters* 23 (n-alkanesMELproduction): 1709–14.
- Kurniati, T. H. 2016. Bakteri Penghasil Biosurfaktan Dari Lingkungan Tercemar Limbah Minyak Dan Potensinya Dalam Mendegradasi Hidrokarbon

Aromatik Polisiklik (Hap). *Tesis*. Institut Pertanian Bogor. Bogor.

- Kusumo, B. D., Wahyu, W., and Endah, R. 2017. Preliminary Study of Liquid Hydrocarbon Biodegradation By Indigineous Bacteria Isolated from Wonocolo Village , Bojonegoro District , East Java Province. *Journal of applied geology*. 2 (2): 98–103.
- Konishi, M., Fukuoka, T., Morita, T., Imura, T., and Kitamoto, D. 2008. Production of new types of sophorolipids by *Candida batistae*. *J. Oleo Sci.* 57:359–369.
- Leahy, J. G, and Rita, R. C. 1990. Microbial Degradation of Hydrocarbons in the Environment. 54 (3): 305–15.
- Makkar, R. S., Swaranjit, S. C., and Ibrahim, M. B. 2011. Advances in Utilization of Renewable Substrates for Biosurfactant Production. *AMB Express* 1 (1):1–19.
- Mao, X., Rui J., Wei X., and Jiaguo Y. 2015. Use of Surfactants for the Remediation of Contaminated Soils: A Review. *Journal of Hazardous Materials* 285: 419–35.
- Morikawa, M., Hiromi D., Toshifumi T., Satoru M., Yasutsugu S., and Tadayuki I. 1993. A New Lipopeptide Biosurfactant Produced by *Arthrobacter* Sp. Strain MIS38. *Journal of Bacteriology* 175 (20): 6459–66.
- Mulligan, C.N., and Gibbs, B.F. 1989. Correlation of nitrogen metabolism with biosurfactant production by *Pseudomonas aeruginosa*. *Appl. Environ. Microbiol.* 55: 3016–3019.
- Muthukamalam, S., Sivalingam S., Dharmapal D., and Sadras S R. 2017. Characterization of Dioxygenases and Biosurfactants Produced by Crude Oil Degrading Soil Bacteria. *Brazilian Journal of Microbiology* 48 (4): 637–47.
- Mustafa, H., Indra R. and Yusran U. 2016. Pengukuran Konsentrasi dan Kemurnian DNA Genom Nyamuk *Anopheles barbirostris*. *Jurnal vektor penyakit*. Vol.10 (1): 7-10.
- Narayanan, S. 2014. Isolation and Identification of a Novel Lipase Producing Bacteria from Oil Spilled Soil. *IJRSET* 3 (12): 18122–29.
- Nursyirwani, N, and Amolle K C. 2010. Isolasi Dan Karakterisasi Bakteri Hidrokarbonoklastik Dari Perairan Dumai Dengan Sekuen 16S rDNA. *ILMU KELAUTAN: Indonesian*. 12 (1): 12–17.

- Nwaguma, I., V., Chioma B. C. and Gideon C. O. 2016. "Isolation , Characterization , and Application of Biosurfactant by Klebsiella Pneumoniae Strain IVN51 Isolated from Hydrocarbon - Polluted Soil in Ogoniland , Nigeria." *Bioresources and Bioprocessing*, no. November.
- Pacwa-Płociniczak, M., Grazyna A. P., Zofia P-S., and Swaranjit S.C. 2011. Environmental Applications of Biosurfactants: Recent Advances. *International Journal of Molecular Sciences* 12 (1): 633–54.
- Parthipan, P., Punniyakotti E., Kuppusamy S., Devaraj S., Kadarkarai M., Giovanni B., and Aruliah R. 2017. Biosurfactant and Enzyme Mediated Crude Oil Degradation by Pseudomonas Stutzeri NA3 and Acinetobacter Baumannii MN3. *3 Biotech* 7 (5).
- Patil, S.N., Aglave BA, Pethkar AV, Gaikwad VB. 2012. *Stenotrophomonas koreensis* a novel biosurfactant producer for abatement of heavy metals from the environment. *Afr J Microbiol Res.* 6: 5173-5178.
- Rahman, P.K.S.M, and Edward G. 2008. Production, Characterisation and Applications of Biosurfactants-Review. *Biotechnology*: 360-370.
- Retnaningrum, E., and Wahyu W. 2018. Production And Characterization Of A Biosurfactant Produced By *Pseudomonas aeruginosa* B031 Isolated From A Hydrocarbon. *Biotropia* 2 (2): 130–39.
- Rufino, R. D., Sarubbo, L. A. and Campos-Takaki G. M. 2007. Enhancement of Stability of Biosurfactant Produced by Candida Lipolytica Using Industrial Residue as Substrate. *World Journal of Microbiology and Biotechnology* 23 (5): 729–34.
- Rosenthal, A. 1992. PCR amplification techniques for chromosome walking. *Trends biotechnol.* Vol. 10(1-2): 44-8.
- Rossi-Tamisier, M., Samia B., Didier R., and Fournier P-E., 2015. Cautionary tale of using 16S rRNA gene sequence similarity values in identification of human-associated bacterial species. *International journal of systematic and evolutionary microbiology.* (65): 1929-1934.
- Sachdev, D P., and Swaranjit S. C. 2013. Biosurfactants in Agriculture. *Applied Microbiology and Biotechnology* 97 (3): 1005–16.
- Saitou, N. and Imanishi T. 1989. Relative efficiency of the Fitch-Margolish, Maximum-Parsimony, Maximum likelihood, Minimum evolution and Neighbor-Joining Methods of Phylogenetic tree construction in obtaining the correct tree. *Mol. Biol. Evol.* 6(5): 514-525.

- Samanta, A., Pinaki P., Anurup M., Chandrima S., Asif L., Sudipta K., and Debmalay M.. 2012. Estimation of Biosurfactant Activity of an Alkaline Protease Producing Bacteria Isolated from Municipal Solid Waste. *Central European Journal of Experimental Biology* 1 (1): 26–35.
- Sambanthamoorthy, K., Xiaorong F., Ruchi P., Sneha P., and Chrysanthi P. 2014. Antimicrobial and Antibiofilm Potential of Biosurfactants Isolated from Lactobacilli against Multi-Drug-Resistant Pathogens. *BMC Microbiology* 14 (1): 1–9.
- Sana, A.W. 2017. Pemasakan-Pengelantangan Dan Pencelupan Tekstil The Application Of Palm Oil Surfactants For Textile Scouring. *Tekstil* 2: 41–50.
- Santos, A P P, Silva M. D. S., Costa E..L., Ru R. D., Santos V. A., and Ramos C.S. 2018. Production and Characterization of a Biosurfactant Produced by *Streptomyces Sp* . DPUA 1559 Isolated from Lichens of the Amazon Region. 51: 1–10.
- Santos, D K F., Raquel D. R., Juliana M. L., Valdemir A. S., and Leonie A. S.. 2016. Biosurfactants: Multifunctional Biomolecules of the 21st Century. *International Journal of Molecular Sciences* 17 (3): 1–31.
- Sarubbo, L.A., Charles B B.F, and Galba M.C.T. 2007. Co-Utilization of Canola Oil and Glucose on the Production of a Surfactant by *Candida Lipolytica*. *Current Microbiology* 54 (1): 68–73.
- Sastrohamidjojo, H. 2005. *Kromatografi*. edisi kedua. Liberty. Yogyakarta.
- Schmidt, H. A., Petzold E. M., and Vingron M. 2003. Molecular Phylogenetics : Parallelized Parameter Estimation and Quartet Puzzling. *J.Parallel Distrib.* 23.
- Schochetman, G., 1988. DNA amplification for direct detection HIV-1 in DNA of peripheral blood mononuclear cells. *Science*. 238:295 – 297.
- Shah, N., Rohit N., Shikha G., Vaijayanti S., and Jaspal K.. 2016. Biosurfactant: Types, Detection Methods, Importance and Applications. *Indian Journal of Microbiology Research* 3 (1): 5.
- Silva, R de CF.S., Darne G. A., Raquel D. R., Juliana M. L., Valdemir A. S.s, and Leonie A. S. 2014. Applications of Biosurfactants in the Petroleum Industry and the Remediation of Oil Spills. *International Journal of Molecular Sciences* 15 (7): 12523–42.
- Singh, N., Niranjana S., Swarupa T. S, Daya S., Khem S., and Prabhat K G 2013.

Evaluation of Purity with Its Uncertainty Value in High Purity Lead Stick
by Conventional and Electro-Gravimetric Methods.

- Stahl, E. 1985. *Analisa Obat Secara Kromatografi dan Mikroskopi*. Diterjemahkan oleh Kosasih Padmawinata dan Iwang Sudiro. ITB. Bandung.
- Sumarno. 2001. *Kromatografi Teori Dasar*, 30-34. Universitas Gadjah Mada. Yogyakarta.
- Sumarsono, T. 2009. Efektivitas Jenis dan Konsentrasi Nutrien dalam bioremediasi Tanah Tercemar Minyak Mentah yang diaugmentasi dengan Konsorsium Bakteri. *Skripsi*. Universitas Airlangga. Surabaya.
- Thavasi R, Sharma S, Jayalakshmi S. 2011. Evaluation of screening methods for the isolation of biosurfactant producing marine bacteria. *J Petrol Environ Biotechnol* 1:1-6.
- Takahashi, M. 2011. Production of Sophorolipid Glycolipid Biosurfactant from Sugarcane Molasses Using *Starmerella bombicola* NBRC 10243. *J oleo Sci*. Vol. 60 (5): 267-273.
- Tokumoto, Y, Nomura, N., Uchiyama, H., Imura, T., Morita T., Fukuoka T., and Kitamoto D. 2009. Structural Characterization and Surface-Active Properties of a Succinoyl Trehalose Lipid Produced by *Rhodococcus Sp.* SD-74. *J Oleo Sci* 58 (2): 97–102.
- Walter V, Sylatk C, and Hausmann R. 2010. *Screening concepts for the isolation of biosurfactant producing microorganism*. Di dalam : Sen R, editor. Biosurfactants. New York (US): Landes Bioscience and Springer Science+Business Media. hlm 1-13.
- Wisjnuappto, N.A., Qomarudin H., Edwan K., and Naoyuki F. 2011. Strategies toward Commercial Scale of Biosurfactant Production as Potential Substitute for It's Chemically Counterparts. *International Journal of Biotechnology* 12 (1/2): 66.
- Wu, M., Wei L., Warren A. D., Xiqiong Y., Kaili C., David K., and Liming C. 2017. Bioremediation of Hydrocarbon Degradation in a Petroleum-Contaminated Soil and Microbial Population and Activity Determination. *Chemosphere* 169: 124–30.
- Wu, M., Xiqiong Y., Kaili C., Wei L., Jing Y., and Xin J. 2017. Bacterial Community Shift and Hydrocarbon Transformation during Bioremediation of Short-Term Petroleum-Contaminated Soil . *Environmental Pollution* 223: 657–64.

- Yataghene, a, M Abouseoud, R Maachi, and a Amrane. 2006. Effect of the Carbon and Nitrogen Sources on Biosurfactant Production by *Pseudomonas fluorescens* – Biosurfactant Characterization. www.Aidic.it/IBIC2008/Yataghene.pdf. Diakses 20 Oktober 2018.
- Yuwono, T. 2006. *Biologi Molekuler*. Erlangga. Jakarta.
- Yhre, B. A. M., and Ori N. Y. R. 1985. PH Changes caused by bacterial Growth in contaminated platelet concentrates. *Anal clinical for biotech*. 15 (5): 509–514.
- Zam, S. I. 2010. Optimasi Konsentrasi Inokulum Bakteri Hidrokarbonoklastik pada Bioremediasi Limbah Pengilangan Minyak Bumi di Sngai Pakning. *Jurnal of enviromental science*. 2010:2 (4).
- Zhu, X., Albert D.V., Makram T. S., and Kenneth L. 2001. *Guidellines for Bioremediation of Marine Shorelines and freshwater wetland*. Enviromental Protection Agency. USA.