


## DAFTAR PUSTAKA

- Abe R, Yoshioka N, Murata J, Fujita Y, Shimizu H. Granulysin as a marker for early diagnosis of the Stevens-Johnson syndrome. *Ann intern med* 2000;151:514-5
- Alomar MJ. Factor affecting the development of adverse drug reactions, *Science Direct* 2014;22:83-94
- Atanaskovic-Markovic M, Velickovic TC, Gavrovic-Jankulovic M, Vulkovic O, Nestorovic B. Immediate allergic reactions to cephalosporins and penicillins and their cross-reactivity in children. *Pediatr Allergy Immunol* 2005;16:341-7. <https://doi.org/10.1111/j.1399-3038.2005.00280.x>.
- Botelho LFF, Picosse FR, Padilha MH, Michalany N, Gois A, Porro AM. Acute generalized exanthematous pustulosis induced by cefepime:a case report. *Case report in dermatology* 2010.2.82087.10.1159/000314474
- Bronnimann M, Yawalkar N. Histopathology of drug-induced exanthems: is there a role diagnosis of drug allergy?. *Curr Opin Allergy Clin Immunol* 2005;5:317-21.
- Bruce RD, Altice FL, Fried GH. Pharmacokinetic drug interaction between drugs of abuse and antiretroviral medications:implications and management for clinical practice. *Exp Rev Clin Pharmacol* 2008;1(1): 115-127
- Bushardt RL, Massey EB, Simpson TW, Ariail JC, Simpson KN. Polypharmacy : misleading but manageable. *Clin Intervention Aging* 2008;3(2):383-9
- Budnitz DS, Shehab N, Kegler SR, Richards CL. Medication use leading to emergency department visits for adverse drug event in older adults. *Ann. Intern. Med* 2007;147
- Campagna JD, Bond MC, Schabelman E, Hayes BD. The use of cephalosporin in penicillin-allergic patients:a literature review. *The J of Emergency Med* 2012;42(5):612-620. Doi : 10.1016/J.jemermed.2011.05.035
- Caproni M, Antiga E, Parodi A, Schena D, Marzano A, Quaglino P et al. Elevated circulating CD40 ligand in patients with erythema multiforme and Stevens-Johnson syndrome/toxic epidermal necrolysis spectrum. *Br J Dermatol* 2006;109:155-61
- Chung WH, Hung SI, Hong HS et al. Medical genetics:a marker for Stevens-Johnson syndrome. *Nature* 2004;428:486
- Chung WH, Shih SR, Chang CF et al. Clinicopathologic analysis of coxsackievirus a6 new variant induced widespread mucocutaneous bullous reactions mimicking severe cutaneous adverse reactions. *J Infect Dis* 2013;208:1968-1978.
- Clavenna A, Bonati M. Adverse drug reactions in childhood: a review of prospective studies and safety alerts. *Arch. Dis. Child* 2008; 94:724-728
- Dash CH. Penicillin allergy and the cephalosporins. *J Antimicrob Chemotherapy* 1975;1 (3Suppl):10718. doi:10.1093/jac/1.suppl\_3.107. PMID 1201975.
- Dancer. The Problem with Cephalosporin. *J of Antimicrobial Chemotherapy* 2001;48(4):463-478. <https://doi.org/10.1093/jac/48.4.463>

- Debellis K, Field TS, Guwitz JH, Harrold LR, Rothschild J, Seger AC. Incidence and preventability of adverse cutaneous drug events among older person in the ambulatory setting. *JAMA* 2003;289 (9):1107-1116
- Duerkop, Breck A; Hooper, Lora V. Resident viruses and their interactions with the immune system". *Nature Immunology* 2013;14 (7):654–59. doi:10.1038/ni.2614. PMC 3760236  PMID 23778792.
- El Eracky H, Thomas SHL. Effects of sex on pharmacokinetic and pharmacodynamic properties of quinidine, *Br. J. Clin. Pharmacol* 2003;56:198-204
- Eshki M, Auanore L, Musette P et al. Twelve-year analysis of severe case of drug reaction with eosinophilia and systemic symptoms: a cause of unpredictable multiorgan failure. *Arch Dermatol* 2009;145:67-72
- European Medicines Agency. Guideline on good pharmacovigilance practices (GVP), Module VI-Management and reporting of adverse reactions to medical products (Rev 1) 2014. Available from: [http://www.ema.europa.eu/docs/en\\_GB/document\\_library/Scientific\\_guideline/2014/09/WC500172402.pdf](http://www.ema.europa.eu/docs/en_GB/document_library/Scientific_guideline/2014/09/WC500172402.pdf)
- Faber MS, Fuhr U. Time response of cytochrome P450 1A2 activity on cessation of heavy smoking. *Clin Pharmacol Ther* 2005;76:178-184
- Feldmeyer L, Heidemeyer K, Yawalkar N. Acute generalized exanthematous pustulosis:pathogenesis, genetic background, clinical variant and therapy. *Int J Mol Sci* 2016;17(8):1214
- Fracaroli, Taina, Miranda Q, Ludmilla, Sodre, Joao, Chaves, Mario, Gripp, Alexandre. Toxic epidermal necrolysis induced by lansoprazole. *Anais brasileiros de dermatologia* 2013;88:117-20 10.1590/S0365-05962013000100018.
- Fujita Y, Yoshioka N, Abe R, Murata J, Hoshina D, mae H et al. Rapid immunochromatographic test for serum granulysin is useful for the prediction of Stevens-Johnson syndrome and toxic epidermal necrolysis. *J am acad dermatol* 2011;65:65-8
- Goodman, L. S., Brunton, L. L., Chabner, B., & Knollmann, B. C. Goodman & Gilman's pharmacological basis of therapeutics 12<sup>th</sup> edition. McGraw-Hill, New York. 2011
- Grimm, L. Adverse Cutaneous Drug Reaction. North Carolina. MedScape. 2015
- Gruchalla, S. Drug allergy. *J Allergy Clin Immunol.* 2003;111(suppl 2):S548-S559.
- Hashizume H, Fujiyama T, Kanebayashi J, Kito Y, Hata M, Yagi H. Skin recruitment of monomyeloid precursors involves human herpesvirus-6 reactivation in drug allergy. *Allergy* 2013;68:681-689
- Hukkanen J, Jacob P, Benowitz NL. Metabolism and disposition kinetics of nicotine. *Pharmacol Rev* 57, 2005;79-115.
- Jha N, Alexander E, Kanish B, Badyal DK. A study of cutaneous adverse drug reactions in a tertiary care centre in Punjab. *Indian dermatol online J* 20189(5)299-303. Doi:[10.4103/idoj.IDOJ\_81\_18]

- Kardaun S, Bouvresse S, Valeyrie-Allanore L, Ortonne N, Konstantinou MP, Bagot M, Wolkenstein P, Roujeau JC. Toxic epidermal necrolysis, DRESS, AGEP: Do overlap cases exist?. *Orphanet J Rare Dis.* 2012;7:72. PMID: 23009177
- Kelkar PS, James TC. Cephalosporin Allergy, *N Eng J Med* 2001;1(345):804-809
- Kitson TM. The effect of cephalosporin antibiotics on alcohol metabolism: a review. *Alcohol* 1987;4(3): 143–148. doi:10.1016/0741-8329(87)90035-8. PMID 3593530.
- Kumar R, Das A, Das S. Management of Stevens-Johnson syndrome-toxic epidermal necrolysis:looking beyond guidelines. *Indian J Dermatol* 2018;63:117-24.
- Lin YF, Yang CH, Sindy H, Lin JY, Hui CYR, Tsai YC, Wu TS, Huang CT, Kao KC, Hu CH, Chiu CH, Hung SL, Chung WH. Severe cutaneous adverse reactions related to systemic antibiotics, *Clinical infectious disease* 2014;58(10):1377-1385
- Mayorga C, Sanz ML, Gamboa PM et al. In vitro diagnosis of immediate allergic reactions to drugs:an updates. *J investing allergol clin immunol* 2010;20:103-9.
- McKenna JK Dermatologic Drug Reactions. Salt Lake City. *J Allergy Clin Immunol* 2004;24:399-423
- Murata J, Abe R, Shimizu H. Increased soluble fas ligand levels in patient with Stevens-Johnson syndrome and toxic epidermal necrolysis preceding skin detachment. *J Allergy Clin Immunol* 2008;109:155-61.
- Naranjo CA, Sellers EM, Sandor P, et al. A method for estimating the probability of adverse drug reactions. *Clin pharmacol. Ther* 1981;30(2):239-45
- Nakajima S, Watanabe H, Tohyama M, Sugita K, Iijima M, Hashimoto K et al. High-mobility group box 1 protein (HMGB1) as a novel diagnostic tool for toxic epidermal necrolysis and Stevens-Johnson syndrome. *Arc Dermatol* 2011;147:1110-2
- Oforokun I, Pomeroy C. Sex differences in adverse reactions to antiretroviral drugs. *Top. HIV Med.* 2003;11(2):55-59
- Platt,Richard. Adverse Effect of Third Generation of Cephalosporins. *J of Antimicrobial Chemotherapy* 1982;10:135-140. [https://doi.org/10.1093/jac/10.suppl\\_C.135](https://doi.org/10.1093/jac/10.suppl_C.135)
- Posadas SJ, Padiar A, Torres MJ, Mayorga C, Leyva L, Sanchez E et al. Delayed reactions to drug show levels of perforin, granzyme B, and fas –L to be related to disease severity. *J allergy clin immunol* 2002;109:155-61
- Rawlins MD, Thompspon JW. Pathogenesis of adverse drug reactions. In: Davies DM, ed. *Textbook of adverse drug reactions.* Oxford:Oxford University Press 1991;1977:10.
- Reuben A. Alcohol and the liver. *Curr Opin Gastroenterol* 2006;22 (3):263-271
- Ramam M, Kumar U, Bhat R, Sharma VK. Oral drug provocation test to generate a list of sfae drugs:experience with 100 patients. *Indian J Dermatol Venereol Leprol* 2012;78:595-8
- Romano A, Gaeta F, Valluzi RL, Caruso C, Rumi G, Bousquet PJ. IgE-mediated hypersensitivity to cephalosporins:cross-reactivity and tolerability to

- penicillins, monobactams, and carbapenem. *J Allergy Clin Immunol.* 2010;126(5):994-9
- Romano A, Gueant-Rodriguez RM, Viola M, Pettinato R, Gueant JL. Cross-Reactivity and tolerability of cephalosporin in patient with immediate hypersensitivity to penicillins. *Ann Intern Med.* 2004;141(1):16-22
- Roujeau JC, Allanore L, Liss Y, Mockenhaupt M. Severe cutaneous adverse reactions to drugs (SCAR): Definitions, diagnostic criteria, genetic predisposition. *Dermatol sinica* 2009;27: 203-209
- Sassolas B, Haddad C, Mockenhaupt C, Dunant A, Liss Y, Bork K, Hustein UF, Vieluf D, Roujeau JC, Le Louet H. ALDEN, an algorithm for assessment of drug causality in Stevens-Johnson syndrome and toxic epidermal necrolysis: comparison with case control analysis. *Clin Pharmacol Ther* Jul 2010;88(1):60-8 doi: 10.1038/clpt.2009.252.
- Scholar, E. Cephalosporins. Omaha: Elsevier 2007; 1-4. <https://doi.org/10.1016/B978-008055232-3.61010-4>
- Shearer MJ; Bechtold H; Andrassy K; et al. "Mechanism of cephalosporin-induced hypoprothrombinemia: relation to cephalosporin side chain, vitamin K metabolism, and vitamin K status". *Journal of clinical pharmacology* 1988;28 (1):88-95 doi:10.1002/j.15524604.1988.tb03106.x. PMID 3350995.
- Sidoroff A, Halevy S, Bavinck JN, Vaillant L, Roujeau JC. Acute generalized exanthematous pustulosis (AGEP) : a clinical reaction pattern. *J Cutan Pathol* 2001;28:113-119 doi :10.1034/j.1600-0560.2001.028003113.x.
- Torres MJ, Mayorga C, Blanca M. Nonimmediate allergic reactions induced by drugs: pathogenesis and diagnostic tests. *J investing Allergol Clin Immunol* 2009;19:80-90
- Van Boeckel TP, Gandra S, Ashok A, Caudron Q, Grenfell BT, Levin SA et al. Global antibiotic consumption 2000 to 2010: an analysis of national pharmaceutical sales data. *Lancet Infect Dis* 2014;14:742-50. [https://doi.org/10.1016/S1473-3099\(14\)70780-7](https://doi.org/10.1016/S1473-3099(14)70780-7)
- Weiss J, Krebs C, Hoffmann C, Werner U, Neubert A, Brune K, et al. Survey of adverse drug reactions on a pediatric ward: a strategy for early and detailed detection. *Pediatrics* 2002;110:254-7
- Wester K, Jonsson AK, Spigset O, Druid H, Hagg S. Incidence of fatal adverse drug reactions: a population based study. *Br J Clin Pharmacol* 2008;65:573-9
- Yanuar, W., Puspitasari, I., Nuryastuti, T. Evaluasi Kesesuaian Antibiotik Definitif Terhadap Clinical Outcome pada Pasien Anak Dengan Meningitis Bakterial di Bangsal Rawat Inap Rumah Sakit Umum Pusat. *Jurnal Manajemen dan Pelayanan Farmasi* 2016;6(3)
- Yoshikawa T, Fujita A, Yagami A et al. Human herpesvirus 6 reactivation and inflammatory cytokine production in patients with drug-induced hypersensitivity syndrome. *J clin Virol* 2006;37 (suppl 1):S92-S96
- Yushon CL, Kateralis CH, Smith WB. Cephalosporin allergy label is misleading. *Australian Prescriber* 2018;41:37-41. <https://doi.org/10.18773/austprescr.2018.008>