



DAFTAR PUSTAKA

- Anonim¹. 2019. *Dodecanoic acid, 3-hydroxy.* <http://www.ebi.ac.uk/chebi/searchId.do?chebiId=CHEBI:36206>. Diakses pada 14 Juni 2019 pukul 09.14
- Anonim². 2019. *9-Hexadecenoic acid.* <http://www.hmdb.ca/metabolites/HMDB0012328>. Diakses pada 14 Juni 2019 pukul 09.14
- Anonim³. 2019. *Octadecanoic acid.* <http://www.ebi.ac.uk/chebi/searchId.do?chebiId=CHEBI:28842>. Diakses pada 14 Juni 2019 pukul 09.14
- Anonim⁴. 1996. *Vanilic acid.* Journal of Biotechnol; 50 (2-3): 107-13
- Anonim⁵. 2019. *Vanilic acid.* <http://www.hmdb.ca/metabolites/HMDB0000484>
Diakses pada 6 Mei 2019 pukul 11.04
- Ahvenainen, R. (2003). *Novel food packaging techniques*. Finland: CRC Press.
- Ahvenainen, R., & Hurme, E. (1997). *Active and smart packaging for meeting consumer demands for quality and safety*. Food Additives and Contaminants, 14, 753–763.
- Ajila, C., Naidu, K., Bhat, S., & Rao, U. (2007). *Bioactive compounds and antioxidant potential of mango peel extract*. Food Chemistry, 105, 982-988.
- Al Marzoqi, Ali Hussein., Mohammed Yahya Hadi., dan Imad Hadi Hameed. 2016. *Determination of metabolites products by Cassia angustifolia and evaluate antimicrobial activity*. Journal of Pharmacognosy and Phytotherapy. Vol. 8 (2), 25-48
- Alu'datt MH, Rababah T, Alhamad MN, Al-Mahasneh MA, Almajwal A, Gammoh S, Ereifej K, Johargy A, Alli I. 2017. *A Review Of Phenolic Compounds In Oil-Bearing Plants: Distribution, Identification And Occurrence Of Phenolic Compounds*. Review of Food Chemistry. Vol 218: 99-106.
- Amic D, Beslo D and Trinasjstic N. 2003. *Structure-radical scavenging activity relationship of flavonoids*. Croatia Chem Acta 76: 55-61.
- Apriyantono, Anton dan Bakti Kumara. 2009. *Identifikasi Character Impact Odorants Buah Kawista (Feronia limonia)*. Jurnal Teknologi dan Industri Pangan, Vol.XV, No.1, Tahun 2004.
- Arief, Irma Isnafia., Tuti Suryati., Afiyah, D.N., and Wardhani, D.P. 2014. *Physicochemical and organoleptic of beef sausages with teak leaf extract*



(*Tectona grandis*) addition as preservatives and natural dye. International Food Research Journal 21(5): 2033-2042

- Ashtiani, Seyed-Hassan Miraei., Alireza Salarikia., Mahmood Reza Golzarian. 2017. *Analyzing drying characteristics and modeling of thin layers of peppermint leaves under hot-air and infrared treatments.* Information Processing in Agriculture (4):128–139
- Ashvin G. Godghate and Rajaram S. Sawant 2014. *Phytochemical Analysis of Leaves of Tectona grandis Linn.* International Journal of Pharma and Bio Sciences 5 (1): 355-359
- Bhat, S. V., B. A. Nagasampagi and S. Meenakshi. 2009. *Natural Products : Chemistry and Application.* Narosa Publishing House: New Delhi, India.
- Bitchagno, Gabin Thierry M., Leonard Sama Fonkeng., Théodora K. Kopa., Michel F. Tala., Hippolyte Kamdem Wabo., Christopher B. Tume., Pierre Tane and Jules-Roger Kuiate. 2015. *Antibacterial activity of ethanolic extract and compounds from fruits of Tectona grandis (Verbenaceae).* BMC Complementary and Alternative Medicine. 15:265
- Buckle, K. A., Edwards, R. A., Fleet, G. H., and Wotton, M. 1987. *Ilmu Pangan. Penerjemah Hari Purnomo dan Adiono.* Universitas Indonesia Press. Jakarta.
- Cerruti P., Santagata, G., Gomez d'Ayala, G., Ambrogi, V., Carfagna, C., Malinconico, M., et.al. 2011. *Effect of a natural polyphenolic extract on the properties of biodegradable starch-based polymer.* Polymer Degradation and Stability. 96 (5): 839-846
- Chen, Xiu-Min., Zhili Ma., and David D. Kitts. 2018. *Effects of processing method and age of leaves on phytochemical profiles and bioactivity of coffee leaves.* Food Chemistry (249):143-153
- Coles R. 2003. *Introduction. In: Coles R, McDowell D, Kirwan MJ, editors.* Food packaging technology. London, U.K.: Blackwell Publishing, CRC Press. p 1–31.
- Cotton, F.Albert dan Geoffrey Wilkinson, 2006. *Kimia Anorganik Dasar.* UI pres. Universitas Indonesia
- D. Pandey and C. Brown. 2000. *Teak: a global overview,* Unasylva.201: 51
- Dhaval, A., Yadav, N., & Purwar, S. 2016. *Potential Applications of Food Derived Bioactive Peptides in Management of Health.* International Journal of Peptide Research and Therapeutics, 22, 377-398.
- Destaillets, F., Craft, B. D., Dubois, M., & Nagy, K. (2012). *Glycidyl esters in refined palm (*Elaeis guineensis*) oil and related fractions. Part I:*



Formation mechanism. Food Chemistry, 131(4), 1391–1398.doi:10.1016/j.foodchem.2011.10.006

Erliza dan Sutedja. 1987. *Pengantar Pengemasan*. Laboratorium pengemasan, Jurusan TIP. IPB. Bogor.

Fennema, Owen R. 1996. *Food Chemistry Third Edition*. University of Wisconsin- Madison, Madison, Wisconsin

Furniss, B.S., A.J. Hannaford, V. Rogers, P.W.G Smith dan A.R. Tatchell. 1980. *Vogels Textbook of Practical Organic Chemistry* (Fourth Ed.) The English Language Book Society and Longman.

Gogoi, Jyotchna., Khonamai Sewa Nakhuru, Rudragoud S. Policegoudra, Pronobesh Chattopadhyay, Ashok Kumar Rai, Vijay Veer. 2014. Isolation and characterization of bioactive components from *Mirabilis jalapa L. radix*. *Journal of Traditional and Complementary Medicine* xxx (2014) 1-7.

Gaikwad, Kirtiraj .K., J.Y. Lee., dan Y.S. Lee. 2016. *J. Food Sci. Technol.* 53 1608–1619.

Hotchkiss, J. H. (1995). *Safety considerations in active packaging*. In M. L. Rooney (Ed.), *Active food packaging* (pp. 238–255). London: Blackie Academic and Professional.

Jamkhande, Prasad G., Amruta S. Wattamwar, Ashish D. Kankudte, Priti S. Tidke, Mohan G. Kalaskar. 2016. *Assessment of Annona reticulata Linn. Leaves fractions for invitro antioxidant effect and antimicrobial potential against standard human pathogenic strains*. *Alexandria Journal of Medicine* (2016) 52,19–25.

Jiang, H., Engelhardt, U. H., Thräne, C., Maiwald, B., & Stark, J. (2015). *Determination of flavonol glycosides in green tea, oolong tea and black tea by UHPLC compared to HPLC*. *Food Chemistry*, 183, 30–35.

Jiang, S., Liu, C., Wang, X., Xiong, L., & Sun, Q. (2016). *Physicochemical properties of starch nanocomposite films enhanced by self-assembled potato starch nanoparticles*. *LWT-Food Science and Technology*, 69, 251–257

Jun W.J., Han B.K., Yu K.W., Kim M.S., Chang I.S., Kim H.Y. and Cho H.Y. 2001. *Antioxidant effects of Origanum majorana L. on superoxide anion radicals*. *Food Chem.* 75: 439-444.

Katouzian, I., & Jafari, S. M. (2016). *Nano-encapsulation as a promising approach for targeted delivery and controlled release of vitamins*. *Trends in Food Science & Technology*, 53, 34-48.



- Khare CP. 2007. *Indian Medicinal Plants: An Illustrated Dictionary*, Springer Verlag. Heidelberg; 649.
- Kruk, J., Szymanska, R., Nowicka, B., & Dluzewska, J. 2016. *Function of isoprenoid quinones and chromanols during oxidative stress in plants*. New Biotechnology, 33, 636-643.
- Kusnadi, Joni., Estri Laras Arumingtyas, Dian Widya Ningtyas, and Elina Cynthia Setiawan. 2016. *Antioxidant Activity of MAE Extracted Teak (*Tectona Grandis L.F.*) Leaves Collected from Different Plantation Site at Java Island, Indonesia*. International Journal of ChemTech Research (9): 14-160
- Lagaron, J. M., Cava, D., Cabedo, L., Gavara, R., & Gimenez, E. 2005. *Increasing packaged food quality and safety: (II) nanocomposites*. Food Additives and Contaminants, 22, 994–998.
- Madikizela. B, M.A. Aderogba, J.F. Finnie, J. Van Staden. 2014. Isolation and Characterization of Antimicrobial Compounds from *Terminalia phanerophlebia Engl. & Diels* Leaf Extracts. *Journal of Ethnopharmacology*. 228-234.
- Marini, M., M.Bondi, R. Iseppi, M. Toselli, and F. Pilati, 2007. *Preparation and Antibacterial Activityof Hybrid Mterials Containing Quaternary Ammonium Salts via Sol-Gel Process*. *Europena Polymer Journal*, 43: 3621-3628.
- Marsh, K. and Bugusu. 2007. *Food Packaging: Roles, Materials, and Environmental Issues*. J. Food Sci. 72: 39-55
- Naira Nayeem and Karvekar M.D. 2010. *Comparative Phytochemical and Pharmacological Screening of The Methanolic Extracts of The Frontal and Mature Leaves of Tectona grandis*. International Journal of Pharma and Bio Sciences. Vol.1/Issue-3
- Naira Nayeem, Karvekar MD. 2010^a. *Isolation of Phenolic Compund from The Methanolic Extract of Tectona Grandis*. Research Journal of Pharmaceutical, Biological, and Chemical Sciences
- Nayeem, Naira and M. D.Karvekar. 2011. *Antimicrobial and Antioxidant Properties of the Isolated Compounds from The Methanolic Extract from The Leaves of Tectona grandis*. Department of Pharmaceutical Chemistry Krupanidhi College of Pharmacy, India
- Nayeem, Naira., Karvekar MD. 2010. *Isolation of Phenolic Compund from The Methanolic Extract of Tectona Grandis*. Research Journal of Pharmaceutical, Biological, and Chemical Sciences



- Nazck, M., Shahidi, F., 2006. *Phenolics in cereals, fruits and vegetables: occurrence, extraction and analysis*. J. Pharmacol. Biomed. Anal. 41, 1523–1542.
- Nilesh B. Chougule, Dr. Kailasam Koumaravelou, and Sachin A. Nitave. 2017. *TECTONA GRANDIS LINN: A GLOBAL OVERVIEW*. World Journal of Pharmaceutical Research (6) 427-440
- Oh, Y. S. 2016. *Bioactive Compounds and Their Neuroprotective Effects in Diabetic Complications*. Nutrients, 8, 472-472.
- Pan, Jing., Xiaomin Yi., Shujuan Zhang., Jun Cheng., Yihai Wang., Chunyu Liu., Xiangjiu He. 2018. *Bioactive phenolics from mango leaves (Mangifera indica L.)* Industrial Crops and Products (111): 400-406
- Pan, Jing., Xiaomin Yi., Shujuan Zhang., Jun Cheng., Yihai Wang., Chunyu Liu., Xiangjiu He. 2018. *Bioactive phenolics from mango leaves (Mangifera indica L.)* Industrial Crops and Products (111): 400-406
- Piana, Fabrizio., Marco Ciulu., Rosa Quirantes-Piné., Gavino Sanna., Antonio Segura-Carretero., Nadia Spano., Alberto Mariani. 2018. *Simple and rapid procedures for the extraction of bioactive compounds from Guayule leaves*. Industrial Crops and Products (116):162-169
- Prior, Ronald L., Wu, Xianli., and Scaich, Karen. 2005. *Standardized Methods for the Determination of Antioxidant Capacity and Phenolic in Food and Dietary Supplements*. Department of Agriculture Arkansas Children's Nutrition Center, New Jersey United States
- Qi Cui, Ju-Zhao Liu, Li-Tao Wang, Yu-Fei Kang, Yao Meng, Jiao Jiao, and Yu-Jie Fu. 2018. *Sustainable deep eutectic solvents preparation and their efficiency in extraction and enrichment of main bioactive flavonoids from sea buckthorn leaves*. Journal of Cleaner Production (184) 826-835.
- Radley, J. A. 1968. *Starch and Its Derivatives*, Chapman and Hall, London
- Raffo, Antonio., Maurizio Masci., Elisabetta Moneta., Stefano Nicoli., José Sánchez del Pulgar., Flavio Paoletti. 2018. *Characterization of volatiles and identification of odor-active compounds of rocket leaves*. Food Chemistry (240): 1161-1170
- Ramesh B. Nidavani dan Mahalakshmi A.M. 2014. *Pharmacology of Tectona grandis Linn.: Short Review*. International Journal of Pharmacognosy and Phytochemical Research 6 (1): 86-90
- Robertson, G. 2006. *Food packaging principles and practices*. Boca Raton, Fla: Taylor & Francis.)



- Rosca, I. D., & Vergnaud, J. M. 2007. *Problems of food protection by polymer packages*. Journal of Chemical Health and Safety, 14, 14–20.
- S. Singh, K.K. Gaikwad, M. Lee, Y.S. Lee. 2018. Thermally buffered corrugated packaging for preserving the postharvest freshness of mushrooms (Agaricusbisporus), J. Food Eng. 216 (January), 11–9.
- Santoso, Umar. 2016. *Antioksidan Pangan*. Gadjah Mada University Press, Yogyakarta.
- Shahidi, F., dan Y. Zhong. 2015. *Measurement of Antioxidant Activity*. Journal of Functional Foods 18:757–781.
- Shibahara, Akira., Kohei Yamamoto., Takao Nakayama., dan Goro Kajimotoa. 1986. *cis-Vaccenic Acid in Mango Pulp Lipids*. Lipids, 21(6), 388-394
- Singh, Suman., Kirtiraj K. Gaikwad., Youn Suk Lee. 2018. *Antimicrobial and antioxidants properties of polyvinyl alcohol bio composite films containing seaweed extracted cellulose nano-crystal and basil leaves extract*. International Journal of Biological Macromolecules 107: 1879-1887
- Singh, Suman., Myung ho Lee., Insik Park., Yangjai Shin., Youn Suk Lee. 2016. *Antimicrobial seafood packaging: a review*. J Food Sci Technol 53(6):2505–2518
- Singleton,V.L., R. Orthofer, R.M. Lamuela-Raventos, and P. Lester, 1999. *Analysis of Total Phenols and Other Oxidation Substrates and Antioxidants by means of Folin-Ciocalteu Reagent*. Method in enzymology, 2999: 331-333.
- Sumthong P, Damveld RA, Choi YH, Arentshorst M, Ram AFJ, CAMJJ V d h, et al. *Activity of quinones from Teak (*Tectona grandis*) on fungal cell wall stress*. Planta Med. 2006;72:943–4.
- Suppakul, P., Sonneveld, K., Bigger, S. W., & Miltz, J. 2008. *Efficacy of polyethylenebased antimicrobial films containing principal constituents of basil*. LWT – Food Science and Technology, 41(5), 779–788.
- Tamat, S. R., T. Wikanta dan L. S. Maulina. 2007. *Aktivitas Antioksidan dan Toksisitas Senyawa Bioaktif dari Ekstrak Rumput Laut Hijau *Ulva reticulata* Forsskal*. Jurnal Ilmu Kefarmasian Indonesia, 5 (1) : 31- 36.
- Tsao, R. 2010. *Chemistry and Biochemistry of Dietary Polyphenols*. Nutrients Review. Vol 2: 1231-1246.
- Velderrain-Rodriguez, G. R., Palafax-Carlos, H., Wall-Medrano, A., Ayala-Zavala, J. F., Chen, C. Y. O., Robles-Sanchez, M., Astiazaran-Garcia, H., Alvarez-Parrilla, E., & Gonzalez-Aguilar, G. A. (2014). *Phenolic compounds: their journey after intake*. Food & Function, 5, 189-197.



UNIVERSITAS
GADJAH MADA

**SIFAT ANTIOKSIDATIF DAN ANTIMIKROBIA EKSTRAK DAUN JATI (*Tectona grandis*) DAN
POTENSINYA SEBAGAI
BAHAN AKTIF DALAM KEMASAN AKTIF**

SWASTIKA DEWI, Prof. Dr. Ir. Umar Santoso, M.Sc.

Universitas Gadjah Mada, 2019 | Diunduh dari <http://etd.repository.ugm.ac.id/>

Winarsi, H, 2007. *Antioksidan Alami dan Radikal Bebas*. Kanisius, Yogyakarta