

DAFTAR PUSTAKA

- Backhed, F., Ley, R.E., Sonnenburg, J.L., Peterson, D.A. dan Gordon, J.I. (2005). Host-bacterial mutualism in the human intestine. *Science*. 307:1915–1920.
- Bakir, M. A., Koga, Y., dan Benno, Y. (2008). Effect of four probiotic strains on human fecal microbiota. *International Journal of Probiotics and Prebiotics*. 3(1): 53-60.
- Bezirtzoglou, E., dan Stavropoulou, E. (2011). Immunology and probiotic impact of the newborn and young children intestinal microflora. *Anaerobe*. 369-374
- Black, R.E., Victora, C.G., Walker, S.P., Bhutta, Z.A., Christian, P., de Onis, M., Ezzati, M., Grantham-McGregor, S., Katz, J., Martorell, R. dan Uauy, R. (2013). Maternal and child undernutrition and overweight in low-income and middle-income countries. *Lancet*. 382:427–451.
- Breban, M. (2016). Gut microbiota and inflammatory joint diseases. *Joint Bone Spine*. <http://dx.doi.org/10.1016/j.jbspin.2016.04.005>. Di akses pada tanggal 20 maret 2018.
- Anonim. (2012). *Klebsiella pneumoniae* in Healthcare Settings <https://www.cdc.gov/hai/organisms/klebsiella.html>. Di akses pada tanggal 29 januari 2019.
- Chisti, M.J., Tebruegge, M., La Vincente, S., Graham, S.M., Duke, T., Steinhoff, M.C., Omer, S.B., Roy, E., El Arifeen, S., Raqib, R. dan Dodd, C. (2010). Pneumonia in severely malnourished children in developing countries - mortality risk, aetiology and validity of WHO clinical signs: a systematic review. Association of infant pneumococcal immunization with infant growth in Asia. (Presented at: Pediatric Academic Society Meeting in Vancouver, British Colombia, Canada); April 30–May 3 2010.
- Conlon, M.A., dan Bird, A.R. (2014). The impact of diet and life style on gut microbiota and human health. *Nutrienrs* : 17-44.
- De Filippo, C.D., Cavalieri, M. Di Paola, M. Ramazzotti, J.B., Poullet, S. Massart, S. Collini, G. Pieraccini, dan Lionetti, P. (2010). Impact of diet in shaping gut microbiota revealed by a comparative study in children from Europe and rural Africa. *PNAS*. 10 (33) : 14691–14696.
- De Filippis, F., N. Pellegrini, L. Vannini, Jeffery, L. B, Storia, A. L, Laghi, L, Serrazanetti, D. I, R. D. Cagno, I. Ferrocino, C. Lazzi, S. Turrone, L. Cocolin, P. Brigidi, E. Neviani, M. Gobbetti, P. W. O’Toole, D. Ercolini.

- (2015). High-level adherence to a Mediterranean diet beneficially impacts the gut microbiota and associated metabolome. *Gut Online First* : 1-10.
- Djunaedi, D. (2007). Pengaruh Probiotik pada Respon Imun. *Jurnal Kedokteran Brawijaya*. 23(1): 22-27.
- Dos Reis, S.A., Concecao, L.L., Siquera, N.P., Rosa, D.D., Da Silva, L. L. dan Peluzio, M.D.C.G. (2017). Review or the mechanisms of probiotic action in the prevention of colorectal cancer. *Nutrition Research* 97 : 1 – 19.
- Evans, J.M., Morris, L.S. dan Marchesi, J.R. (2013). The gut microbiome: the role of a virtual organ in the endocrinology of the host. *J Endocrinol*. 218:37–47.
- Gevers, D., Kugathasan, S., Denson, L.A., Vazquez-Baeza, Y., Van Treuren, W., Ren, B., Schwager, E., Knights, D., Song, S.J., Yassour, M., Morgan, X.C., Kostic, A.D., Luo, C., Gonzalez, A., McDonald, D., Haberman, Y., Walters, T., Baker, S., Rosh, J., Stephens, M., Heyman, M., Markowitz, J., Baldassano, R., Griffiths, A., Sylvester, F., Mack, D., Kim, S., Crandall, W., Hyams, J., Huttenhower, C., Knight, R. dan Xavier, R.J. (2014). The treatment-naïve microbiome in new-onset Crohn's disease. *Cell Host Microbe*. 15:382–392.
- Gibson, G.R. dan Roberfroid, M. B. (1995). Dietary modulation of the human colonic microbiota: introducing the concept of prebiotics. *The Journal of nutrition*. 125(60): 1401-1412.
- Greenhill, A. R., Tsuji, H., Ogata, K., Natsuhara, K., Morita, A., Soli, K., Larkins, J., Tadokoro, K., Odani, S., Baba, J., Naito, Y., Tomitsuka, E., Nomoto, K., Siba, P. M., Horwood, P. F. dan Umezaki, M. (2015). Characterization of the Gut microbiota of papua new guineans using reverse transcription quantitative PCR. *Plose One* 10(2):1-15.
- Guerrant, R.L., De-Boer, M.D., Moore, S.R., Scharf, R.J., dan Lima, A.A. (2013). The impoverished gut a triple burden of diarrhoea, stunting and chronic disease, *Nat. Rev. Gastroenterol. Hepatol*. 10 (4): 220-229.
- Harata, G., Kumar, H., He, F., Miyazawa, K., Yoda, K., Kawase, M., Kubota, A., Hiraramatsu, M., Rautava, S. dan Salminen, S. 2017. Probiotic modulate gut microbiota and helath status in japanese cedar pollinosis patients during the pollen season. *Eur. J. Nurt* 56 : 2245 – 2253.
- Hascoet, J.M., Hubert, C., Rochat, F., Legagneur, H., Gaga, S., Emady-Azar, S. dan Steehout. P.G. (2011). Effect of formula composition on the development infant gut microbiota. *JPGN*. 52: 756–762.

- Hashimoto, T., Perlot, T., Rehman, A., Trichereau, J., Ishiguro, H., Paolino, M., Sigl, V., Hanada, T., Hanada, R., Lipinski, S., Wild, B., Camargo, S.M., Singer, D., Richter, A., Kuba, K., Fukamizu, A., Schreiber, S., Clevers, H., Verrey, F., Rosenstiel, P. dan Penninger, J.M. (2012). ACE2 links amino acid malnutrition to microbial ecology and intestinal inflammation. *Nature*. 487:477–481.
- Heidarian, F., Noormohammadi, Z., Aghdaei, H.A. dan Alebou, M. (2017). Relative abundance of *Streptococcus* spp. and its association with disease activity in inflammatory bowel disease patients compared with controls. *Arch Clin Infect Dis*. 12(2): 1-7.
- Helmyati, S., Yuliati, E., Wisnusanti, S.U., Maghribi, R. dan Juffrie, M. (2017). Keadaan mikrobiota saluran cerna pada anak sekolah dasar yang mengalami stunting di lombok barat. *J. Gizi Pangan*. 12(1):55-60.
- IFPRI. Global Nutrition Report (GNR). (2014). Actions and accountability to accelerate the world's progress on nutrition. Washington DC: International Food Policy Research Institute.
- Inglis, G., Thomas, M. C., Thomas, D. K., Kalmokoff, M. L., Brooks, S. P. dan Selinger, L. (2012). Molecular methods to measure intestinal bacteria: a review. *AOAC Int*. 95:5–23.
- Jang, H.B., Choi, M., Kang, J.H., Park, S.I. dan Lee, H. (2017). Association of dietary patterns with the fecal microbiota in Korean adolescents. *BMC Nutrition* 3(20): 1-11.
- Jawetz., Melnick, dan Adelberg (2007). Mikrobiologi kedokteran. Ed.23, Translation of Jawetz, Melnick, and Adelberg's Medical Microbiology, 23thEd. Alih bahasa oleh Hartanto, H., EGC. Jakarta.
- Kane, A.V., Dinh, D.M., dan Ward, H.D. (2015). Childhood malnutrition and the intestinal microbiome malnutrition and the microbiome. *Pediatr Res*. 77(0): 256–262.
- Kataoka-Kato, A., Nishida, K., Takada, M., Kawai, M., Kikuchi-Hayakawa, H., Suda, K., Ishikawa, H., Gondo, Y., Shimizu, K., Matsuki, T., Kushiro, A., Hoshi, R., Watanabe, O., Igarashi, T., Miyazaki, K., Kuwano, Y. dan Rokutan, K. (2016). Fermented milk containing *Lactobacillus casei* strain *Shirota* preserves the diversity of gut microbiota and relieves abdominal dysfunction in healthy medical students exposed to academic stress. *American Society Microbiology* 82(12) : 3649- 3658.

- Kechagia, M., Basoulis, D., Konstantopoulou, S., Dimitriadi, D., Gyftopoulou, K., Skarmoutsou, N. dan Fakiri, E.M. (2013). Health benefit of probiotics: A review. *ISRN Nutrition*: 1–7.
- Laili, A. N., Al Munawir, Ningtyias, F. W. (2017). Food intake and food security as determinants of stunting children under five years. *Journal Health Notions*. 1: 1-8.
- Lee, S. M., Donaldson, G. P., Mikulski, Z., Boyajian, S., Ley, K. dan Mazmanian, S. K. (2013). Bacterial colonization factors control specificity and stability of the gut microbiota. *Nature*. 501:426–429.
- Lin A., Bik E.M., Costello, E.K., Dethlefsen, L., Haque, R., Relman, D.A. dan Singh U. (2013). Distinct distal gut microbiome diversity and composition in healthy children from Bangladesh and the United States. *Plos One* 8(1) :1-19.
- Lupp, C., Robertson, M.L., Wickham, M.E., Sekirov, I., Champion, O.L., Gaynor E.C. dan Finlay, B.B. (2007). Host-mediated inflammation disrupts the intestinal microbiota and promotes the overgrowth of *Enterobacteriaceae*. *Cell Host Microbe*. 2(2): 19-29.
- Maria, G., Pinto. V., Franz, C.M.A.P., Schillinger, U. dan Holzapfel, W.H. (2006). *Lactobacillus* spp. With in vitro probiotic properties from human faeces and traditional fermented product. *International Journal of Food Microbiology* 109: 205-214.
- Million, M., Diallo., A dan Raoult, D. (2017). Gut microbiota and malnutrition. Review. *Microbial Pathogenesis*. 106:127-138.
- Mohan, R., Koebnick, C., Schildt, J., Schmidt, S., Mueller, M., Possner, M., Radke, M. dan Blaut, M. (2006). Effects of *Bifidobacterium lactis* Bb12 supplementation on intestinal microbiota of preterm infants: a double-blind, placebo-controlled, randomized study. *J Clin Microbiol*. 44: 4025–4031.
- Monira., Nakamura, S., Gotoh, K., KaoriIzutsu, Watanabe, H., Alam, N. H., Ph.Endt, P., Cravioto, A., Ali, S. I., Nakaya, T., Horii,T., TetsuyaIida2 dan Alam, M. (2011). Gut microbiota of healthy and malnourished children in Bangladesh. *Frontiers in Microbiology*. 2:1-7.
- Mustangin, A. (2018). Pengaruh konsumsi probiotik indigenous powder *Lactobacillus plantarum* Dad-13 pada indeks massa tubuh dan populasi *Prevotella*, *Bacteroides fragilis* dan *Clostridium coccoides* anak-anak malnutrisi di Sekolah Dasar Belanting, Lombok Timur. Tesis. Fakultas Teknologi Pertanian. Universitas Gadjah Mada. Yogyakarta.

- Nakayama, J., Wanabe, K., Jiang, J., Matsuda, K., Chao, S. H., Haryono, P., O., La-ongkham, O., Sarwoko, M.A., Sujaya, I.N., Zhao, L., Chen, K.T., Chiu, H.H., Hidaka, T., Huang, N.X., Kiyohara, C., Kurakawa, T., Sakamoto, N., Sonomoto, K., Tashiro, K., Tsuji, H., Chen, M.J., Leelavatcharamas, V., Liao, C.C., Nitisinprasert, S., Rahayu, E.S., Ren, F.Z., Tsai, Y.C. dan Lee Y.K. (2014). Diversity in gut bacterial community of school-age children in Asia. *Nature Scientific Report*. 5: 83-97.
- Natalia, L.D., Dina, R.P., dan Siti, F. (2013). Hubungan ketahanan pangan tingkat keluarga dan tingkat kecukupan gizi dengan status gizi batita di Desa Gondangwinangun Tahun 2012. *Jurnal Kesehatan Masyarakat*. 2 (2):1-18.
- Norajit K, Laohakunjit N, Kerdchoechuen O. (2007). Antibacterial effect of five zingiberaceae essential oils. *Molecules*. 12:2047-2060.
- Nurliyani, M. Julia, Harmayani, E. dan Baliarti, E. (2015). Potency of *Lactobacillus plantarum* Dad-13 and sweet potato (*Ipomoea batatas*) fiber as immunomodulator in rats infected with *Salmonella typhimurium*. *J. Food Research* 4(3): 1–13.
- O'Hara, A.M. dan Shanahan, F. (2006). The gut flora as a forgotten organ. *EMBO Rep*. 7:688–693.
- Onubi, O.J., Poobalan, A.S., Dineen, B., Marais, D. dan McNeill, G. (2015). Effects of probiotics on child growth: a systematic review. *J Health Popul Nutr*:34:15.
- Otuneye, A., Ahmed, P., Abdulkarim, A., Aluko, O., Shatima, D. (2017). Relationship between dietary habits dan nutritional status among adolescents in Abuja municipal area council of Nigeria. *Nigerian Journal of Paediatric*. 44(3): 128-135.
- Ouwehand, A.C. (2005). The probiotic potential of propionic bacteria Di dalam: Salminen S., dan A Wright, Editor. *Lactic acid bacteria: Microbial and functional Aspect 3 esition*. Marcel Dekker Inc., New York: 159-174.
- Picauly I, dan Toy, S.M. (2013). Analisis determinan dan pengaruh stunting terhadap prestasi belajar anak sekolah di Kupang dan Sumba Timur, NTT. *Jurnal Gizi Pangan* 8(1):55-62.
- Rahayu, E.S., Cahyanto, M.N., Mariyatun., Sarwoko., Martinus-Agus., Haryono, P., Windiarti, L., Sutriyanto, J., Kandarina, I., Nurfiani, S., Zulaichah, E., Utami, T. (2016). Effects of consumption of fermented milk containing

indigenous probiotic *Lactobacillus plantarum* Dad-13 on the fecal microbiota of healthy Indonesian volunteers. *International Journal of Probiotics and Prebiotics*. 11(2): 91-98.

Rahayu, E. S., A. Yogeswara, Mariyatun, L. Windiarti, T. Utami, dan K. Watanabe. (2015). Molecular characteristics of indigenous probiotic strains from Indonesia. *International Journal of Probiotics* 10(4): 2-7.

Rahayu, E. S. (2003). Lactic acid bacteria in fermented food of Indonesia origin. *Agrotech*. 23: 75-84.

Riskesdas.Laporan Kesehatan Indonesia. (2013). Tersedia di: www.depkes.go.id/resources/download/general/Hasil%20Riskesdas%202013.pdf. Diakses 17 Apr. 2018.

Rusilanti. (2006). Aspek psikososial, aktivitas fisik, konsumsi makanan, status gizi, dan pengaruh susu plus probiotik *Enterococcus faecium* IS-27526 (MEDP) terhadap respons imun IgA lansia. Disertasi. Sekolah Pascasarjana, Institut Pertanian Bogor. Bogor.

Roessler, A., Forssten, S. D., Gleis, M., Ouwehand, A. C. dan Jahreis, G. (2012). The effect of probiotics on faecal microbiota and genotoxic activity of faecal water in patients with atopic dermatitis: A randomized, placebo-controlled study. *Clinical Nutrition*. 3(1): 22-29.

Rodriguez, J. M., K. Murphy, C. Stanton, R. P. Ross, O. I. Kober, N. Juge, E. Avershina, K. Rudi, A. Narbad, M. C. Jenmalm, J. R. Marchesi, dan M. C. Collado. (2015). The composition of the gut microbiota throughout life, with an emphasis on early life. *Microbial Ecology in Health and Disease*. *Microb. Ecol. Health Dis* 26:1-17

Round, J.L. dan Mazmanian, S.K. (2009). The gut microbiota shapes intestinal immune responses during health and disease. *Nat Rev Immunol*. 9(5): 13-23.

Saran, S. (2004). Use of fermented foods to combat stunting and failure to thrive: Background of the study. *Nutrition*. 20(6):577-8.

Schmid, K., Scholathauer, R.C., Friedrich, U., Staudt, C., Apajalahti, J. dan Hansen, E.B. (2006). Development of probiotic food ingredients dalam probiotics in food safety and human health. goktepe, juneja, dan ahmedna (eds.). *CRC Press-Taylor and Francis Group*. Florida.

Schoster. A., Kokotovic, B., Permin, A., Pedersen, P.D., Dal Bello, F. dan Guardabassi, L. (2013). In vitro inhibition of *Clostridium difficile* and

Clostridium perfringens by commercial probiotic strains. *Anaerobe*. 20 : 36–41.

Shadnoush, M., R. S. Hosseini, A. Khalilnezhad, L. Navai, H. Goudarzi, dan M. Vaezjani. (2015). Effect of *probiotics* on gut microbiota in patients with inflammatory bowel disease: a double-blind, placebo-controlled clinical trial. *Korean J. Gastroenterol*. 65 (4) 215 – 221.

Shioiri, T., Yahagi, K., Nakayama, S., Asahara, T., Yuki, N., Kawakami, K., Yamaoka, Y., Sakai, Y., Nomoto, K. dan Totani, M. (2014). The Effects of a Synbiotic Fermented Milk Beverage Containing *Lactobacillus casei* Strain Shirota and Transgalactosylated Oligosaccharides on Defecation Frequency, Intestinal Microflora, Organic Acid Concentrations, and Putrefactive Metabolites of Sub-Opti. *Bioscience and Microflora*. 25(4): 137-146.

Simakawa, Y., Matsubara, S., Yuki, N., Ikeda, M. dan Ishikawa, F. (2003). Evaluation of *Bifidobacterium brece* strain Yakult-Fermented soymilk as probiotics food. *International Journal of Food Microbiology*. 81: 131-136.

Songisepp, E., Hutt, P., Ratsep, M., Shkut, E., Koljalg, S., Truusalu, K., Stsepetova, J, Smidt, I., Kolk, H., Zagura, M., dan Mikelsaart, M. (2012). Safety of a probiotic cheese containing *Lactobacillus plantarum* Tensia according to a fariety of health indices in different age groups. *Journal Dairy Science*. 95: 5495-5509

Srikandi, F. (1993). Analisis mikrobiologi pangan. PT Raja Grafindo Persada: Jakarta.

Suهارman. (2018). Pengaruh konsumsi probiotik indigenous powder *Lactobacillus plantarum* Dad-13 pada anak-anak malnutrisi di Sekolah Dasar Belanting, Lombok Timur terhadap populasi *Lactobacillus plantarum*, *Bifidobacterium*, *Enterobacteriaceae* dan *Short Chain Fatty Acid*. Tesis. Fakultas Teknologi Pertanian. Universitas Gadjah Mada. Yogyakarta.

Sumaryati, B. T., Utami, T. dan Suparmo. (2009). Pengaruh infeksi *Escherichia coli* dan pembelian *Lactobacillus plantarum* Dad 13 terhadap *microbiota fecal* tikus wistar. *Agritech*. 29(4): 165–170.

Surono, I.S., Koestomo, F.P., Novitasari, N., Zakaria, F.R. dan Yulianasari K. (2011). Novel probiotic *Enterococcus faecium* IS-27526 supplementation increased totalm salivary sIgA level and bodyweight of pre-school children: A pilot study. *Anaerobe*. 17(6):496–500.

- Toscano, M., De Grandi, R. Miniello, V.L., Mattina, R. dan Drago, L. (2017). Ability of *Lactobacillus kefir* LKF01 (DSM32079) to colonize the intestinal environment and modify the gut microbiota composition of healthy individuals. *Digestive and Liver Disease*. 49:261–267.
- Tyakht, A.V., Kostyukova, E.S., Popenko, A.S., Belenikin, M.S., Pavlenko, A.V. dan Larin, A.K. (2013). Human gut microbiota community structures in urban and rural population in Russia. *Nat Commun*. 4:1-9.
- van den Bogert, B., Erkus, O., Boekhorst, J., de Goffau, M., Smid, E. J., Zoetendal, E. G. dan Kleerebezem, M. (2013). Diversity of human small intestinal *Streptococcus* and *Veillonella* populations. *FEMS Microbiol Ecol*. 85:376–388.
- Van den Bogert, B., de Vos W. M., Zoetendal, E. G., dan Kleerebezem, M. (2011). Microarray analysis and barcoded pyrosequencing provide consistent microbial profiles depending on the source of human intestinal samples. *Appl Environ Microbiol*. 77:2071–2080.
- Verhagen, L.M., Gómez-Castellano, K., Snelders, E., Rivera-Olivero, I., Pocaterra, L., Melchers, W.J.G., de Waard, J.H. dan Hermans, P.W.M. (2009). Respiratory infections in Eñepa Amerindians are related to malnutrition and *Streptococcus pneumoniae* carriage. *Journal of Infection*. 67(4):273-281.
- UNICEF, WHO, World Bank Group. (2018). Levels and trends in Child malnutrition. The Data and Analytics Section of the Division of Data, Research and Policy, UNICEF New York together with the Department of Nutrition for Health and Development, WHO Geneva and the Development Data Group of the World Bank, Washington DC.
- Utami, T., Cahyanto, M.N., Juffrie, M., Rahayu, E.S. (2015). Recovery of *Lactobacillus casei* strain *Shirota* (LcS) from the Intestine of Healthy Indonesian Volunteers After Intake of Fermented Milk and Its Impact on the Enterobacteriaceae Fecal Microbiota. *Internastional Journal of Probiotics and Prebiotics*. 10: 77-84.
- WHO. (2009). Child Growth Standards and the Identification of Severe Acute Malnutrition in Infants and Children, a Joint Statement by the World Health Organization and the United Nations Children's Fund.