

## DAFTAR PUSTAKA

- Black EM, Lowings JP, Smith J, Heaton PR, McElhinney LM. 2002. A rapid RT-PCR method to differentiate six established genotypes of rabies and rabies-related viruses using TaqMan technology. *J Virol Methods*. 105:25-35
- Booijink, C. C. G. M., Zoetendal, E. G., Kleerebezem, M., & de Vos, W. M. (2007). Microbial communities in the human small intestine: Coupling diversity to metagenomics. *Future Microbiology*, 2(3), 285–295
- Cani, P. D., Osto, M., Geurts, L., & Everard, A. (2012). Involvement of gut microbiota in the development of low-grade inflammation and type 2 diabetes associated with obesity. *Gut Microbes*, 3(4), 37–41. <https://doi.org/10.4161/gmic.19625>
- Caesar, R., Tremaroli, V., Kovatcheva-Datchary, P., Cani, P. D., & Backhed, F. (2015). Crosstalk between gut microbiota and dietary lipids aggravates WAT inflammation through TLR signaling. *Cell Metabolism*, 22(4), 658–668.
- Chantratita W, Sukasem C, Kaewpongsri S, Srichunrusami C, Pairoj W, Thitithanyanont A, Chaichoune K, Ratanakron P, Songserm T, Damrongwatanapokin S, Landt O. 2008. Qualitative detection of Avian Influenza A (H5N1) viruses: a comparative evaluation of four real-time nucleic acid amplification methods. *Mol Cell Probes*. 22:287-293
- Chassard, C., & Lacroix, C. (2013). Carbohydrates and the human gut microbiota. *Current Opinion in Clinical Nutrition and Metabolic Care*, 16(4), 453–460.
- De Filippo, C., Cavalieri, D., Di Paola, M., Ramazzotti, M., Poullet, J. B., Massart, S., Lionetti, P. (2010). Impact of diet in shaping gut microbiota revealed by a comparative study in children from Europe and rural Africa. *Proceedings of the National Academy of Sciences of the United States of America*, 107(33), 14691–6.
- Den Besten, G., van Eunen, K., Groen, A. K., Venema, K., Reijngoud, D.-J., & Bakker, B. M. (2013). The role of short-chain fatty acids in the interplay between diet, gut microbiota, and host energy metabolism. *Journal of Lipid Research*, 54(9), 2325–40. <https://doi.org/10.1194/jlr.R036012>
- Depkes RI. 2009. Profil Kesehatan Indonesia. Jakarta.
- Direktorat Gizi. 2005. Daftar Komposisi Bahan Makanan (DKBM). Persatuan Ahli Gizi Indonesia (Persagi). Jakarta

- Drancourt, M., Bollet, C., Carta, A., Rousselier, P. 2001. Phylogenetic analyses of *Klebsiella* species delineate *Klebsiella* and *Raoultella* gen. nov., with description of *Raoultella ornithinolytica* comb. nov., *Raoultella terrigena* comb. nov. and *Raoultella planticola* comb. nov. *Int. J. Syst. Evol. Microbiol.* 51, 925–932.
- El-Nezami, H., Mykkanen, H., Kankaanpaa, P., Salminen, S., & Ahokas, J. (2000). Ability of *Lactobacillus* and *Propionibacterium* strains to remove aflatoxin B, from the chicken duodenum. *Journal of Food Protection*, 63, 549–552.
- FAO-RAPA, 1989. Report of The Regional Expert Consultation of The Asian Network for Food and Nutrition and Urbanization. Bangkok.
- FAO/WHO. 2001. Evaluation of health and nutritional properties of powder milk and live lactic acid bacteria. Food and Agriculture Organization of the United Nations and World Health Organization Expert Consultation Report. (Reid G, Stanton C, Araya M, Gilliland PSE, Gopal R, et al.).
- Gibson, G.R., Roberfroid, M. 1995. Dietary modulation of the human colonic microbiota: introducing the concept of prebiotics. *JNutr* 125: 1401-1412.
- Giglio S, Monis PT, Saint CP. 2003. Demonstration of preferential binding of SYBR Green I to specific DNA fragments in real-time multiplex PCR. *Nucleic Acids Res.* 31:e136.
- Gupta, S., Mohammed, M., Ghosh, T., Kanungo, S., Nair, G., & Mande, S. S. (2011). Metagenome of the gut of a malnourished child. *Gut Pathogens*, 3(1), 1–9.
- Gutierrez R.C., Olga M.de Nader et al. 1999. Microbial Flora Variations in Respiratory Tract of Mice. *Mem Inst Oswaldo Cruz, Rio de Janeiro.* Vol. 94(5): 701-707.
- Hasan, Nur Pratama., Utami, T., Yanti Rini., Juffrie Muhammad., Rahayu, E. S. (2018). The effect of consumption indigenous powder containing *Lactobacillus plantarum* Dad-13 of students SMPN 1 Pangururan, Samosir of weight, body mass index and the population of gut microbiota *Prevotella*, *Bacteroides Fragilis* and *Clostridium cocoides*. Universitas Gadjah Mada.
- Holzappel, W.H., Wood, B.J.B., 2014. Lactic Acid Bacteria: Biodiversity and Taxonomy. Wiley-Blackwell.
- Jumpertz R, Le DS, Turnbaugh PJ, TriniDad C, Bogardus C, Gordon JI. 2011. Energy-balance studies reveal associations between gut microbes, caloric load, and nutrient absorption in humans. *Am J Clin Nutr.* 94:58–65.

- Kaper, J.B., Nataro, J.P., Mobley, H.L., 2004. Pathogenic *Escherichia coli*. *Nat. Rev. Microbiol.* 2, 123–140.
- KemenKes. RI. (2014). Pedoman Gizi Seimbang. Direktorat Jenderal Bina Gizi dan KIA. Jakarta. Halaman 12-22
- Kubista, M., Andrade, J.M., Bengtsson, M., Forootan, A., Jonak, J., Lind, K., 2006. The real-time polymerase chain reaction. *Mol. Asp. Med.* 27 (2e3), 95e125.
- Li, D., Wang, P., Wang, P., Hu, X., & Chen, F. (2016). The gut microbiota: A treasure for human health. *Biotechnology Advances*, 34(7), 1210–1224.
- Manurung Nancy Eka Putri., Utami, T., Yanti Rini., Juffrie Muhammad., Rahayu, E. S. (2018). The effect of consumption indigenous powder containing *Lactobacillus plantarum* Dad-13 of students SMPN 1 Pangururan, Samosir of weight, body mass index and the population of gut microbiota *Bifidobacterium*, *Lactobacillus plantarum*, *Enterobacteriaceae*, and short chain fatty acid. Universitas Gadjah Mada.
- Monira, S., Hoq, M. M., Chowdhury, A. K. A., Suau, A., Magne, F., Endtz, H. P. H., Alam, N. H. (2010). Short-chain fatty acids and commensal microbiota in the faeces of severely malnourished children with cholera rehydrated with three different carbohydrates. *European Journal of Clinical Nutrition*, 64(10), 1116–1124. <https://doi.org/10.1038/ejcn.2010.123>
- Monira, S., Nakamura, S., Gotoh, K., Izutsu, K., Watanabe, H., Alam, N. H., Alam, M. (2011). Gut microbiota of healthy and malnourished children in Bangladesh. *Frontiers in Microbiology*, 2(NOV), 1–7.
- Muegge, B. D., Kuczynski, J., Knights, D., Clemente, J. C., Gonzalez, A., Fontana, L., Gordon, J. I. (2011). Diet drives convergence in gut microbiome functions across mammalian phylogeny and within humans. *Science*, 332(6032), 970–974.
- Nakayama, J., Watanabe, K., Jiang, J., Matsuda, K., Chao, S. H., Haryono, P., Lee, Y. K. (2015). Diversity in gut bacterial community of school-age children in Asia. *Scientific Reports*, 5, 1–11.
- Nurliyani, M. Julia, E. Harmayani, dan E. Baliarti. (2015). Potency of *Lactobacillus plantarum* Dad-13 and sweet potato (*Ipomoea batatas*) fiber as immunomodulator in rats infected with *Salmonella typhimurium*. *J. Food Research* 4 (3) : 1 – 13.

- O'Driscoll, T., Crank, C.W., 2015. Vancomycin-resistant enterococcal infections: epidemiology, clinical manifestations, and optimal management. *Infect. Drug Resist.* 8, 217–230.
- Ooi MF, Mazlan N, Foo HL, Loh TC, Mohamad R, Rahim RA. 2015. Effects of carbon and nitrogen sources on bacteriocininhibitory activity of postbiotic metabolites produced by *Lactobacillus plantarum* I-UL4. *Malays J Microbiol.* 11:176e84.
- Pardal SJ. 2010. Menguji ekspresi gen menggunakan real time PCR. *Warta Penelitian dan Pengembangan Pertanian.* 32:13-14
- Rahayu, E. S., A. Yogeswara, Mariyatun, L. Windiarti, T. Utami, dan K. Watanabe. (2015). Molecular characteristics of indigenous probiotic strains from Indonesia. *International Journal of Probiotics* 10 (4).
- Rahayu, E. S., Cahyanto, M. ., Windiarti, L., Sutriyanto, J., Kandarina, T., & Utami, T. (2016). Effects of Consumption of Fermented Milk Containing Indigenous Probiotic *Lactobacillus Plantarum* Dad-13 on the Fecal Microbiota of Healthy Indonesian Volunteers. *International Journal of Probiotics and Prebiotics*, 11(2), 91–98.
- Rahayu, E. S., Yogeswara, A., Mariyatun, Windiarti, L., Utami, T., & Watanabe, K. (2016). Molecular characteristics of indigenous probiotic strains from Indonesia. *International Journal of Probiotics and Prebiotics*, 11(2), 109–116.
- Rahayu, E.S., 2003. Lactid Acid Bacteria in Fermented Foods of Indonesian Origin, *Agritech* (23): 75-84.
- Rahayu, E.S., Utami, T., Martinus, A. S., Haryono, P., Sutrianta, J., Kandarina., Nurfitriani, S., dan Cahyanto., M.N., 2014, Pengaruh Minuman Susu Fermentasi *L. plantarum* Dad 13 Terhadap Microboita Feses Orang Indonesia Dewasa Sehat, Prosiding seminar Ristek. Bandung.
- Rahayu, E.S., Yogeswara, A., Mariyatun, Haryono, P., Utami, S. I., Utami, T., Nurfitriani, S., Cahyanto., M.N., 2013. Bakteri Asam Laktat Indigenous Berpotensi Probiotik dan Aplikasinya untuk Produk Susu Fermentasi. Prosiding Seminar RISTEK. Jakarta. 7-8 November 2013.
- Rajoka, M. S. R., Shi, J., Mehwish, H. M., Zhu, J., Li, Q., Shao, D., Yang, H. (2017). Interaction between diet composition and gut microbiota and its impact on gastrointestinal tract health. *Food Science and Human Wellness*, 6, 121–130.

- Rossi, M., Amaretti, A., & Raimondi, S. (2011). Folate production by probiotic bacteria. *Nutrients*, 3, 118–134.
- Saavedra, J. (2000). Probiotics and infectious diarrhea. *American Journal of Gastroenterology*, 95, S16–S18.
- Salazar N, Arboleya S, Valdes L, Stanton C, Ross P, Ruiz L. 2014. The human intestinal microbiome at extreme ages of life. Dietary intervention as a way to counteract alterations. *Front Genet*. 5:406.
- Slavin, J. (2013). Fiber and prebiotics: mechanisms and health benefits. *Nutrients*, 5(4), 1417–35. <https://doi.org/10.3390/nu5041417>
- Sumaryati, B. T., Utami, T., Suparmo. 2009. Pengaruh Infeksi *Escherichia coli* dan Pemberian *Lactobacillus plantarum* Dad 13 terhadap Mikrobiota Feses Tikus Wistar, *Agritech*, (29):165-170.
- Thomas, C. M., & Versalovic, J. (2010). Probiotics-host communication. *Gut Microbes*, 1(3), 148–163. <https://doi.org/10.4161/gmic.1.3.11712>
- Walker R, Whittlesea C. 2012. *Clinical Pharmacy and Therapeutics : Fifth Edition*. London: Churchill Livingstone Elsevier.
- Wexler, H. M. (2007). Bacteroides: the good, the bad, and the nittygritty. *Clin Microbiol Rev* 20, 593–621.
- Zhang, Na., Ju, Zhongjie., & Zuo, Tao. (2018). Time for food : The impact of diet on gut microbiota and human health. *Nutrition*, 51–52, 80–85.
- Zhu, Y. Y., Lin, X. S., Zhao, F., Shi, X. B., Li, H., Li, Y. Q et al. Zhou, G. H. (2015). Meat, dairy and plant proteins alter bacterial composition of rat gut bacteria. *Scientific Reports*, 5, 15220.
- Zhu, Y., Shi, X., Lin, X., Ye, K., Xu, X., Li, C., & Zhou, G. (2017). Beef, Chicken, and Soy Proteins in Diets Induce Different Gut Microbiota and Metabolites in Rats. *Frontiers in Microbiology*, 8, 1395.