

## DAFTAR PUSTAKA

- Abood, W. N., Al-Henhena, N. A., Najim Abood, A., Al-Obaidi, M. M., Ismail, S., Abdulla, M. A., & Al Batran, R. (2015). Wound-healing potential of the fruit extract of *Phaleria macrocarpa*. *Bosnian journal of basic medical sciences*, *15*(2), 25–30.
- ADA. (2011). Standards of medical care in diabetes. *Diabetes Care*.
- Anders, H-J & Ryu, M. (2011). Microenvironment and macrophage phenotypes determine progression or resolution of renal inflammation and fibrosis. *Kidney Int*, *80*, 915-925.
- Arnold, L., Henry, A., Poron, F., Baba-Amer, Y., Van Rooijen, N., Plonquet, A., et al. (2007). Inflammatory monocytes recruited after skeletal muscle injury switch into antiinflammatory macrophages to support myogenesis. *J Exp Med*, *204*(5), 1057-1069.
- Aronoff, S. L., Berkowitz, K., Shreiner, B., & Want, L. (2004). Glucose Metabolism and Regulation: Beyond Insulin and Glucagon. *Diabetes Spectrum*, *17*(3), 183-190.
- Azis, T., Febrizky, S., & Mario, D. (2014). Pengaruh jenis pelarut terhadap persen Yield alkaloid dari daun salam India (*Murraya koenigii*). *Teknik Kimia*, *20*(2).
- Biswas, S. K., & Mantovani, A. (2010). Macrophage plasticity and interaction with lymphocyte subsets: Cancer as a paradigm. *Nat Immunol*, *11*, 889-896.
- Boni-Schnetzler, M., Thorne, J., Parnaud, G., Marselli, L., Ehses, J.A., Kerr-Conte, J., et al. (2008). Increased interleukin (IL)-1beta messenger ribonucleic acid expression in beta-cells of individuals with Type 2 diabetes and regulation of IL-1beta in human islets by glucose and autostimulation. *J Clin Endocrinol Metab* *93*, 4065–4074.
- Braga, TT., Aqudelo, J.S., Camara, N.O. (2015). Macrophages during the fibrotic process: M2 as friend and foe. *Front Immunol*, *6*, 602.
- Corbett, J. A., & Mcdaniel, M. L. (1992). Perspectives in Diabetes Does Nitric Oxide Mediate Autoimmune Destruction of p-Cells? Possible Therapeutic Interventions in IDDM. *Diabetes*, *41*, 897–903.
- Coughlan, A.K., Valenine, R.J., & Saha, A.K. (2013). Nutrient excess in AMPK downregulation and insulin resistance. *J Endocrinol Diabetes Obes*, *1*(1), 1008.

- Coughlan, K.A., Valentine, R.J., Ruderman, N. B., & Saha, A. K. (2014). AMPK activation : a therapeutic target for type 2 diabetes ? *Diabetes Metab Syndr Obes*, 7, 241–253.
- Cryer, P.E. (1992). Iatrogenic hypoglycemia as a cause of hypoglycemia-associated autonomic failure in IDDM. A vicious cycle. *Diabetes*, 41(3), 255-260.
- Daud, M., Sadiyah, E., & Rimawati. (2011). Pengaruh perbedaan metode ekstraksi terhadap aktivitas antioksidan ekstrak etanol daun jambu biji (*Psidium guajava* L.) berdaging buah putih. *Prosiding SNaPP 2011 Sains, Teknologi, dan Kesehatan*, 2(1).
- Defronzo, R. A. (2009). From the triumvirate to the ominous octet: A new paradigm for the treatment of type 2 diabetes mellitus. *Diabetes*, 58(4), 773-795.
- Donath, M. Y., Böni-Schnetzler, M., Ellingsgaard, H., & Ehses, J. A. (2009). Islet inflammation impairs the pancreatic beta-cell in type 2 diabetes. *Physiology (Bethesda, Md.)*, 24, 325-331.
- Drouin, P., Blicke, J. F., Charbonnel, B., Eschwege, E., Guillausseau, P. J., Plouin, P. F., et al. (2009). Diagnosis and classification of diabetes mellitus. *Diabetes Care*, 25(1), 72-83.
- Ehses, J. a, Böni-Schnetzler, M., Faulenbach, M., & Donath, M. Y. (2008). Macrophages, cytokines and beta-cell death in Type 2 diabetes. *Biochem Soc Trans*, 36(Pt 3), 340-342.
- Espinoza-Jiménez, A., Peón, A. N., & Terrazas, L. I. (2012). Alternatively activated macrophages in types 1 and 2 diabetes. *Mediators Inflamm*, 2012.
- Friggeri, A., Yang, Y., Banerjee, S., Park, Y., Liu, G., & Abraham, E. (2010). HMGB1 inhibits macrophage activity in efferocytosis through binding to the  $\alpha\beta 3$  -integrin. *Am J Physiol Cell Physiol*, 299, C1267–1276.
- Ghasemi, A., Khalifi, S., & Jedi, S. (2014). Streptozotocin-nicotinamide-induced rat model of type 2 diabetes. *Acta Physiol Hung*, 101(4), 408-420.
- Ghufron, M., Soesaty, M., & Sismindari, H. (2008). The effects of ethanol extract isolated from *Phaleria macrocarpa* on NK1.1 activity. *Berkala Ilmu Kedokteran*, 40, 109-118.
- Ghufron, M. Marsetyawan, H.N.E., Soesaty. (2011). Pengaruh ekstrak etanol daun mahkota dewa (*Phaleria macrocarpa* (Scheff Boerl) terhadap aktivitas sel NK dan makrofag mencit. *Repository UGM*. Yogyakarta: Universitas Gadjah Mada

- Goerdts, S., & Orfanos, C. E. (1999). Other functions, other genes: alternative activation of antigen-presenting cells. *Immunity*, *10*(2), 137-142.
- Gordon, S., & Taylor, P. R. (2005). Monocyte and macrophage heterogeneity. *Nat Rev Immunol*, *5*(12), 953-964.
- Guiteras, R., Flaquer, M., & Cruzado, J.M. (2016). Macrophage in chronic kidney disease. *Clin Kidney J*, *9*(6), 765-771.
- Hardie, D. G. (2001). AMPK : A Target for Drugs and Natural Products With Effects on Both Diabetes and Cancer. *Diabetes*, *62*(7), 2164–2172.
- Hartini, Y., Wahyuono, S., Widyarini, S., & Yuswanto, A. (2013). Aktivitas fagositosis makrofag fraksi dari ekstrak etanol daun sirih merah (*Piper crocatum* Ruiz & Pav.) secara In Vitro. *Jurnal Ilmu kefarmasian Indonesia*, *11*(2).
- Int Veld, P. (2011). Insulitis in Human Type 1 Diabetes: The Quest for An Elusive Lesion. *Islets*, *3*(4), 131-138.
- Italiani, P., & Boraschi, D. (2014). From Monocytes to M1/M2 Macrophages: Phenotypical vs. Functional Differentiation. *Frontiers in immunology*, *5*, 514.
- Jin X., Yao, T., Zhou, Z., Zhu, J., Zhang, S., Hu, W., Shen, C. (2015). Advanced glycation end products enhance macrophages polarization into M1 phenotype through activating RAGE/NF- $\kappa$ B pathway. *Biomed Res Int*. 732450.
- Kang, Rui., Lotze, M.T., Zeh, H.J., Billiar, T.R., & Tang, D. (2014). Cell Death and DAMPs in Acute Pancreatitis. *Mol Med*, *20*(1), 466-477.
- Keane, K.N., Cruzat, V.F., Carlessi, R., de Bittencourt, P.I. Jr., & Newsholme, P. (2015). Molecular events linking oxidative stress and inflammation to insulin resistance and  $\beta$ -cell dysfunction. *Oxid Med Cell Longev*. 181643.
- Koirewoa, Y., Fatimawali, & Wiyono, W. (2012). Isolasi dan identifikasi senyawa flavonoid dalam daun beluntas (*Pluchea indica* L.). *ejournal unsrat*, *1*(1).
- Langin, D. (2001). Diabetes, insulin secretion, and the pancreatic beta-cell mitochondrion. *N Engl J Med*, *345*(24), 1772–1774.
- Laurence, D., & Bacharach, A. (1964). *Evaluation of drug activities: pharmacometrics, 1st ed.* London: Academic Press.
- Lestari, I.C., Ghufron, M., Herwiyanti, S., & Sumiwi, Y.A.A. (2016). Effect of Ethanolic Extract of *Phaleria Macrocarpa* Scheff Boerl Leaf Administration

on Peritoneal Macrophage Phagocytic Activity and Percentage of M1 and M2 Macrophage in Diabetic Rat Model. *Berkala Ilmu Kedokteran*, 50.

Liu, B., Miyata, S., Kojima, H., Uriuhara, A., Kusunoki, H., Suzuki, K., & Kasuga, M. (1999). Low Phagocytic Activity of Resident Peritoneal Macrophages in Diabetic Mice Relevance to the Formation of Advanced Glycation End Products. *Diabetes*, 48(10), 2074-2082.

Mantovani, A., Biswas, S. K., Galdiero, M. R., Sica, A., & Locati, M. (2013). Macrophage plasticity and polarization in tissue repair and remodelling. *J Pathol*, 229(2), 176-285.

Mantovani, A., Sica, A., Sozzani, S., Allavena, P., Vecchi, A., & Locati, M. (2004). The chemokine system in diverse forms of macrophage activation and polarization. *Trends in Immunology*, 25(12), 677-686.

Mantovani, A., Sozzani, S., Locati, M., Allavena, P., & Sica, A. (2002). Macrophage polarization: Tumor-associated macrophages as a paradigm for polarized M2 mononuclear phagocytes. *Trends Immunol*, 23(11), 545-555.

Martinez, FO., Sica, A., Mantovani, A., & Locati, M. (2008). Macrophage activation and polarization. *Front Biosci*, 13, 453-461.

McCarty, K.S., Jr., Szabo, E., Flowers, J.L., Cox, E.B., et al. (1986). Use of a monoclonal anti-estrogen receptor antibody in the immunohistochemical evaluation of human tumors. *Cancer Res*. 46(8), pp. 4244-4248.

Mihardja, L., Soetrisno, U., & Soegondo, S. (2014). Prevalence and clinical profile of diabetes mellitus in productive aged urban Indonesians. *J Diabetes Investig*, 5(5), 507-512.

Misra, P., Chakrabarti R. (2007). The role of AMP kinase in diabetes. *Indian J Med Res*, 125(3), 389-398.

Morris, D. L. (2015). Minireview : Emerging Concepts in Islet Macrophage Biology in Type 2 Diabetes. *Mol Endocrinol*, 29(7), 946-962.

Mosser, D. M., & Edwards, J. P. (2009). Exploring the full spectrum of macrophage activation. *Nat Rev Immunol*, 8(12), 958-969.

Mulyati, S. (2016). Peranan Advanced Glycation End-products pada Diabetes. *CDK*, 43(6), 422-426. Retrieved from [http://www.kalbemed.com/Portals/6/08\\_241Peranan Advanced Glycation End-products pada Diabetes.pdf](http://www.kalbemed.com/Portals/6/08_241Peranan%20Advanced%20Glycation%20End-products%20pada%20Diabetes.pdf)

Nugroho, A. (2006). Review Hewan Percobaan Diabetes Mellitus : Patologi Dan

Mekanisme Aksi Diabetogenik. *Biodiversitas*, 7(4), 378–382.

- Oche, Okpe., Sani, I., Chilaka, N.G., Samuel., N.U., Samuel, A. (2014). Pancreatic islet regeneration and some liver biochemical parameters of leaf extracts of *Vitex doniana* in normal and streptozotocin-induced diabetic albino rats. *Asian Pac J Trop Biomed*, 4(2), 124-130.
- Ozougwu, J., Obimba, K., Belonwu, C., & Unakalamba, C. (2013). The pathogenesis and pathophysiology of type 1 and type 2 diabetes mellitus. *J Physiol Pathophysiol*, 4(4), 46-57.
- Parangeni, M., Ghufron, M., Susilowati, R. (2016). Pengaruh pemberian salep ekstrak etanol daun mahkota dewa (*Phaleria macrocarpa* (Scheff) Boerl) terhadap distribusi makrofag M1 dalam proses penyembuhan luka kulit pada tikus model DM kronis. *Repository UGM*. Yogyakarta: Universitas Gadjah Mada
- Parsa, R., Andresen, P., Gillett, A., Mia, S., Zhang, X. M., Mayans, S., ... Harris, R. A. (2012). Adoptive transfer of immunomodulatory M2 macrophages prevents type 1 diabetes in NOD mice. *Diabetes*, 61(11), 2881–2892.
- Perkeni. (2015). Konsensus Pengelolaan dan Pencegahan Diabetes Mellitus Tipe 2 di Indonesia.
- Pietta, P.G. (2000). Flavonoids as antioxidants. *J Nat Prod*, 63(7), 1035-1042.
- Pilon G, Patrice Dallaire, A. M. (2004). Inhibition of Inducible Nitric-oxide Synthase by Activators of AMP-activated Protein Kinase, 279(20), 20767–20774.
- Sag D, Carling D, Stout RD, S. J. (2009). Adenosine 5'-monophosphate-activated protein kinase promotes macrophage polarization to an anti-inflammatory functional phenotype. *J Immunol*, 181(12), 8633–8641.
- Salih, Noman D., Azmi, Norfatin., Gopalan, Hanan Kumar. (2015) The protective effects of phaleria macrocarpa leaves methanol extract on pancreatic islet histology in streptozotocin-induced diabetic rats. *Sci Int*, 27(5), 4219-4224.
- Saufi, A. (2007). Lignans in *Phaleria macrocarpa* ( Scheff .) Boerl . and in *Linum flavum* var . *compactum* L . Disertasi. Universitas Gadjah Mada, Yogyakarta.
- Schulze, P. C., Yoshioka, J., Takahashi, T., He, Z., King, G. L., & Lee, R. T. (2004). Hyperglycemia promotes oxidative stress through inhibition of thioredoxin function by thioredoxin-interacting protein. *J Biol Chem*, 279(29), 30369-30374.
- Sugiwati, S., Setiasih, S., & Afifah, E. (2009). Antihyperglycemic activity of the mahkota dewa [ *Phaleria macrocarpa* ( Scheff .) Boerl .] leaf extracts as an alpha-glucosidase inhibitor. *Makara, Kesehatan*, 13(2), 74–78.

- Supriana, T., Barus, R. (2010). Statistik non parametrik aplikasi dalam bidang sosial ekonomi pertanian. USU Press, Medan.
- Tri, W.A., Eko, S., Ismail, M.A., & Shafiur, M.R. (2012). Effect of alloe vera (Alloe vera) and crown of god (*Phaleria macrocarpa*) on sensory, chemical, and microbiological attributes of Indian mackerel (*Restrelliger neglectus*) during ice sto. *Int Food Res J*, 1, 119-125.
- Van Gassen, Naomi., Van Overmeire, E., Leuckx, G., Heremans, Y., De Groef, S., Cai, Y., et al. (2015). Macrophage dynamics are regulated by local macrophage proliferation and monocyte recruitment in injured pancreas. *Eur J Immunol*, 45, 1482-1493.
- Varghese, F., Bukhari, A.B., Malhotra, R., De, A. (2014). IHC Profiler: an open source plugin for the quantitative evaluation and automated scoring of immunohistochemistry images of human tissue samples. *PloS One*, 9(5), e96801.
- Vlassara, H., Brownlee, M., & Cerami, A. (1988). Specific macrophage receptor activity for advanced glycosylation end products inversely correlates with insulin levels in vivo. *Diabetes*, 37(4), 456-461.
- Wahyuningsih, M.S.H., Mubarika, S., Artama, W.T., Wahyuono, S., & Ganjar I.G. (2005). Phalerin, a new benzophenoic glucoside isolated form the methanolic extract of Mahkota Dewa (*Phaleria macrocarpa* (scheff.) Boerl) leaves. *Majalah Farmasi Indonesia*, 16(1).
- Wahyuningsih, M.S.H., Mubarika S., Artama, W.T., Wahyuono, S., & Ganjar, I.G. (2005). Sitotoksitas phalerin hasil isolasi dari daun Mahkota Dewa (*phaleria macrocarpa* (scheff.) boerl) terhadap berbagai sel kanker manusia in vitro. *Maj Obat Trad*, 10(32), 5-9.
- WHO. (2016). Global Burden of Diabetes.
- Wijanarko H. (2005). Aktivitas phalerin hasil isolasi dari daun mahkota dewa (*Phaleria macrocarpa* (Scheff.) Boerl.) sebagai pemicu fagositosis makrofag dan antiradikal in vitro. Tesis. Universitas Gadjah Mada, Yogyakarta.
- Willcox, A., Richardson, S. J., Bone, A. J., Foulis, A. K., & Morgan, N. G. (2009). Analysis of islet inflammation in human type 1 diabetes. *Clin Exp Immunol*, 155(2), 173-181.
- Xiao, X., Gaffar I., Wiersch J., Fischbach, S., Peirish, L., El-Gohary, Y., et al. (2014) M2 macrophages promote beta-cell proliferation by up-regulation of SMAD7. *Proc Natl Acad Sci U S A*, 111(13), E1211-1220.

- Yosie, A., Effendy, M.A.W., Sifzizul, T.M.T., & Habsah, M. (2011). Antibacterial, radical-scavenging activities and cytotoxicity properties of *Phaleria Macrocarpa* (Scheff.) Boerl leaves in HEPG2 cell lines. *Int J Pharmac Sci Res*, 2, 1700-1706.
- Zang, M., Xu, S., Maitland-Tooland., K.A., Zuccollo, A., Hou, X., et al. (2006). Polyphenols stimulate AMP-activated protein kinase, lower lipid, and inhibit accelerated atherosclerosis in diabetic LDL receptor-deficient mice. *Diabetes*, 55(8), 2180-2191.