

## DAFTAR PUSTAKA

- Abelhady, M.I.S., Motaal, A.A., and Beerhucs, L., 2011, Total Phenolic Content and Antioksidan of Standardized Extracts from Leaves and Cell Cultures of Three Callistemon, *AJPS*, 2, 847-850
- Ammerman, N.C., Sexton, M.B. and Azad, A.F., 2008, Growth and Maintenance of Vero Cell Lines, *Curr. Protoc. Microbiol.*, 11, 1-7.
- Birch, A.J., Baldas, J., Hlubucek, J.R., Simpson, T.J., and Westerman, P.W., 1976, Biosynthesis of The Fugal Xanthone Ravelin, *J. Chem. Soc. Perkin Trans. I*, 8, 898-904.
- Boyd, M.R., Groweiss, A., and Cardellina, J.H., 2000, HIV-Inhibitory Prenylated Xanthenes and Flavones from *Maclura tinctoria*, *J. Nat. Prod.*, 63, 1537-1539.
- Cidade, H., Rocha, V., Palmeira, A., Marques, C., Tiritan, M.E., Ferreira, H., Lobo, J.S., Almeida, I.F., Sousa, M.E., and Pinto, M., 2017, In Silico and In Vitro Antioxidant and Cytotoxicity Evaluation of Oxygenated Xanthone Derivatives, *Arab. J. Chem.*, 1(6), 1-10.
- Chen A.Y., and Liu, L.F., 1994, DNA Topoisomerases: Essential Enzymes and Lethal Targets, *Annu. Rev. Pharmacol Toxicol.*, 34, 191-218.
- Chen, W., Qiu, J. and Shen, Y., 2012, Topoisomerase II $\alpha$ , rather than II $\beta$ , is a Promising Target in Development of Anti-cancer Drugs, *Drug Discov. Ther.*, 6(5), 230-237.
- Diderot, N.T., Silvere, N., and Etienne, T., 2006, Xanthone as Therapeutic Agents: Chemistry and Pharmacology, *Adv. Phytomed.*, 2, 273-298.
- Franca, H.S., Rocha, L., Fernande, C.P., Ruis, A.L.T. and Carvalho, J.E., 2013, Anti Proliferasi of Hexanic Extract and Phloroglucinols from *Hyperchum brasiliense*, *Brazilium J. Pharmacognosy*, 23, 844-847.
- Granoth, I. and Pownall, H J., 1975, Synthesis and Substituent Effect in the Nuclear Magnetic Resonance and Mass Spectra of Dimethyl- and Dihaloxanthenes, *J. Org. Chem.*, 40(14), 2088-2091.
- Grover, P.K., Shah, G.D., and Shah, R.C., 1954, A New Synthesis of Hydroxyxanthenes and Hydroxybenzophenones, *J. Sci. Ind. Res.*, 13, 3982-3985.
- Goodwin, E.C. and DiMaio, D., 2000, Repression of Human Pappiloma Virus Oncogenes in Hela Cervical Carcinoma Cells Causes The Orderly Reactivation of Dormant Tumor Suppressor Pathway, *Biochem.*, 97(23), 12513-12518.

- Halliwell, B. and Gutteridge, J.M.S., 1999, *Free Radicals In Biology and Medecine*, 3<sup>th</sup> ed., Oxford University Press. Inc., New York
- Hamilton, R.J. and Allen, J.C., 1994, *Radicity in Food*, Balckie, Academic and Professional, London.
- Hanahan, D. and Weinberg, R.A., 2011, The Hallmark of Cancer: The Next Generation, *Cell*, 144 (5), 646-647.
- Hande, 1998, Catalytic Topoisomerase II Inhibitors in Cancer Therapy, *Biochim. Biophys. Acta*, 1400, 173-184
- Harrington, K.J., 2011 Biological of Cancer, *J. Med. Chem.*, 39. 689-692
- IARC, 2012, GLOBOCAN 2012: Estimated Cancer Incidence, Mortality and Prevalence Worldwide in 2012, <http://globocan.iarc.fr> diakses 28 Agustus 2018.
- Jain, C.K., Majumder, H.K. and Roychoudhury S., 2017, Natural Compounds as Anticancer Agents Targeting DNA Topoisomerases, *Curr. Genomics*, 18, 75-92.
- Jun, K.Y., Lee, E.Y., Jung, M.J., Lee, O.H., Lee, E.S., Choo, H.Y.P., Na, Y. and Kwon, Y., 2011, Synthesis, Biological Evaluation, and Molecular Docking Study of 3-(3'-Heteroatom Substituted-2'-Hydroxy-1'-Propyloxy) Xanthone Analogues as Novel Topoisomerase II $\alpha$  Catalytic Inhibitor, *Eur. J. Med. Chem.*, 46, 1964-1971.
- Khan, M.T.H and Ather, A., 2006, Xanthonas as Therapeutic Agents: Chemistry and Pharmacology, *Lead Molecules from Natural Product*, 273-298.
- Krieger, J.L., Parrott, R.L. and Nussbaum, J.F., 2011, Metaphor Use and Health Literacy: A Pilot Study of Strategies to Explain Randomization in Cancer Clinical Trial, *J. Health Commun.*, 16 (1), 3-16.
- Krysko, D.V., Tom, V.B., Katharina, D.H. and Peter, V., 2008, Apoptosis and Necrosis: Detection, Discrimination and Phagocytosis, *Methods*, 44, 205-221.
- King, R.J.B., 2000, *Cancer Biology*, 2nd ed., Pearson Educational Limited, London.
- Kuete, V., Sandjo L.P., Nantchouang J.L., Fouotsa H., Wiench B., and Efferth T., 2014, Cytotoxicity and Modes of Action of Three Naturally Occurring Xanthonas (8-hydroxycudraxanthone G, Morusignin I and Cudraxanthone I) Against Sensitive and Multidrug-Resistant Cancer Cell Lines, *Pyto-med.*, 21, 315-322.
- Kuwai, T., Kitadai, Y., Tanaka, S., Onogawa, S., Matsutani, N., Kaio, E., Ito, M., and Chayama, K., 2003, Expression of Hypoxia-Inducible Factor 1 $\alpha$  is

Associated with Tumor Vaskularization in Human Colorectal Carcinoma, *Int. J. Cancer*, 105, 176-181.

Lacroix, M. and Leclercq, G., 2004, Relevance of Breast Cancer Lines as Models for Breast Tumors, *Breast Cancer Res. Treat.*, 83, 249-289.

Lee, H.S., Jo, S., Lim, H.S., and Im, W., 2012, Application of Binding Free Energy Calculation to Prediction of Binding Mode and Affinities of MDM2 and MDMX Inhibitors, *J. Chem. Inf. Model.*, 52(7), 1821-1832.

Lind, M.J., 2008, Principles of Cytotoxic Chemotherapy, *Med. J.*, 36 (1), 19-23.

Meng, X.Y., Zhang, H.X., Mezei, M. and Cui, M., 2011, Molecular Docking: A Powerful Approach for Structures-Based Drug Discovery, *Curr. Comput. Aided Drug Des.*, 7, 146-157.

Miladiyah, I., Jumina, Haryana, S.M., and Mustofa, 2018, Biological Activity, Quantitative Structure-Activity Relationship Analysis, and Molecular Docking of Xanthones Derivatives as Anticancer Drugs, *Drug Des. Devel. Ther.*, 12, 149-158.

Molyneux, P., 2004, The Use of Stable Free Radical Diphenylpicrylhydrazin (DPPH) for Estimating Antioxidant Activity, *J. Sci. Tech.*, 2, 211-219.

Mosmann, T., 1983, Rapid Colometric Assay for Cellular Growth and Survival: Application Proliferation and Cytotoxicity Assays, *J. Immunol. Methods.*, 65 (1), 55-63.

Nilar, L.H.D., Nguyen, G., Venkatraman, K.Y., Sim, L.J., and Harrizon, 2005, Xanthones and Benzophenones from *Garcinia griffithii* and *Garcinia mangostana*, *Phytochemistry*, 66, 1718-1723.

Nkengfack, E.A., Kounga, P.A., Fomun, T.Z., Meyer, M., and Bodo, B., 2002, Glubixanthones A and B, Two New Cytotoxic Xanthones with Isoprenoid Groups from The Root Bark of *Symphonia globurifer*, *J. Nat. Prod.*, 65, 734-736.

Osada, N., Kohara, A., Yamaji, T., Hirayama, N., Kasai, F., Sekizuke, T., Kuroda, M., and Hanada, K., 2014, The Genome Landscape of The African Green Monkey Kidney-Derived Vero Cell Line, *DNA Res.*, 21 (60), 673-683.

Perron, N.R., and Brumaghim, J.L., 2009, A Review of The Antioxidant Mechanism of Polyphenol Compounds Related to Iron Binding, *Cell Biochem. Biophys.*, 53(2), 75-100.

Pham-Huy, L.A., Hua, H., and Chuong, P.H., 2008, *Free Radicals, Antioxidant in Food Practical Application*, Wood Publishing Limited, Cambridge.

Pillai, R.K.M., Naiksatam, P., Johnson, F., Rajagopalan, R., Watts, P.C., Cricchio, R. and Borrás, S., 1986, Thermorubin II. 1,3-Dihydroxy-9-H-Xanthones

- and 1,3-Dihydroxy-9H-Xanthenes. New Methodes of Synthesis, *J. Org. Chem.*, 51 (5), 717–723.
- Pinto, M., Sousa, E., and Nascimento, M.S.J., 2005, Xanthones Derivatives: New Insight in Biological Activities, *Curr. Med. Chem.*, 12, 2517.
- Palozza, P., Serini, S., Manggiano, N., Tringali, G., Navara, P., Raneletti, F.O. and Calviello, G., 2005, Beta-carotene Downregulateds The Steady State and Heeguin Alpha-Induced COX-2 Pathways in Colon Cancer Cells, *J. Nutr.*, 36, 129-135.
- Rice-evans, C.A., Miller, M.J., Bolwell, P.G., Bramley, P.M., and Pridham, J.B., 1995, The Relative Antioxidant of Plant Derived Polyphenolic Flavonoid, *Free Radic. Res.*, 22 (4), 375-383.
- Robards, K., Antolovich, M., Prenzler, P.P., Patsalides, L., and McDonald, S., 2002, Methods for Testing Antioxidant Activity, *Analyst.*, 127, 183-198
- Saeki, T., Takashima, S., Tachibana, M., Koga, M., Hiyama, E., Solomon, D.S., Holland, J.F., and Ohnuma, T., 1999, Inhibitory Effect of Telomere-mimic Phosphorothioate Oligodeoxy Nucleotides (S-ODNS) on Human Tumor Cell Line, *Oncology*, 2, 27-36.
- Sarasin, A., 2003, An Overview of The Mechanisms of Mutagenesis and Carcinogenesis, *Mutation Research*, 544, 99-106.
- Schneider, K., 2001, *Couseling About Cancer: Strategies for Genetic Couseling*, 2<sup>nd</sup> ed., John Wiley and Sons, New York.
- Setha, B., Gaspersz, F., Fidors, A.P.S., Rahman, S., and Mailda, M.N., 2013, Potential of Seweed *Padina sp.* as a Source of Antioxidant, *Int. J. Sci. Tech. Res.*, 26, 221-224.
- Shagufta and Ahmad, I., 2016, Recent Insight Into Biological Activites of Synthetic Xanthone Derivatives, *Eur. J. Med. Chem.*, 58 (3), 1-30.
- Simstein, R., Burow, M., Parker, A., Weldon, C., and Beckman, B., 2003, Apoptosis, Chemoresistance, and Breast Cancer: Insight from The MCF-7 Cell Model System, *Exp. Biol. Med.*, 228 (9), 995-1003.
- Sousa, M.E. and Pinto, M.M.M., 2005, Synthesis of Xanthones: An Overview, *Current Med. Chem.*, 12, 2447-2479.
- Su, Q., Liu, Y., Cai, Y., Sun, Y., Wang, B., and Xian, L., 2011, Antitumor Effect of Xanthones Derivative and The Possible Mechanism of Action, *Invest. New Drug*, 29, 1230-1240.
- Suksamrarn, S., Suwannapoch, N., Phakhodee, W., Thanuhiranlert, J., Ratananukul, P., Chimnoi, N., and Suksamrarn, A., 2003,

Antimycobacterial Activity of Prenylated Xanthenes from the Fruits of *Garcinia mangostana*. *Chem. Pharm. Bull.*, 51 (7), 857-859.

- Tanaka, T., Sueyasu, T., Nonaka, G., and Nishioka, I., 1984, Isolation and Characterization of Galloyl and *p*-Hydroxybenzoyl Esters of Benzophenone and Xanthone C-Glucosides from *Mangifera indica* L., *Chem. Pharm. Bull.*, 32 (7), 2676-2686.
- Thurston, D.E., 2007, *Chemistry and Pharmacology of Anticancer Drug*, CRC Press, London.
- Trott, O. and Olson, A.J., 2010, AutoDock Vina: Improving The Speed and Accuracy of Docking with New Scoring Function, Efficient Optimization and Multithreading, *J. Comput. Chem.*, 31, 455-461.
- Woo, S., Jung, J., Lee, C., Kwon, Y., and Na, Y., 2007, Synthesis of New Xanthone Analogues and Their Biological Activity Test-Cytotoxicity, Topoisomerase II Inhibition, and DNA cross-linking study, *Bioorg. Med. Chem. Lett.*, 17, 1163-1166.
- Wu, C.C., Li, Y.C., Wang, Y.R., Li, T.K., and Chan, N.L., 2013, On The Structural Basis and Design Guidelines for Type II Topoisomerase-Targeting Anticancer Drugs, *Nucleic Acids Res.*, 2013, 41 (22), 10630–10640.
- Yasumura, Y. and Kawakita, Y., 1963, A Line of Cells Derived from African Green Monkey Kidney, *Nippon Rinsho*, 21, 1209-1210.
- Yuanita, E., Pranowo, H.D.P., Siswanta, D., Swasono, R.T., Mustofa, Zulkarnain, A.K., Syahri, J., and Jumina., 2018, One Pot Synthesis, Antioxidant Activity and Toxicity Evaluation of Some Hydroxyxanthenes, *Chem. Chem. Techol.*, 12 (3), 290-295.
- Yuriev, E., Agostino, M. and Ramsland, P.A., 2011, Challenges and Advance in Computational Docking: 2009 in Review, *J. Mol. Recognit.* 24, 149-164.
- Yue, Q.X., Liu, X. And Guo, D.A., 2010. Microtubule-Binding Natural Products for Cancer Therapy, *Planta Med.*, 76 (11), 1037–1043.
- Zarena, A.S. and Sankar, K.U., 2009, Supercritical Carbondioxide Extraction of Xanthenes with Antioxidant Activity from *Garcinia mangostana*: Characterization by HPLC/LC-ESI-MS, *J. Supercrit. Fluids*, 49, 330-337.
- Zhou, B.D., Zeng, L.L., Tong, Y.G., Fang, J.Y., Ruan, Z.P., Zeng, X.Y., Yuan, Y.Y., Fang, Xu, G.F., and Hu, D.B., 2018, Synthesis and Antitumor, Antityrosinase, and Antioxidant Activities of Xanthone, *J. Asian Nat. Prod. Res.*, 1, 1-10.