



## DAFTAR PUSTAKA

- American Society for Testing and Machine. 1985. *Annual Book of ASTM Standards Section 4 Construction Volume 04.09 Wood: D 2016-74 Moisture Content of Wood*. Easton, M.D. U.S.A.
- \_\_\_\_\_. 1985. *Annual Book of ASTM Standards Section 4 Construction Volume 04.09 Wood: D 3345 Laboratory Evaluation of Wood and Other Cellulosic Materials for Resistance to Termites*. Easton, MD, U.S.A.
- Allegretti, O., Travan, L., and Cividini, R. 2009, April. *Drying techniques to obtain white beech*. In Proc. of European Drying Group Conference (Vol. 23, pp. 7-13).
- Archer, K dan S. Lebow. 2006. *Wood Preservation dalam Primary Wood Processing Principles and Practice 2<sup>nd</sup> edition by John C.F. Walker*. Springer, Dordrecht, The Netherlands.
- Ates, S., Akyildiz, M. H., Ozdemir, H., and Gumuskaya, E. 2010. *Technological and chemical properties of chestnut (Castanea sativa Mill.) wood after heat treatment*.
- Awoyemi, L., and Westermarck, U. 2005. Effects of borate impregnation on the response of wood strength to heat treatment. *Wood Science and Technology*, 39(6), 484-491.
- Aydemir, D., and Gündüz, G. 2009. The effect of heat treatment on physical, chemical, mechanical and biological properties of wood. *Bartın Orman Fakültesi Dergisi*. 11(15). 71-81.
- Badan Standardisasi Nasional. 2006. SNI 01-7207 *Uji Ketahanan Kayu dan Produk Kayu Terhadap Organisme Perusak Kayu*. Badan Standardisasi Nasional.
- Barčík, Š., Gašparík, M., and Razumov, E. Y. 2015. Effect of thermal modification on the colour changes of oak wood. *Wood research*. 60(3). 385-396.
- Basri, E dan Wahyudi. 2013. Sifat Dasar Kayu Jati Plus Perhutani Dari Berbagai Umur dan Kaitannya dengan Sifat dan Kualitas Pengeringan. *Jurnal Penelitian Hasil Hutan* Vol. 31 No. 2, Juni 2013: 93-102.
- Baysal, E. (2008). Some physical properties of varnish coated wood preimpregnated with copper-chromated boron (CCB) after 3 months of weathering exposure in southern eagen sea region. *Wood Research*. 53(1). 43-54.
- Baysal, E., Dizman Tomak, E., Ozbey, M., and Altin, E. 2014. Surface properties of impregnated and varnished Scots pine wood after accelerated weathering. *Coloration Technology*, 130(2), 140-146.
- Bekhta, P., and Niemz, P. 2003. Effect of high temperature on the change in color, dimensional stability and mechanical properties of spruce wood. *Holzforschung*, 57(5), 539-546.



- Bhat, K. M., and Florence, E. M. 2003. Natural decay resistance of juvenile teak wood grown in high input plantations. *Holzforschung*, 57(5), 453-455.
- Bignell, D.E., y. Roisin, N. Lo. 2011. *Biology of Termites: A Modern Synthesis*. ISBN 978-90-481-3976-7. Springer Dordrecht Heidelberg London New York.
- Bird, R. B., Stewart, W. E., and Lightfoot, E. N. 2002. *Transport Phenomena 2nd edition*. John Wiley and Sons. New York.
- Boonstra, M. J., and Tjeerdsma, B. 2006. Chemical analysis of heat treated softwoods. *Holz als Roh-und Werkstoff*, 64(3), 204.
- Boonstra, M. J., Van Acker, J., Tjeerdsma, B. F., and Kegel, E. V. 2007. *Strength properties of thermally modified softwoods and its relation to polymeric structural wood constituents*. *Annals of forest science*, 64(7), 679-690.
- Bowyer, J. L., R. Shmulsky and J. G. Haygreen. 2007. *Forest Product and Wood Science An Introduction Fifth Edition*. Blackwell Publishing Professional. Iowa.
- Brito, J. O., Silva, F. G., Leão, M. M., and Almeida, G. 2008. *Chemical composition changes in eucalyptus and pinus woods submitted to heat treatment*. *Bioresource technology*, 99(18), 8545-8548.
- Bryce, H.J. 1977. *Small Cities in Transition: The Dynamics of Growth and Decline*. Cambridge: Ballinger Publishing Company.
- Bourgeois, J., Janin, G., and Guyonnet, R. 1991. *The color measurement: a fast method to study and to optimize the chemical transformations undergone in the thermically treated wood*. *Holzforschung* (Germany, FR).
- Cademartori, P. H. G. D., Missio, A. L., Mattos, B. D., and Gatto, D. A. 2015. Effect of thermal treatments on technological properties of wood from two Eucalyptus species. *Anais da Academia Brasileira de Ciências*, 87(1), 471-481.
- Chen, Y., Gao, J., Fan, Y., Tshabalala, M. A., and Stark, N. M. 2012. *Heat-induced chemical and color changes of extractive-free black locust (Robinia pseudoacacia) wood*. *BioResources*, 7(2), 2236-2248.
- Cuccui, I., Negro, F., Zanuttini, R., Espinoza, M., and Allegretti, O. 2017. *Thermo-Vacuum Modification of Teak Wood from Fast-Growth Plantation*. *BioResources*, 12(1), 1903-1915.
- Desch, H.E. dan J.M. Dinwoodie. 1981. *Timber Its Structure, Properties and Utilisation 6<sup>th</sup> Edition*. MacMillan Education LTD. London.
- Dos Santos, D. V. B., de Moura, L. F., and Brito, J. O. (2014). *Effect of heat treatment on color, weight loss, specific gravity and equilibrium moisture content of two low market valued tropical woods*. *Wood Res*, 59, 253-264.



- Dubey, M. K., Pang, S., and Walker, J. 2010. *Color and dimensional stability of oil heat-treated radiata pinewood after accelerated UV weathering*. Forest Products Journal, 60(5), 453-459.
- Dzurenda, L. (2018). *The shades of color of Quercus robur L. wood obtained through the processes of thermal treatment with saturated water vapor*. BioResources, 13(1), 1525-1533.
- Esteves, B., and Pereira, H. 2007. *Influence of heat treatments in pine wood extractives*, Submitted to Journal of Wood Chemistry and Technology.
- Esteves, B., and Pereira, H. 2008. *Wood modification by heat treatment: A review*. BioResources, 4(1), 370-404.
- Esteves, B., Pereira H., dan Domingos I. 2008. Pine wood modification by heat treatment in air. BioResources, 142-154.
- Evans, P., Chowdhury, M. J., Mathews, B., Schmalzl, K., Ayer, S., Kiguchi, M., and Kataoka, Y. 2005. *Weathering and surface protection of wood*. In Handbook of environmental degradation of materials (pp. 277-297).
- Feist, W. C., and Hon, D. N. S. 1984. *Chemistry of weathering and protection*. The chemistry of solid wood, 207, 401-451.
- Fengel, D. dan Wegener, G. 1995. *Kayu: Kimia, Ultrastruktur, Reaksi-Reaksi*. Terjemahan Hardjono Sastrohamidjojo. Yogyakarta: Gadjah Mada University Press.
- Lukmandaru, G., Hasanah, M., dan Retnaningrum, N. I. 2017. Ketahanan terhadap Rayap, Sifat Kimia, dan Warna Kayu Jati dari Hutan Rakyat di Kulon Progo (Termite Resistance, Chemical, and Colour Properties of Teak Wood from Community Forests of Kulon Progo). Jurnal Ilmu dan Teknologi Kayu Tropis, 15(2), 118-132.
- Ghaiehno, M.D. dan Nazerian, M. 2011. *Changes in the Physical and Mechanical Properties of Iranian Hornbeam Wood (pinus betulus) with Heat Treatment*. European Journal of Scientific Research, 51(4): 490-498.
- Grace, J.K. 2013. *Invasive Termites and Wood Protection*. Proceeding of the American Wood Protection Association 109: 42-51.
- Garcia, R. A., de Oliveira Lopes, J., do Nascimento, A. M., and de Figueiredo Latorraca, J. V. 2014. *Color stability of weathered heat-treated teak wood*. Maderas. Ciencia y tecnología, 16(4), 453-462.
- Gonzalez de Cademartori, P. H., Schneid, E., Gatto, D. A., Martins Stangerlin, D., and Beltrame, R. 2013. *Thermal modification of Eucalyptus grandis wood: variation of colorimetric parameters*. Maderas. Ciencia y tecnología, 15(1), 57-64.
- Gurleyen, L., Ayata, U., Esteves, B., and Cakicier, N. 2017. *Effects of heat treatment on the adhesion strength, pendulum hardness, surface roughness, color and*



- glossiness of Scots pine laminated parquet with two different types of UV varnish application*. Maderas. Ciencia y tecnología, 19(2), 213-224.
- Hadjib N, Muslich M, dan Sumarni G. 2006. Sifat fisis dan mekanis kayu jati super dan jati lokal dari beberapa daerah penanaman. *Jurnal Penelitian Hasil Hutan* 24(4), 13-31.
- Haygreen, J. G., dan Bowyer, J. L. 1989. *Hasil Hutan dan Ilmu Kayu, Terjemahan Ir. H.A.Sutjipto*, Gadjah Mada University Press, Yogyakarta.
- Herwanto, H., Sutijasno dan Wibowo, A. 2007. *Kajian Jati Plus Perhutani (JPP)*. Pusat Penelitian dan Pengembangan, Perum Perhutani. Cepu.
- Hidayati F, Ishiguri F, Iizuka K, Makino K, Marsoem SN, and Yokota S. 2014. Among-clone variations of anatomical characteristics and wood properties in *Tectona grandis* planted in Indonesia. *Wood and Fiber Science* 46(3), 1-9.
- Hill, C. A. 2006. *Wood modification: chemical, thermal and other processes* (Vol. 5). John Wiley and Sons.
- Homan, WJ. dan Jorissen AJ.M. 2004. *Wood Modification Developments*. HERON Vol. 49. No.4
- Hon, D. N. S., and Shiraishi, N. 1991. *Wood and cellulosic chemistry*. New York: M.
- Hunt, G.M. dan Garrat, G.A. 1986. *Pengawetan Kayu (Diterjemahkan oleh Ir. Mohammad Jusuf dan disunting oleh Prof. Dr. Soenardi Prawirohatmodjo)*. CV. Akademika Pressindo. Jakarta.
- Ibach, R.E. 1999. *Wood Preservation Chapter 14 Wood Handbook—Wood as Engineering Material*. Gen. Tech. Rep. FPL-GTR-113. Madison, WI : U.S. Department of Agriculture, Forest Service, Forest Product Laboratory 463.p
- Jamsa, S. dan Viitaniemi, P. 2001. *Heat Treatment of Wood, Better Durability without Chemicals*. Proceeding. Review on Heat Treatment of Wood. European Thematic Network for Wood Modification. BFH The Federal Research Centre for Forestry and Forest Products. Germany.
- Jankowska, A., and Kozakiewicz, P. 2014. *Influence of thermal modification of Scots pine wood (Pinus sylvestris L.) on color changes*. *Annals of Warsaw University of Life Sciences-SGGW. Forestry and Wood Technology*, 88.
- Jones, D. dan Howard N. 2004. *Improvement in the Durability of UK Grown Timbers by Various Wood Modification Techniques*. COST E22 Final Conference.
- Kartal, S. N., Hwang, W. J., and Imamura, Y. 2008. *Combined effect of boron compounds and heat treatments on wood properties: Chemical and strength properties of wood*. *Journal of Materials Processing Technology*, 198(1-3), 234-240.



- Keogh, R. M. 2009. *The future of teak and the high-grade tropical hardwood sector*. Planted Forests and Trees Working Papers (FAO).
- Kocaefe, D., Poncsak, S., and Boluk, Y. 2008. Effect of thermal treatment on the chemical composition and mechanical properties of birch and aspen. *BioResources*, 3(2), 517-537.
- Koch, G., Bauch, J., Puls, J., Schwab, E., and Welling, J. 2000. *Holzverfärbungen der Rotbuche (Fagus sylvatica L.) und Möglichkeiten vorbeugender Maßnahmen*. *Holz-Zentralblatt*, 126(6), 74-75.
- Korkut, S., Akgül, M., and DüNDAR, T. 2008. *The effects of heat treatment on some technological properties of Scots pine (Pinus sylvestris L.) wood*. *Bioresource Technology*, 99(6), 1861-1868.
- Korkut, S., and Hiziroglu, S. 2009. *Effect of heat treatment on mechanical properties of hazelnut wood (Corylus colurna L.)*. *Materials and Design*, 30(5), 1853-1858.
- Lebow, S.T. 2006. *Preservative-Treated Wood and Alternative Products in the Forest Service*. USDA Forest Service Technology and Development Program Missoula, MT.
- Malik, J., Ozarska, B., and Santoso, A. 2017. *Colour changes and Morphological performance of impregnated jabon wood using polymerised merbau extractives*. *Maderas. Ciencia y Tecnología*, 20(1).
- Marsoem, S.N. 2011. *Karakteristik Sifat Fisika, Mekanika dan Kimia Kayu Terhadap Proses dan Kualitas Hasil Pengeringan dalam Pengeringan Kayu dan Solusi Permasalahannya*. Cakrawala Media. Yogyakarta.
- Martawijaya, A., I. Kartasudjana. Y. I. Mandang, S.A. Prawira, dan K. Kadir. 2005. *Atlas Kayu Indonesia Jilid I*. Departemen Kehutanan, Badan Penelitian dan Pengembangan Kehutanan. Bogor.
- Matsuo, M., Yokoyama, M., Umemura, K., Sugiyama, J., Kawai, S., Gril, J., and Imamura, M. 2011. *Aging of wood: analysis of color changes during natural aging and heat treatment*. *Holzforschung*, 65(3), 361-368.
- Mattos, B. D., Missio, A. L., de Cademartori, P. H., Gatto, D. A., and Magalhães, W. L. 2016. *Color changes of wood from Pinus taeda and Schizolobium parahybum treated by in situ polymerization of methyl methacrylate using cross-linkers*. *Maderas. Ciencia y tecnología*, 18(1), 113-124.
- Mburu, F., Dumarçay, S., Bocquet, J. F., Petrissans, M., and Gérardin, P. 2008. *Effect of chemical modifications caused by heat treatment on mechanical properties of Grevillea robusta wood*. *Polymer Degradation and Stability*, 93(2), 401-405.
- Méndez-Mejías, L. D., and Moya, R. 2018. *Effect of Thermo-Treatment on the Physical and Mechanical, Color, Fungal Durability of Wood of Tectona*



- Grandis and Gmelina Arborea from Forest Plantations*. Materials Science, 24(1), 59-68.
- Militz, H. dan Tjeerdsma B. 2001. *Heat Treatment of Wood by The "Plato-Process"*. Review on Heat Treatments of Wood. European Thematic Network for Wood Modification. Hamburg-Jerman
- Militz, H. 2002. *Heat Treatment Technologies in Europe: scientific Background and Technological State-of-Art*. Proceeding of conference on "Enhancing the durability of lumber and engineered wood product". Forest Product Society. Madison. US.
- Mohebbi, B. dan Sanaei I. 2005. *Influences of The hydro-thermal Treatment on Physical Properties of Beech Wood (Fagus orientalis)*. The International Research Group on Wood Protection. Paper prepared for the 36<sup>th</sup> Annual Meeting, Bangalore, India.
- Moliński, W., Roszyk, E., Jabłoński, A., Puszyński, J., and Cegiela, J. 2018. Mechanical parameters of thermally modified ash wood determined on compression in tangential direction. Maderas. Ciencia y tecnología, 20(2), 267-276.
- Mononen, K., Alvila, L., and Pakkanen, T. T. 2002. *CIEL\* a\* b\* measurements to determine the role of felling season, log storage and kiln drying on coloration of silver birch wood*. Scandinavian journal of forest research, 17(2), 179-191.
- Moya, R., and Berrocal, A. 2010. *Wood colour variation in sapwood and heartwood of young trees of Tectona grandis and its relationship with plantation characteristics, site, and decay resistance*. Annals of Forest Science, 67(1), 109.
- Muharyani, N., dan Prayitno, I. T. A. 2013. *Pengaruh Suhu Dan Metode Pemanasan Terhadap Sifat Kayu Jati Plus Perhutani Umur 5 Tahun* (Dissertation, Universitas Gadjah Mada).
- Musinguzi, W. B., Okure, M. A. E., Wang, L., Sebbit, A., and Lovas, T. 2011. *Thermal Characterization of Uganda's Acacia Hockii, Combertum Molle, Eucalyptus Grandis and Terminalian Glaucescens for Gasification*. Biomass Bioenerg. 46(3), 402-408.
- Nejad, M. 2011. Coating performance on preservative treated wood (Doctoral dissertation).
- Nicholas, D.D. 1973. *Kemunduran (Deteriorasi) Kayu dan Pencegahannya Dengan Perlakuan-Perlakuan Pengawetan*. Diterjemahkan oleh Ir. Haryanto Yoedodibroto, Msc. Airlangga University Press. Surabaya.
- Nowaczyk-Organista, M. 2009. *Protection of birch and walnut wood colour from the effect of exposure to light using ultra-fine zinc white*. Drewno: prace naukowe, doniesienia, komunikaty, 52, 19-41.



- Nunes, L., Nobre, T., and Rapp, A. 2004. *Thermally modified wood in choice tests with subterranean termites*. COST E37, Reinbeck.
- Orfao, J. J. M., Antunes, F. J. A., and Figueiredo, J. L. 1999. *Pyrolysis kinetics of lignocellulosic materials—three independent reactions model*. *Fuel*, 78(3), 349-358.
- Panshin, A.J., dan C. de Zeeuw. 1980, *Textbook of Wood Technology Third Edition. Volume I : Structure, Identification, Uses and Properties of The Commercial Woods of United State and Canada*, McGraw-Hill, New York.
- Pařil, P., Baar, J., Āermák, P., Rademacher, P., Pucek, R., Sivera, M., and Panáček, A. 2017. *Antifungal effects of copper and silver nanoparticles against white and brown-rot fungi*. *Journal of Materials Science*, 52(5), 2720-2729.
- Perçin, O., Sofuoglu, S. D., and Uzun, O. 2015. *Effects of boron impregnation and heat treatment on some mechanical properties of oak (Quercus petraea Liebl.) wood*. *BioResources*, 10(3), 3963-3978.
- Perhutani. 2014. [www.puslitbangperhutani.com](http://www.puslitbangperhutani.com)
- Perhutani. 2014. Suara Rimba. (<http://www.bumn.go.id/perhutani/halaman/144>)
- Prawirohatmodjo, S. 2012. *Sifat-Sifat Fisika Kayu Pelajaran Yang Berharga Untuk Perbaikan Kualitas Produk*. Cakrawala Media. Yogyakarta.
- Pervan, S., Gorisek Z., Humar M.f Prekrat S. dan Straze A. 2006. *Effect of Steaming on Colour and Chemistry of Cherrywood (Prunus avium L.)*.
- Pincelli, S. M., Piedade, A. L., De Moura, L. F., and Brito, J. O. 2012. *Effect of thermal rectification on colors of Eucalyptus saligna and Pinus caribaea woods. Maderas. Ciencia y tecnología*, 14(2), 239-248.
- Poerwokoesoema, S. 1956. *Jati Jawa (Tectona grandis Linn)*. Terjemahan Yayasan Fakultas Kehutanan. Universitas Gadjah Mada.
- Poletto, M., Dettenborn, J., Pistor, V., Zeni, M., and Zattera, A. J. 2010. *Materials produced from plant biomass: Part I: evaluation of thermal stability and pyrolysis of wood*. *Materials Research*, 13(3), 375-379.
- Poletto, M., Zattera, A. J., Forte, M. M., and Santana, R. M. 2012. *Thermal decomposition of wood: Influence of wood components and cellulose crystallite size*. *Bioresource Technology*, 109, 148-153.
- Putra, H.P., dan Listyanto, T. 2018. *Sifat Keawetan Alami Dan Cara Pengawetan Kayu Jati Plus Perhutani (JPP)*. (Dissertation, Universitas Gadjah Mada).
- Råberg, U., Edlund, M. L., Terziev, N., and Land, C. J. 2005. *Testing and evaluation of natural durability of wood in above ground conditions in Europe—an overview*. *Journal of Wood Science*, 51(5), 429-440.



- Rapp, A.O. dan Sailer. M. 2001 .*Oil Heat Treatment of Wood in Germany-State of The art. Review on Heat Treatments of Wood*. European Thematic Network for Wood Modification. Hamburg-Jerman.
- Roll, D. 2003. *Wood Preservation Category 4b*. Ohio Department of Agriculture.
- Rowell, R. M., Pettersen, R., Han, J. S., Rowell, J. S., and Tshabalala, M. A. 2005. *Cell wall chemistry*. Handbook of wood chemistry and wood composites. Boca Raton, Fla.: CRC Press, 2005: pages 35-74.
- Sandermann, W. 1966. *Holzinhaltstoffe, ihre Chemie und Biochemie*. Naturwissenschaften, 53(20), 513-525.
- Santos, J. A. 2000. *Mechanical behaviour of Eucalyptus wood modified by heat*. Wood Science and Technology, 34(1), 39-43.
- Seng, O.D. 1990. *Berat Jenis dari Jenis-jenis Kayu Indonesia dan Pengertian Beratnya Kayu Untuk Keperluan Praktek Cetakan Kedua*. Diterjemahkan oleh Soewarsono P.H. Pusat Penelitian dan Pengembangan Hasil Hutan. Bogor.
- Shelton, T.G., W. Foshee, dan A.G. Appel. 2000. *Drywood Termite Biology, Identification, and Control*. Alabama A and M Auburn Universities.
- Shi, J. L., Kocaeffe, D., and Zhang, J. 2007. Mechanical behaviour of Québec wood species heat-treated using ThermoWood process. *Holz als Roh-und Werkstoff*, 65(4), 255-259.
- Simsek, H., Baysal, E., and Peker, H. 2010. *Some mechanical properties and decay resistance of wood impregnated with environmentally-friendly borates*. Construction and Building Materials, 24(11), 2279-2284.
- Sinković, T., Govorčin, S., and Sedlar, T. 2012. *Comparison of physical properties of heat treated and untreated hornbeam wood, beech wood, ash wood and oak wood*. In *Hardwood Science and Technology*.
- Srinivas, K., and Pandey, K. K. 2012. *Effect of heat treatment on color changes, dimensional stability, and mechanical properties of wood*. Journal of Wood Chemistry and Technology, 32(4), 304-316.
- Standard, B. 1957. *Methods of Testing Small Clear Specimen of Timber*. British Standard Institution. BS 373: 1957. 31pp.[2] British Standard Code of Practice CP 112: 1967. British Standards Institute, London.
- Sulistyo J and Marsoem SN. 2000. Pengaruh umur terhadap sifat fisika dan mekanika kayu jati (*Tectona grandis* L.f). Prosiding Seminar Nasional II MAPEKI. Yogyakarta, 2-3 September 1999. 49-63.
- Sumarna, Y. 2003. *Budidaya Tanaman Jati*. Jakarta: Penebar Swadaya.
- Sun, B., Wang, X., and Liu, J. 2013. *Changes in dimensional stability and mechanical properties of Eucalyptus pellita by melamine-urea-formaldehyde*



- resin impregnation and heat treatment*. European Journal of Wood and Wood Products, 71(5), 557-562.
- Syrjänen, T., Oy, K., Jämsä, S., and Viitaniemi, P. 2000. *Heat treatment of wood in Finland-state of the art*. Proceedings of the Trä skydd-, vä rmebehandlat trä-, egenskaper och anv ä ndningsomra den, Stockholm, Sweden, 21.
- Taghiyari, H. R. 2011. *Study on the effect of nano-silver impregnation on mechanical properties of heat-treated Populus nigra*. Wood science and technology, 45(2), 399-404.
- Taghiyari, H. R. 2013. Effects of heat-treatment on permeability of untreated and nanosilver-impregnated native hardwoods. Maderas. Ciencia y tecnología, 15(2), 183-194.
- Tarumingkeng, R. C. 1971. *Biologi dan pengenalan rajap perusak kaju di Indonesia*. Indonesia Lembaga Pusat Penyelidikan Kehutanan Laporan.
- Temiz, A., Yildiz, U. C., Aydin, I., Eikenes, M., Alfredsen, G., and Çolakoglu, G. 2005. *Surface roughness and color characteristics of wood treated with preservatives after accelerated weathering test*. Applied surface science, 250(1-4), 35-42.
- Thulasidas, P. K., Bhat, K. M., and Okuyama, T. 2006. *Heartwood colour variation in home garden teak (Tectona grandis) from wet and dry localities of Kerala, India*. Journal of Tropical Forest Science, 51-54.
- Tomak, E. D., Viitanen, H., Yildiz, U. C., and Hughes, M. 2011. *The combined effects of boron and oil heat treatment on the properties of beech and Scots pine wood. Part 2: Water absorption, compression strength, color changes, and decay resistance*. Journal of Materials Science, 46(3), 608-615.
- Tuong, V. M., and Li, J. 2010. *Effect of heat treatment on the change in color*. BioResources, 5(2), 1257-1267.
- USDA. 2016. *Plants Database* . Nature Resources Conservation Service. United States Department of Agriculture.
- Vernois, M. 2001. *Heat treatment of wood in France—state of the art*. In Proceedings of Special Seminar “Review on heat treatments of wood”, Antibes, France.
- Wahyudi I dan Arifien AF. 2005. Perbandingan struktur anatomis, sifat fisis, dan sifat mekanis kayu jati unggul dan kayu jati konvensional. Jurnal Ilmu dan Teknologi Kayu Tropis 3(2), 9-15.
- Wahyuni, I., Adi, D. S., Dwi Ajias, P., Amin, Y., Darmawan, T., Jayadi, S., dan Dwianto, W. *Pengaruh Umur Terhadap Komponen Kimia Kayu Jati Platinum*. Laporan Teknik Akhir Tahun 2014, 46.
- Wang, J. Y., and Cooper, P. A. 2005. *Effect of oil type, temperature and time on moisture properties of hot oil-treated wood*. Holz als Roh-und Werkstoff, 63(6), 417-422.



- Wei, Y., Wang, M., Zhang, P., Chen, Y., Gao, J., and Fan, Y. 2017. *The role of phenolic extractives in color changes of locust wood (Robinia pseudoacacia) during heat treatment*. BioResources, 12(4), 7041-7055.
- White, R. H., and Dietenberger, M. A. 2001. Wood products: thermal degradation and fire. Encyclopedia of materials: science and technology.[SI]: Elsevier Science Ltd, c2001: Pages 9712-9716.
- Williams, R. S. 2005. *Weathering of wood*. Handbook of wood chemistry and wood composites, 7, 139-185.
- Xie, Y., Fu, Q., Wang, Q., Xiao, Z., and Militz, H. 2013. *Effects of chemical modification on the mechanical properties of wood*. European Journal of Wood and Wood Products, 71(4), 401-416.
- Yalinkiliç, M. K., Ilhan, R., Imamura, Y., Takahashi, M., Demirci, Z., Yalmkiliç, A. C., and Peker, H. 1999. *Weathering durability of CCB-impregnated wood for clear varnish coatings*. Journal of wood science, 45(6), 502-514.
- Zaman, A., Alén, R., and Kotilainen, R. 2007. Thermal behavior of Scots pine (*Pinus sylvestris*) and silver birch (*Betula pendula*) at 200-230. Wood and fiber science, 32(2), 138-143.
- Zanuncio, A. J. V., Motta, J. P., da Silveira, T. A., Farias, E. D. S., and Trugilho, P. F. 2013. *Physical and colorimetric changes in Eucalyptus grandis wood after heat treatment*. BioResources, 9(1), 293-302.
- Zanuncio, A. J. V., Carvalho, A. G., da Silva, L. F., da Silva, M. G., Carneiro, A. D. C. O., and Colodette, J. L. 2017. *Prediction of the physical, mechanical and colorimetric properties of Eucalyptus grandis heat-treated wood using artificial neural networks Predição das propriedades físicas, mecânicas e colorimétricas da madeira terMorretificada de Eucalyptus grandis com redes neurais artificiais*. Scientia Forestalis, 45(113), 109-118.
- Yildiz, S., Gezer, E. D., and Yildiz, U. C. 2006. *Mechanical and chemical behavior of spruce wood modified by heat*. Building and environment, 41(12), 1762-1766.
- Yunianti AD, Wahyudi I, Siregar IZ, dan Pari G. 2011. Kualitas kayu jati klon dengan jarak tanam yang berbeda. Jurnal Ilmu dan Teknologi Kayu Tropis 9(1), 93-100.