



## DAFTAR PUSTAKA

- Broto, G.W. (2018) 'Perbandingan pengaruh jahitan menggunakan benang polyvinylidene fluoride dan polyglycolide dengan teknik *large stitch* kontinyu terhadap ekspresi TGF- $\beta$  pada garis insisi fascia abdomen tikus galur wistar (*rattus norvegicus*)', Universitas Gadjah Mada, pp. 1-40.
- Burger, J. W. A., Riet, M. Van and Jeekel, J. (2002) 'Abdominal incisions: Techniques and Postoperative Complications', *Scandinavian Journal of Surgery*, 91, pp. 315–321.
- Ceydeli, A., Rucinski, J. and Wise, L. (2007) 'Finding the best abdominal closure - An evidence-based overview of the literature', *Recurrent Hernia: Prevention and Treatment*, pp. 117–122. doi: 10.1007/978-3-540-68988-1\_14.
- Choudhary, A., Bansal, N. and Chaudhari, P. (2017) 'Closure of Pfannenstiel skin incisions in cesarean sections: comparison of wound outcomes with interrupted mattress vs . subcuticular suture', 6(7), pp. 2964–2968.
- Dahlan, S. (2011) '*Statistik Untuk Kedokteran dan Kesehatan*', Edisi 5, Jakarta: Salemba Medika.
- D'Souza, R.. and Novell, R. (2013) 'Laparotomy: Elective and Emergency', in Novell, R., Baker, D. M., and Goddard, N. (eds) *Kirk's General Surgical Operations*. Sixth Ed. Edinburgh: Churchill Livingstone Elsevier, pp. 38–56.
- Deerenberg, E. B. *et al.* (2015) 'Small bites versus large bites for closure of abdominal midline incisions (STITCH): A double-blind, multicentre, randomised controlled trial', *The Lancet*. Elsevier Ltd, 386(10000), pp. 1254–1260. doi: 10.1016/S0140-6736(15)60459-7.
- Ekdahl K.N, J. D. Lambris, H. Elwing, D. Ricklin, P. H. Nilsson, Y. Teramura, I. A. Nicholls and B. Nilsson. Innate immunity activation on biomaterial surfaces: a mechanistic model and coping strategies. *Adv Drug Deliv Rev*, 2011, 63, 1042-1050.
- Faiz, O. and Moffat, D. (2002) *Anatomy at a Glance [e-Book]*. doi: 10.5005/jp/books/10050.



- Gaikwad, V., Kapoor, R. and Thambudurai, R. (2009) 'An ideal suture for midline abdominal closure?', *Indian Journal of Surgery*, 71(3), pp. 128–132. doi: 10.1007/s12262-009-0036-1.
- Gallucci, R. M. (2000) 'Impaired cutaneous wound healing in interleukin-6-deficient and immunosuppressed mice', *The FASEB Journal*, 14(15), pp. 2525–2531. doi: 10.1096/fj.00-0073com.
- Gomes, A. *et al.* (2017) 'Wound-healing peptides for treatment of chronic diabetic foot ulcers and other infected skin injuries', *Molecules*, 22(10), pp. 1–18. doi: 10.3390/molecules22101743.
- Gurusamy, K. S. *et al.* (2014) 'Continuous versus interrupted skin sutures for non-obstetric surgery', *Cochrane Database of Systematic Reviews*, (2). doi: 10.1002/14651858.CD010365.pub2.
- Hodgson, N. C. F., Malthaner, R. A. and Østbye, T. (2000) 'The search for an ideal method of abdominal fascial closure: A meta- analysis', *Annals of Surgery*, 231(3), pp. 436–442. doi: 10.1097/00000658-200003000-00018.
- Indrawan, I. and Dachlan, I. (2016) 'Perbandingan pengaruh aplikasi aloe vera, madu, saliva dan putih telur terhadap ekspresi interleukin-6 pada proses penyembuhan luka insisi kulit tikus', Universitas Gadjah Mada, pp. 1-14.
- Islam, A. and Ehsan, A. (2011) 'Comparison of suture material and technique of closure of subcutaneous fat and skin in caesarean section', *North American Journal of Medical Sciences*, 3(2), pp. 85–88. doi: 10.4297/najms.2011.385.
- Israelsson, L. A. and Millbourn, D. (2013) 'Prevention of incisional hernias. How to close a midline incision.', *Surgical Clinics of North America*, pp. 1027–1040. doi: 10.1016/j.suc.2013.06.009.
- Jonhson, M. (2012) *Laboratory Mice and Rats, Labome/Synatom Research*. Available at: <http://dx.doi.org/10.13070/mm.en.2.113>.
- Klein, M.B. (2008). Thermal, chemical, and electrical injuries. Dalam: Thorne C.H., penyunting. Grabb & Smith's plastic surgery. Edisi ke-6. Philadelphia: Lippincott Williams & Wilkins.
- Kreszinger, M. *et al.* (2007) 'Wound strength after midline laparotomy: a comparison of four closure techniques in rats', *Veterinarski arhiV*, 77(5), pp. 397–408.



- Kudur, M. *et al.* (2009) 'Sutures and suturing techniques in skin closure', *Indian Journal of Dermatology, Venereology and Leprology*, 75(4), p. 425. doi: 10.4103/0378-6323.53155.
- Lambertz, A. *et al.* (2015) 'Polyvinylidene fluoride as a suture material: Evaluation of comet tail-like infiltrate and foreign body granuloma', *European Surgical Research*, 55(1–2), pp. 1–11. doi: 10.1159/000371797.
- Lin, Z.-Q. (2003) 'Essential involvement of IL-6 in the skin wound-healing process as evidenced by delayed wound healing in IL-6-deficient mice', *Journal of Leukocyte Biology*, 73(6), pp. 713–721. doi: 10.1189/jlb.0802397.
- Liptan, G. L. (2010) 'Fascia: A missing link in our understanding of the pathology of fibromyalgia', *Journal of Bodywork and Movement Therapies*. Elsevier Ltd, 14(1), pp. 3–12. doi: 10.1016/j.jbmt.2009.08.003.
- Luckett-Chastain, L.R., Gallucci, R.M. (2000) 'Impaired cutaneous wound healing in interleukin-6-deficient and immunosuppressed mice', *The FASEB Journal*, 14(15), pp. 2525–2531. doi: 10.1096/fj.00-0073com.
- Middleton, J.; A. Tipton (March 1998). "Synthetic biodegradable polymers as medical devices". *Medical Plastics and Biomaterials Magazine*. Retrieved 2006-07-04.
- Pinkney, T. D. *et al.* (2013) 'Impact of wound edge protection devices on surgical site infection after laparotomy: Multicentre randomized controlled trial (ROSSINI Trial)', *BMJ (Online)*, 347(7919), pp. 1–13. doi: 10.1136/bmj.f4305.
- Popa, F. and Georgescu, A. V (2017) 'Abdominal Wall Reconstruction after Flap Surgery and the Effect on the Immune System', *Hindawi*, 2017, pp. 1–10.
- Rahbari, N. N. *et al.* (2009) 'Current practice of abdominal wall closure in elective surgery? Is there any consensus?', *BMC Surgery*, 9(1), pp. 1–8. doi: 10.1186/1471-2482-9-8.
- Ramshorst Gabrielle H van, Eker Hasan H, Hop Wim C.J., Jeekel Johannes, L. J. F. (2012) 'Impact of incisional hernia on health-related quality of life and body image: a prospective cohort study', *AJS*. Elsevier Inc., 204(2), pp. 144–150. doi: 10.1016/j.amjsurg.2012.01.012.
- Robson, M. C. *et al.* (2000) 'Wound healing trajectories as predictors of effectiveness of therapeutic agents', *Archives of surgery*. doi: 10.1001/archsurg.135.7.773.



- Singal, R. *et al.* (2016) 'A Comparative Study of Polydioxanone and Nylon for Abdominal Wall Closure With Interrupted Figure of Eight in Peritonitis Cases', 6, pp. 65–72.
- Sørensen, L. T. *et al.* (2005) 'Risk factors for tissue and wound complications in gastrointestinal surgery', *Annals of Surgery*, 241(4), pp. 654–658. doi: 10.1097/01.sla.0000157131.84130.12.
- Sorg, H. *et al.* (2017) 'Skin Wound Healing: An Update on the Current Knowledge and Concepts', *European Surgical Research*, 58(1–2), pp. 81–94. doi: 10.1159/000454919.
- Stranz, C., Baker, C. and Singh, S. (2015) 'Abdominal access techniques (including laparoscopic access)', *Surgery (United Kingdom)*. Elsevier Ltd, 33(5), pp. 200–205. doi: 10.1016/j.mpsur.2015.02.004.
- Tanaka, T. and Kishimoto, T. (2014) 'The Biology and Medical Implications of Interleukin-6', *Cancer Immunology Research*, 2(4), pp. 288–294. doi: 10.1158/2326-6066.CIR-14-0022.
- Tiberiu Niță (Mar 2011). "Concepts in biological analysis of resorbable materials in oro-maxillofacial surgery". *Rev. chir. oro-maxilo-fac. implantol.* (in Romanian). **2** (1): 33–38. ISSN 2069-3850. 23. Retrieved 2012-06-06.
- Veljkovic, R. *et al.* (2010) 'Prospective Clinical Trial of Factors Predicting the Early Development of Incisional Hernia after Midline Laparotomy', *Journal of the American College of Surgeons*. Elsevier Inc., 210(2), pp. 210–219. doi: 10.1016/j.jamcollsurg.2009.10.013.
- Veljkovic, R. *et al.* (2010) 'Prospective Clinical Trial of Factors Predicting the Early Development of Incisional Hernia after Midline Laparotomy', *Journal of the American College of Surgeons*. Elsevier Inc., 210(2), pp. 210–219. doi: 10.1016/j.jamcollsurg.2009.10.013.
- Wells, C., Power, L. (2008). *Skin and Wound Care Manual*. Newfoundland Labrador. July.
- Xing, L. *et al.* (2013) 'Early laparotomy wound failure as the mechanism for incisional hernia formation', *Journal of Surgical Research*. Elsevier Ltd, 182(1), pp. 1–8. doi: 10.1016/j.jss.2012.09.009.