



## DAFTAR PUSTAKA

- Agostini, M., Cocenza, D.S., Vasconcellos, F., Fraceto, L.F., and Beppu, M.M., 2013, Chitosan and alginate biopolymer membranes for remediation of contaminated water with herbicides, *J. Environ. Manage.*, 131, 222–227.
- Ahda, M., Sutarno, dan Kunarti, E.S., 2016, Studi Kinetika Adsorpsi Al-MCM 41 terhadap Metilen Biru, *Pharmaaciana.*, 6(1), 15-20.
- Ahmaruzzaman, M., 2011, Industrial wastes as low-cost potential adsorbents for the treatment of wastewater laden with heavy metals, *Adv. Colloid Interface Sci.*, 166, 36–59.
- Ahmed, S.A., 2011, Batch and Fixed-Bed Column Techniques for Removal of Cu(II) and Fe(II) Using Carbohydrate Natural Polymer Modified Complexing Agents, *Carbohydr. Polym.*, 83, 1470-1478.
- Anastopoulos, I. and Kyzas, G.Z., 2016, Are the Thermodynamic Parameters Correctly Estimated in Liquid-Phase Adsorption Phenomene?, *J. Molliq.*, 218, 174-185.
- Andaka, G., 2008, Penurunan Kadar Tembaga pada Limbah Cair Industri Kerajinan Perak dengan Presipitasi Menggunakan Natrium Hidroksida, *Jurtek*, 1(2), 127.
- Anonim, 2014, *Baku mutu air laut untuk biota laut*, Keputusan Menteri Negara Lingkungan Hidup Nomor : 51 Tahun 2004.
- Apecsiana, F., Kristianto, H., dan Andreas, A., 2016, Adsorpsi Ion Logam Tembaga Menggunakan Karbon Aktif dari Bahan Baku Kulit Salak, *Prosiding Seminar Nasional*, 17 Maret, Yogyakarta.
- Araújo, E.M., Raddatz, G.C., de Moraes Flores, É.M., Zepka, L.Q., Jacob-Lopes, E., Barin, J.S., et al., 2015, Effect of resistant starch and chitosan on survival of *Lactobacillus acidophilus* microencapsulated with sodium alginate, *LWT - Food Sci. Technol.*, 65, 511–517.
- Arif, A.R., 2014, Adsorpsi Karbon Aktif Dari Tempurung Kluwak (*Pangium Edule*) Terhadap Penurunan Fenol, *Skripsi*, Jurusan Kimia, Fakultas Sains dan Teknologi UIN Alauddin Makassar
- Ayawei, N., Ebelgi, A.N., and Wakansi, D., 2017, Modelling and Interpretation of Adsorption Isotherm, *J. Chem.*, 303, 1-11.
- Bansal, R.C. and Goyal M., 2005, *Activated Carbon Adsorption*, CRC Press, Boca Raton.
- Basuki, K., 2007, Penurunan Konsentrasi Co Dan No 2 Pada Emisi Gas Buang Dengan Menggunakan Media, *J. Forum Nukl.*, 1, 45–64.
- Benhouria, A., Islam, M.A., Zaghouane-Boudiaf, H., Boutahala, M., and Hameed, B.H., 2015, Calcium alginate-bentonite-activated carbon composite beads



- as highly effective adsorbent for methylene blue, *Chem. Eng. J.*, 270, 621–630.
- Benhouria, A., Islam, M.A., Zaghouane-Boudiaf, H., Boutahala, M., and Hameed, B.H., 2015, Calcium alginate-bentonite-activated carbon composite beads as highly effective adsorbent for methylene blue, *Chem. Eng. J.*, 270, 621–630.
- Bhattacharyya, K.G. and Gupta, S.S., 2007, Adsorptive Accumulation of Cd(II), Co(II), Cu(II), Pb(II) and Ni(II) from Water on Montmorillonite: Influence of Acid Activation, *J. Colloid Interf. Sci.*, 310, 411-424.
- Bina, B., Kermani, M., Mohavedian, H., and Khazaei, Z., 2006, Biosorption and Recovery of Copper and Zinc from Aqueous Solutions by Nonliving Biomass of Marine Brown Algae of *Sargassum* sp., *Pakistan J. Biol. Sci.*, 9, 1525-1530.
- Boggs, S., Livermore, D., and Seitz, M.G., 1985, Humic Substances in Natural Waters and Their Complexation with Trace Metals and Radionuclides: A Review Report, *Macromol. Chem. Phys.*, 25, 599–657.
- Bouguettoucha, A.; Reffas A.; Chebli D.; Mekhalif T., and Amrane A., 2016, Novel Activated Carbon Prepared from an Agricultural Waste, *Stipa Tenacissima*, Based on ZnCl<sub>2</sub> Activation-Characterization and Application to the Removal of Methylene Blue, *Desalin. Water Treat.*, 57(50), 24056–24069.
- Braida, W.J., Pignatello, J.J., Lu, Y., Ravikovitch, P.I., Neimark, A.V., and Xing, B., 2003, Sorption Hysteresis of Benzene in Charcoal Particles, *Environ. Sci. Technol.*, 37, 409-417.
- Cahyono, H.B. dan Ariami, N.M., 2014, Reduksi Tembaga dalam Limbah Cair Proses *Etching Printing Circuit Board* (PCB) dengan Proses Elektrokimia, *J. Ris. Ind.*, 8(2), 113.
- Canra, M., Fadli, A., dan Kumalasari, 2005, Kinetika Adsorpsi Ion Logam Cu<sup>2+</sup> Menggunakan Tricalciumphosphate sebagai Adsorben dengan Variasi Kecepatan Pengadukan dan Temperatur, *J. Fak. Tek.*, 2(2), 1-6.
- Carruthers, J.D., 2007, *Evaluating Porosity: Low Pressure Hysteresis, Activated Entry and Carbon Swelling*, Advance Technology Materials Inc., USA.
- Castellan, G.W., 1982, *Physical Chemistry*, 3<sup>rd</sup> Ed., General Graphic Services, New York.
- Chen, J. P and Wu, S., 2004, Simultaneous adsorption of copper ions and humic acid onto an activated carbon, *J. Colloid. Interface Sci.*, 280(2), 334–342.
- Chen, C.; Zhao P.; Li Z. and Tong Z., 2016, Adsorption Behavior of Chromium(VI) on Activated Carbon from Eucalyptus Sawdust Prepared by Microwave-Assisted Activation with ZnCl<sub>2</sub>, *Desalination and Water Treat.*, 57(27), 12572–12584.



- Chen, J.H., Liu, Q.L., Hu, S.R., Ni, J.C., and He, Y.S., 2011, Adsorption mechanism of Cu(II) ions from aqueous solution by glutaraldehyde crosslinked humic acid-immobilized sodium alginate porous membrane adsorbent, *Chem. Eng. J.*, 173, 511–519.
- Cheremisinoff, N.P., 1978, *Carbon Adsorption Handbook*, Ann Arbor Science Publisher Inc., Michigan.
- Cotton, F.A. and Wilkinson, G., 1989, *Kimia Anorganik Dasar*, Penerbit UI, Jakarta.
- Cuppett, J. D., Duncan, S. and Dietrich, A. M., 2006, Evaluation of Copper Speciation and Water Quality Factors that Affects Aqueous Copper Testing Response, *Chem. Senses.*, 31, 689-697.
- de Melo, B.A.G., Motta, F.L. and Santana. M.H.A., 2016, Humic Acid; Structural Properties and Multiple Functionalities for Novel Technological Developments, *Mater. Sci. Eng.*, 62, 967-974.
- Desta, M.B., 2013, Batch Adsorption Experiments: Langmuir and Freundlich Isotherm Studies for Adsorption of Textile Metal Ions Onto Straw (Eragrotis tef) Agricultural Waste, *J. Thermodyn.*, 375, 1-6.
- Dewi, S.R., 2010, Aplikasi Humin dari Tanah Gambut untuk Adsorpsi Reduksi  $\text{AuCl}_4^-$  dalam Larutan, *Tesis*, Program Pascasarjana, Jurusan Kimia FMIPA, UGM, Yogyakarta.
- Doke, K. M.; Yusufi M.; Joseph R. D., and Khan E. M., 2016, Comparative Adsorption of Crystal Violet and Congo Red onto  $\text{ZnCl}_2$  Activated Carbon, *J. Dispersion Sci.Tech.*, 37(11), 1671–1681.
- Doyle, F.M. and Liu, Z., 2003, The Effect of Triethylenetetraamine (Trien) on the Ion Flotation of  $\text{Cu}^{2+}$  and  $\text{Ni}^{2+}$ , *J. Colloid Interface Sci.*, 258, 396-403.
- Draget, K. I., Smidsrod, O., and Gudmund S., 2005, *Alginate from Algae*, Wiley-VCH Verlag GmbH and Co., Weinheim.
- Durán-Valle, C.J., 2012, Techniques Employed in the Physicochemical Characterization of Activated Carbons, Lignocellulosic Precursors Used in the Synthesis of Activated Carbon - Characterization Techniques and Applications in the Wastewater Treatment, *ISBN 978-953-51-0197-0*, 37–55.
- Erawati, S., 2007, Pengambilan Ion Logam Berat dengan Biosurfaktan Hasil Biotransformasi Minyak Kedelai Oleh Pseudomonas aeruginosa, *Skripsi.*, FMIPA, UNS, Surakarta.
- Erdem, M., Orhan R.,Şahin M., and Aydın E., 2016, Preparation and Characterization of a Novel Activated Carbon from Vine Shoots by  $\text{ZnCl}_2$  Activation and Investigation of Its Rifampicine Removal Capability, *Water Air Soil Pollut.*, 227.



- Forster U. and Prosi, F., 1978, *Heavy Metal Pollution in Freshwater Ecosystem. In: Ravera O (ed.), Biological Aspect of Freshwater Pollution*, Pergamon Press, Oxford, Great Britain.
- Fu, S., Thacker, A., Sperger, D.M., Boni, R.L., Buckner, I.S., Velankar, S., Munson, E.J., and Block, L.H., 2011, Relevance of Rheological Properties of Sodium Alginate in Solution to Calcium Alginate Gel Properties, *AAPS Pharm.Sci.Tech.*, 12(2), 453–460.
- Gaffney, J.S., Marley, N.A., and Clark, S.B., 1996, *Humic Substances in Soil, Sedimen and Water: Geochemistry, Isolation and Characterization*, John Wiley & Sons., New York.
- Georgievski, M., Bozic, D., Stankovic, V., Strbac, N., and Serbula, S., 2013, Kinetics, Equilibrium, and Mechanism of  $\text{Cu}^{2+}$ ,  $\text{Ni}^{2+}$ , and  $\text{Zn}^{2+}$  Ions Biosorption Using Wheat Straw, *J. Ecol. Eng.*, 58, 113-122.
- Gregg, S.J and Sing K.S.W, 1982, *Adsorption, Surface Area and Porosity*. 2<sup>nd</sup> Ed., Academic Press, London.
- Hartanto, D., Purbaningias, T.E., Fansuri, H., dan Prasetyoko, D., 2008, Karakterisasi Struktur Pori dan Morfologi ZSM-2 Mesopori yang Disintesis dengan Variasi Waktu Aging Pore Structure and Morphology Characterizations of Mesoporous ZSM-5 Synthesized at Various Aging Time, *J. Ilmu Dasar*, 12, 80–90.
- Haug, A. and Larson, B., 1963, The solubility of Alginates at Low pH, *Acta Chem. Scnd.*, 24(1), 843-854
- Hendra, R., 2008, Pembuatan Karbon Aktif Berbahan Dasar Batu Bara Indonesia dengan Metode Aktivasi Fisika dan Karakteristiknya, *Skripsi*, Program Studi Teknik Mesin Fakultas Teknik, Universitas Indonesia, Depok.
- Hendri, M., Gusti, D., dan Jetun, T. 2010. Konsentrasi Letal (LC50-48 jam) Logam Tembaga (Cu) dan Logam Kadmium (Cd) terhadap Tingkat Mortalitas Juwana Kuda Laut (*Hippocampus spp*). *Jurnal Penelitian Sains* 13, 26-30.
- Hermanto, D., Ismillayi, N., Kurnianingsih, R., dan Kamali, S.R., 2013, Optimalisasi Lahan Kering Kecamatan Bayan-Lombok Utara Menggunakan Asam Humat Terimobil dalam Rumpuk Laut sebagai Pelengkap Pupuk pada Tanaman Jagung (*Zea mays L.*), *Jurnal Ilmu Tanah dan Agroklimatologi*, 10(2), 101-102.
- Ho, Y.S. and McKay, G., 1998, The Kinetics of Sorption of Divalent Metal Ions Onto Sphagnum Moss Peat, *Wat. Res.*, 34(3), 735-742.
- Ibanez, J.P. and Umetsu, Y., 2000, Removal of Heavy Metal Ions by Using Alginate Beads. *Proceedings V International Conference on Clean Technologies for the Mining Industry*, Santiago-Chile.



- Idrus, R., Lapanoro, B.P., dan Putra, Y.S., 2013, Pengaruh Suhu Aktivasi Terhadap Kualitas Karbon Aktif Berbahan Dasar Tempurung Kelapa, *Prisma Fisika*, 1(1), 50-55.
- Inukai, M. and Yonese, M., 1999, Effects of Charge Density on Drug Permeability Through Alginate Gel Membranes, *Chem. Pharm. Bull.*, 47, 1059-1063.
- Irma I, K., 1999, *Kimia Fisika Jilid 2* (diterjemahkan dari Atkins, P.W., 1996, Physical Chemistry, 2<sup>nd</sup> Ed., Freeman, New York), Erlangga, Jakarta.
- Ju, H.K., Kim, S.Y., and Lee, Y.M., 2001, pH/temperature-responsive behaviors of semi-IPN and comb-type graft hydrogels composed of alginate and poly(N-isopropylacrylamide), *Polymer (Guildf)*, 42, 6851–6857.
- Kaygusuz, H., Karsheva and Koumanova, B., 2010, Cation Effect on Slow Release from Alginate Beads: A Fluorescence Study, *J. Fluoresc.*, 24, 161-167.
- Keenan, C., 1991, *Ilmu Kimia untuk Universitas*, Erlangga, Jakarta.
- Kim, T.Y., Jin, H.J., Park, S.S., Kim, S.J., and Cho, S.Y., 2008, Adsorption equilibrium of copper ion and phenol by powdered activated carbon, alginate bead and alginate-activated carbon bead, *J. Ind. Eng. Chem.*, 14, 714–719.
- Klučáková, M. and Kolajová, R., 2014, Dissociation ability of humic acids: Spectroscopic determination of pK<sub>a</sub> and comparison with multi-step mechanism, *React. Funct. Polym.*, 78, 1–6.
- Kwiatkowska-Marks, S., Miek, J., and Wójcik, M., 2008, The effect of pH on the sorption of copper ions by alginates, *Polish J. Chem. Technol.*, 10, 28–30.
- Lee, C.G., Jeon, J.W., Hwang, J., and Ahn, K.H., 2015, Lead and Copper Removal from Aqueous Solutions Using Carbon Foam Derived from Phenol Resin, *Chmosphere*, 130, 59-65.
- Lee, J.D., 1994, *Concise Inorganic Chemistry*, 4<sup>th</sup> Ed., Chapman & Hall., London.
- Lee, K.Y. and Mooney, D.J., 2012, Alginate: Properties and biomedical applications, *Polym. Sci.*, 37, 106–126.
- Li, S., He, M., Li, Z., Li, D., and Pan, Z., 2017, Removal of humic acid from aqueous solution by magnetic multi-walled carbon nanotubes decorated with calcium, *J. Mol. Liq.*, 230, 520–528.
- Lin, Y., Chen, H., Lin, K., Chen, B., and Chiou, C., 2011, Applicationc of Magnetic Particles Modified with Amino Groups to Adsorb Copper Ions in Aqueous Solution, *J. Env. Sci.*, 23, 44-50.
- Liu J F, Zhao Z S, and Jiang G B., 2008, Coating Fe<sub>3</sub>O<sub>4</sub> magnetic nanoparticles with humic acid for high efficient removal of heavy metals in water. *J. Environ. Sci. Technol*, 42(18), 6949–6954.



- Liu, Y. L., Liu S., Zhang, Q., Li, C., Bao, C., Liu, X., and Xiao, P., 2013, Adsorption of Au(III), Pd(II) and Pt(IV) from Aqueous Solution Onto Graphene Oxide, *J. Chem. Eng. Data.*, 58(2), 209-216.
- Lynam, M.M., Kliduff, J.E., and Weber, W.J., 1995, Adsorption of p-Nitrophenol from Dilute Aqueous, *J. Chem. Educ.*, 72(1), 80-84.
- Marsh, H. dan Rodriguez-Reinoso, F., 2006, *Activated Carbon*, Elsevier Science & Technology Books, 322- 331.
- Matos, J.R., Cides da Silva, L.C., Dos Santos, L.B.O., Abate, G., Cosentino, I.C., Fantini, M.C.A., and Masini, J.C., 2007, Adsorption of Pb<sup>2+</sup>, Cu<sup>2+</sup> and Cd<sup>2+</sup> in FDU-1 Silica and FDU-1 Silica Modified with Humic Acid, *Micropor. Mesopor. Mat.*, 110, 250-258.
- Muhammad, N., Pair, J., Smith, M.D., and Wheatley, A.D., 1998, Adsorption of Heavy Metal in Slow Sand Filters, *Proceedings of the 24<sup>th</sup> WEDC International Conference on Water Supply Sand Sanitation*, Islamabad.
- Muhdarina, Mohammad, A.W., dan Muchtar, A., 2014, Potensi Adsorpsi Polutan Anorganik oleh Lempung Cengar: Kajian Isoterm dan Mekanisme Adsorpsi Batch Kation Ni(II) dalam Media Air, *Repository Universitas Riau*, Riau, 19-28.
- Oktari, L.R., 2013, Pembuatan Film Komposit Kompleks Polielektrolit Kitosan/k-Karaginan dan Pemanfaatannya sebagai Adsorben Metilen Biru, *Tesis*, Departemen Kimia FMIPA Universitas Gadjah Mada, Yogyakarta.
- Omri, A., Benzina, M., Trabelsi, W., and Ammar, N., 2014, Adsorptive Removal of Humic Acid on Activated Carbon Prepared From Almond Shell: Approach for The Treatment of Industrial Phosphoric Acid Solution, *Desalin. Water Treat.*, 52, 2241-2252.
- Palar, H., 2008, *Toksikologi dan Pencemaran Lingkungan*, PT. Rineka Cipta, Jakarta.
- Palar, H., 2004, *Pencemaran dan Toksikologi Logam Berat*, Rineka Cipta, Jakarta.
- Pandey, A., Bera, D., Shukla, A., and Ray, L., 2007, Studies on Cr(IV), Pb(II), and Cu(II) Adsorption-Desorption Using Calcium Alginate as Biopolymer, *Chem. Spec. Bioavailab.*, 19(1), 17-24.
- Pap, S., Radonic J., Trifunovic S., Adamovic D., Mihajlovic I., Miloradov M. V. and Sekulic M. T., 2016, Evaluation of the Adsorption Potential of Eco-friendly Activated Carbon Prepared from Cherry Kernels for the Removal of Pb<sup>2+</sup>, Cd<sup>2+</sup> and Ni<sup>2+</sup> from aqueous wastes, *J. Environ. Manage.*, 184(2), 297-306.
- Papageorgiou, S.K., Kouvelos, E.P., Favvas, E.P., Sapolidis, A.A., Romanos, G.E., and Katsaros, F.K., 2010, Metal-carboxylate interactions in metal-alginate complexes studied with FTIR spectroscopy, *Carbohydr. Res.*, 345, 469-473.



- Park, H.G., Kim, T.W., Chae, M.Y., and Yoo, I.K., 2007, Activated Carbon-Containing Alginate Adsorbent For The Simultaneous Removal of Heavy Metals and Toxic Organics, *Process Biochem.*, 42, 1371–1377.
- Putri, M.I., 2016, Studi Kinetika dan Termodinamika Adsorpsi Cu(II) Oleh Asam Humat, *Skripsi*, 27-30, Progam Studi Kimia, FMIPA UGM, Yogyakarta.
- Rahmawati, A., dan Santosa, S.J., 2012, Studi Adsorpsi Logam Pb(II) dan Cd(II) pada Asam Humat dalam Medium Air, *Alchemy*, 2(1), 46-67.
- Reinoso, F.R., 2005, *Activated Carbon*, University of Alicante, Alicante.
- Ren, H., Gao, Z., Wu, D., Jiang, J., Sun, Y., and Luo, C., 2016, Efficient Pb(II) Removal Using Sodium Alginate-Carboxymethyl Cellulose Gel Beads: Preparation, Characterization and Adsorption Mechanism, *Carbohydr. Polym.*, 137, 402-409.
- Rochayatun, E., Kaisupy, M. T. dan Rozak, A., 2006, Distribusi Logam Berat Dalam Air dan Sedimen di Perairan Muara Sungai Cisadene, *J. Makara Sains Online*, 10(1), 35-40.
- Roopa, B.S. and Bhattacharya, S., 2009, Alginate gels: Rupture characteristics as a function of the conditions of gel formation, *J. Food Eng.*, 91, 448–454.
- Rouquerol, J., Avnir, D., Fairbridge, C.W., Everett, D.H., Haynes, J.H., Pernicone, N., Ramsay, J.D.F., Sing, K.S.W. and Unger, K.K., 1994, Recommendations for the Characterization of Porous Solids, *Pure Appl. Chem.*, 66(8), 1739-1758.
- Schulten, H.R., 1996, *A New Approach to the Structural Analysis of Humic Substances in Water and Soils*, dalam Gaffney, J.S., Marley, A.A. dan Clark, S.B. (eds.), *Humic and Fulvic Acids: Isolation, Structure and Environmental Role*, American Chemical Society, Washington D.C.
- Setyowati, D. dan Ulfin, I., 2007, Optimasi Kondisi Penyerapan Ion Aluminium Oleh Asam Humat, *Jurnal Akta Kimindo*, 2(2), 85-92.
- Shenvy, S.S., Isloor, A.M., Ismail, A.F., Shilton, S.J., and Ahmed, A.A., 2015, Humic Acid Based Biopolymeric Membrane for Effective Removal of Methylene Blue and Rhodamin B, *Ind. Eng. Chem. Res.*, 54, 4965-4975.
- Sing, K.S.W., Everett, D.H., Haul, R.A.W., Moscou, L., Pierotti, R.A., Rouquerol, J. and Siemieniewska, T., 1985, Reporting Physisorption Data for Gas/Solid Systems with Special Reference to the Determination of Surface Area and Porosity, *Pure Appl. Chem.*, 57(4), 603-619.
- Steelink, C., 1985, *Elemental Characteristic of Humic Substances*, dalam Aiken G.R., McKnight, D.M., Wershaw, R.L., and Maccarthy, P. (eds.), *Humic Substances in Soil, Sedimen and Water: Geochemistry, Isolation and Characterization*, John Wiley & Sons., New York.
- Stevenson, F.J., 1994, *Humus Chemistry : Genesis, Composition, Reaction*, 2<sup>nd</sup> Ed., Interscience Publication, John Willey & Sons. Inc., New York.



- Stumm, W. and Morgan, J.J., 1996, *Aquatic Chemistry-Chemical Equilibria and Rates in Natural Waters*, 3<sup>rd</sup> ed., Wiley & Sons, Inc., New York.
- Sudarman, 2001, *Manfaat Arang Aktif*, Universitas Hassanudin, Makassar.
- Sudiono, S., 2001, Sifat Asam-Basa Asam Humat dan Interaksinya dengan Kromium(III), Tembaga(II), Kobalt(II) dan Nikel(II), *Tesis*, Program Pascasarjana, Departemen Kimia FMIPA, UGM, Yogyakarta.
- Suhendrayatna, 1999, *Bioremoval Logam Berat dengan Menggunakan Mikroorganisme: Suatu Kajian Kepustakaan*, ISTECS-Chapter, Jepang.
- Suratman, A., Kamalia, N.Z., and Kusumawati, W.A., 2016, Adsorption and desorption of Zn(II) and Cu(II) on Ca- alginate immobilized activated rice bran, *IOP Conf. Ser. Mater. Sci. Eng.*, 107.
- Thomas, W.J. and Crittenden, B., 1998, *Adsorption Technology and Design*, Red Educational and Professional Publishing Ltd., London.
- Wang, S., Boyjoo, Y., Choueib, A., and Zhu, Z.H., 2005, Removal of Dyes from Aqueous Solution Using Fly Ash and A two-step Solidification Process, *J. Colloids Surf.*, 50, 126-135.
- Wang, Y., Liu, M., Ni, B., and Xie, L., 2012, k-Carrageenan-Sodium Alginate Beads and Superabsorbent Coated Nitrogen Fertilizer with Slow-Release, Water-Retention and Anticompaction Properties, *Ind. Eng. Chem. Res.*, 51(3), 1413-1422.
- WHO, 2003, *Guidelines for drinking-water quality*, 2<sup>nd</sup> Ed., 2, Health criteria and other supporting information, World Health Organization, Geneva, 1996.
- Widowati, W., Sastiono, A. dan Jusuf, A., 2003, *Efek Toksik Logam*, Penerbit Andi, Yogyakarta.
- Wirawan, T., 2012, Adsorpsi Fenol oleh Arang Aktif dari Tempurung Biji Jarak Pagar (*Jatropha Curcas L.*), *Mulawarman Scientifie*, 11(1), 20-21.
- Yan, W.L. and Bai, R., 2005, Adsorption of lead and humic acid on chitosan hydrogel beads, *Water Res.*, 39, 688-698.
- Yang, B., Tong, X., Deng, Z. and Xiangwen, 2015, The Adsorption of Cu Species onto Pyrite Surface and Its Effect on Pyrite Flotation, *J. Chem.*, 1-7.
- Yoeswono, 2017, Sintesis Katalis Cu, Mn, Mg-Cu, dan Mg-Mn Teremban Pada Karbon Aktif Untuk Koversi 1-Butanol Menjadi 1,1-Dibutoksibutana, *Disertasi*, Program Studi S3 Ilmu Kimia, FMIPA UGM, Yogyakarta.
- Yuwei, C. and Jianglong, W., 2011, Preparation and Characterization of Magnetic Chitosan Nanoparticles and Its Application for Cu(II) Removal, *Chem. Eng. J.*, 168, 286-292.