

DAFTAR PUSTAKA

- Agarwal, S., & Murthy, R. S. R., 2015, Effect of Different Polymer Concentration on Drug Release Rate and Physicochemical Properties of Mucoadhesive Gastroretentive Tablets, *Indian Journal of Pharmaceutical Sciences*, 77(6), 705–714, Retrieved from <https://www.ncbi.nlm.nih.gov/pubmed/26997698>.
- Ahmed, M. G., Ahmed, M. G., Bp, S. K., & Gb, K. K., 2015, Formulation And Evaluation Of Gastric- Mucoadhesive Drug Delivery Systems Of Captopril Formulation And Evaluation Of Gastric- Mucoadhesive Drug Delivery Systems Of Captopril, *Journal of Current Pharmaceutical Research*, 2(August), 26–32.
- Allen, L. J., & Luner, P., 2009, Magnesium Stearat. In Raymond C Rowe, J. S. Paul, & E. Q. Marian (Eds.), *Handbook of Pharmaceutical Exipients*, (6th ed., pp. 406–407).
- Andrews, G. P., Lavery, T. P., & Jones, D. S., 2009, Mucoadhesive polymeric platforms for controlled drug delivery, *European Journal of Pharmaceutics and Biopharmaceutics*, 71(3), 505–518, <https://doi.org/10.1016/j.ejpb.2008.09.028>.
- Ansel, H., Allen, L., & Popovich, N., 2011, *Ansel's Pharmaceutical Dosage Forms and Drug Delivery Systems* (9th ed.), Baltimore: Lippincott Williams & Wilkins.
- Ardianingsih, R., 2009, Penggunaan *High Performance Liquid Chromatography* (HPLC) dalam Proses Analisa Deteksi Ion. *Berita Dirgantara*, 10(4), 101–104.
- Arora, S., Ali, J., Ahuja, A., Khar, R. K., & Baboota, S., 2005, Floating Drug Delivery Systems : A Review. *AAPS PharmSciTech*, 6(3), 372–390.
- Betageri, G., & Prabhu, S., 2002, Semisolid Preparation. In J. Swarbrick & J. C. Boyland (Eds.), *Encyclopedia of Pharmaceutical Technology* (2nd ed., pp. 2452–2456).
- Bhardwaj, T. R., Kanwar, M., Lal, R., & Gupta, A., 2000, Natural Gums and Modified Natural Gums as Sustained-Release Carriers, *Drug Dev. Ind. Pharm.*, 26(10), 1025–1038.
- Billa, N., & Yuen, K., 2000, Formulation Variables Affecting Drug Release From Xanthan Gum Matrices at Laboratory Scale and Pilot Scale Nashiru Billa and Kah-Hay Yuen, *I*(4).
- Bolton, S., & Bon, C., 2004, *Pharmaceutical Statistics Practice and Clinical Applications* (4th ed.), New York: Revised and Expanded.

- CDER, 2002, Waiver of In Vivo Bioavailability and Bioequivalence Studies for Immediate-Release Solid Oral Dosage Forms Based on a Biopharmaceutics Classification System Guidance for Industry Waiver of In Vivo Bioavailability and Bioequivalence Studies for Immediate-R, *Food and Drug Administration*, (December), 13–17.
- Chaplin, M., 2018, Xanthan Gum, Retrieved February 2, 2019, from http://www1.lsbu.ac.uk/water/xanthan_gum.html
- Departemen Kesehatan RI, 2014, *Farmakope Indonesia*. Jakarta: Departemen Kesehatan Republik Indonesia.
- European Pharmacopeia, 2007, Captopril Monograph, In *European Pharmacopeia 6.0* (pp. 1407–1408), United Kingdom.
- Factor, I., Kanzaria, M. K., & Chaudhary, S., 2014, Floating Drug Delivery System For Enhancement of Drug Bioavailability, *International Journal of Pharmaceutical Research and Bio-Science*, 3(2), 481–501.
- Fudholi, A., 1983, Metodologi Formulasi dalam Kompresi Direct, *Majalah Medika*, 586–593.
- Gandjar, I. G., & Rohman, A, 2007, *Kimia Farmasi Analisis*, Yogyakarta: Pustaka Pelajar.
- Gohel, M. C., Mehta, P. R., Dave, R. K., & Bariya, N. H, 2004, A More Relevant Dissolution Method Delivery System, (November), 22–25.
- Gohel, M. C., Parikh, R. K., Nagori, S. A., & Jena, D. G, 2009, Fabrication of Modified Release Tablet Formulation of Metoprolol Succinate using Hydroxypropyl Methylcellulose and Xanthan Gum, *AAPS PharmSciTech*, 10(1), 62–68, <https://doi.org/10.1208/s12249-008-9174-1>.
- Guy, A., 2009, Cellulose, Microcrystalline. In R.C. Rowe, P. J. Sheskey, & M. E. Quinn (Eds.), *Handbook of Pharmaceutical Excipients* (6th ed., pp. 129–133). London: Pharmaceutical Press.
- Hadisoewignyo, L., & Fudholi, A., 2007, Studi pelepasan in vitro ibuprofen dari matriks xanthan gum yang dikombinasikan dengan suatu crosslinking agent. *Majalah Farmasi Indonesia*, 18(3), 133–140.
- Hadisoewignyo, L., Teny, G. F., Handayani, E. T., & Yunita, B., 2011, Pengaruh bahan pengisi pada tablet ibuprofen dengan metode cetak langsung, (22), 279–285.
- Hausler, O., 2009, Starch. In R.C. Rowe, P. J. Sheskey, & M. Quinn (Eds.), *Handbook of Pharmaceutical Excipients* (6th ed., pp. 685–691). London: Pharmaceutical Press.
- Hobbs, C. A., Saigo, K., Koyanagi, M., & Hayashi, S., 2017, Magnesium stearate

- , a widely-used food additive, exhibits a lack of in vitro and in vivo genotoxic potential, *Toxicology Reports*, 4(July), 554–559. <https://doi.org/10.1016/j.toxrep.2017.10.003>
- Iskandarsyah, Sutrio, & Hayati, D., 2010, Hidroksipropil MetilSelulosa- Profil Pelepasan Tablet Teofilin Lepas, *Majalah Ilmu Kefarmasian*, VII(3), 58–70.
- Jantzen, G. M., Robinson, J. R., Banker, G. S., & Rhodes, C. T., 2002, *Sustained- and Controlled-Release Drug-Delivery Systems. Modern Pharmaceutics* (Vol. 72), New York-Basel-Hongkong.
- Kadin, H., 1982, *Captopril in Analytical Profiles of Drug Substances*. New York: Academic Press.
- Khutoryanskiy, V. V., 2011, Advances in Mucoadhesion and Mucoadhesive Polymers, *Macromolecular Journals*, 11, 748–764. <https://doi.org/10.1002/mabi.201000388>
- Kibbe, A. H., 2009, Talc, In R.C. Rowe, P. J. Sheskey, & M. . Quinn (Eds.), *Handbook of Pharmaceutical Excipients* (6th ed., pp. 728–731), London: Pharmaceutical Press.
- Lopes, C. M., Bettencourt, C., Rossi, A., Buttini, F., & Barata, P., 2016, Overview on gastroretentive drug delivery systems for improving drug bioavailability, *International Journal of Pharmaceutics*, 510(1), 144–158. <https://doi.org/10.1016/j.ijpharm.2016.05.016>.
- María, P.-V., Náchter, A., Hernández, M. J., Busó, M. A. O. V., Barrachina, M., Peñalver, N., & Diez- Sales, O., 2019, A novel lidocaine hydrochloride mucoadhesive films for periodontal diseases, *Journal of Materials Science: Materials in Medicine*, 30(14), <https://doi.org/10.1007/s10856-018-6213-7>.
- Martin, A., Swarbrick, J., & Cammarata, 1993, *Physical Pharmacy, Physical Chemical Principles in The Pharmaceutical Sciences*. USA: Lea & Febiger.
- Morsi, N., Ibrahim, M., Refai, H., & El Sorogy, H., 2017, Nanoemulsion-based electrolyte triggered in situ gel for ocular delivery of acetazolamide. *European Journal of Pharmaceutical Sciences*, 104(April), 302–314. <https://doi.org/10.1016/j.ejps.2017.04.013>.
- Nayak, A. K., Maji, R., & Das, B., 2004, Gastroretentive delivery systems: A mini review, *Drug Development and Industrial Pharmacy*, 30(10), 1019–1028. <https://doi.org/10.1081/DDC-200040239>.
- Oates Ja, B., 2001, Antihypertensive agents and the therapy of hypertension. In R. R. G. A. Hardman JG, Limbard LE, Molinoff PB (Ed.), *Goodman and Gilman's the pharmacological basis of therapeutics*. (10th ed., pp. 871–900). New York: McGraw Hill.

- Ochoa, L., Igartua, M., Rosa, M., Gascón, A. R., & Pedraz, J. L., 2005, Preparation of sustained release hydrophilic matrices by melt granulation in a high-shear mixer, *Journal Pharmaceutical Science*, 8(2), 132–140.
- Patil, S., Murthy, R., & Mahajan, H., 2006, Mucoadhesive polymers: Means of improving drug delivery. *Pharma Times*, 38(4), 25–28. Retrieved from <http://scholar.google.com/scholar?hl=en&btnG=Search&q=intitle:Mucoadhesive+polymers+:+Means+of+improving+drug+delivery#0>.
- Phadtare, D., Phadtare, G., Nilesh, B., & Asawat, M., 2014, Hypromellose – A Choice Of Polymer in Extended, *World Journal of Pharmacy and Pharmaceutical Sciences*, 3(9), 551–566.
- Ponchel, G., & Irache, J., 1998, Specific and non-specific bioadhesive particulate systems for oral delivery to the gastrointestinal tract, 34, 191–219.
- Pratiwi, M., & Hadisoewignyo, L., 2010, Optimasi formula tablet lepas lambat kaptopril menggunakan metode desain faktorial Optimization of formula sustained releaase captopril tablet using factorial design method. *Majalah Farmasi Indonesia*, 21(4), 285–295.
- Putra, E. D. L., 2004, Kromatografi Cair Kinerja Tinggi dalam Bidang Farmasi, 1–22.
- Rajput, G. C., Majmudar, F. D., Patel, J. K., Patel, K. N., Thakor, R. S., Patel, B. P., & Nb, R., 2010, Stomach Specific Mucoadhesive Tablets As Controlled Drug Delivery System – A Review Work, 1(1), 30–41.
- Ramanathan, M., Manikandan, S., Subramanian, L., & Solairaj, P., 2018, Gastro Retentive Non-Floating Drug Delivery Approach : A Review, *Journal of Drug Delivery and Therapeutics*, 8(4), 20–23.
- Ratnaparkhi, M. P., & Jyoti, G. P., 2013, Sustained Release Oral Drug Delivery System -An Overview, *International Journal of Pharma Research & Review IJPRR*, 2(23), 11–21, <https://doi.org/10.1073/pnas.0602530103>.
- Rogers, T., 2009, Hypromellose. In R. C. Rowe, P. J. Sheskey, & M. E. Quinn (Eds.), *Handbook of Pharmaceutical Exipients* (6th ed., pp. 299–311, 326–329), London: Pharmaceutical Sciences.
- Saigal, N., Baboota, S., Ahuja, A., & Ali, J., 2009, Microcrystalline Cellulose as a Versatile Excipient in Drug Research, *Journal Young Pharm*, 1(1). <https://doi.org/10.4103/0975-1483.51868>.
- Sajid, M., Akash, H., Shah, N., & Asghar, S, 2010, Sustained release hydrophilic matrices based on xanthan gum and hydroxypropyl methylcellulose : Development , optimization in vitro and in vivo evaluation, *Journal of Applied Pharmacy*, (January), 89–103.

- Setyawan, D., Widjaja, B., & Ningtyas, Z. F., 2010, Laju Disolusi Orally Disintegrating, *Majalah Ilmu Kefarmasian*, VII(February 2018), 9–16.
- Shanti, C. N., Gupta, R., & Mahato, A. K., 2010, Captopril Oral Sustained/Controlled Release Formulations: A Review, *International Journal of Drug Development & Research*, 2(2), 257–267.
- Shargel, L., Wu-Pong, S., & Yu., 2005, *Applied Biopharmaceutics and Pharmacokinetics*, United States.
- Sherafudeen, S. P., & Vasantha, P. V., 2015, Development and evaluation of in situ nasal gel formulations of loratadine, *Research in Pharmaceutical Sciences*, 10(6), 466–476. Retrieved from <https://www.ncbi.nlm.nih.gov/pubmed/26779266>.
- Shiledar, R. R., Tagalpallewar, A. A., & Kokare, C. R., 2014, Formulation and in vitro evaluation of xanthan gum-based bilayered mucoadhesive buccal patches of zolmitriptan, *Carbohydrate Polymers*, 101, 1234–1242. <https://doi.org/10.1016/j.carbpol.2013.10.072>.
- Sinko, P. J., & Singh, H., 2011, *Martin's Physical Pharmacy and Pharmaceutical Sciences Physical Chemical and Biopharmaceutical Principles in the Pharmaceutical Sciences*, Philadelphia: Lippincott Williams & Wilkins a Wolters Kluwer Bussines.
- Siswanto, A., & Soebagyo, S., 2006, Optimasi formula sediaan tablet lepas lambat teofilin dengan bahan matrik HPMC , Na CMC , dan xanthan gum Optimization of theophylline sustained release tablet formula with HPMC , CMCNa and xanthan gum as matrix component, *Majalah Farmasi Indonesia*, 17(3), 143–148.
- Suwaldi, & Faizah, Z., 1994, Pelepasan Parasetamol dari Sediaan Lepas Lambat dengan Matriks Hidroksipropil Metilselulosa, *Majalah Farmasi Indonesia*, 4, 168-174.
- Sweetman, S. C., 2009, *Martindale: the Complete Drug Reference*, London: Pharmaceutical Press.
- Talukdar, M. M., Michoel, A., Rombaut, P., & Kinget, R., 1996a, Pharmaceutics international Comparative study on xanthan gum and hydroxypropylmethyl cellulose as matrices for controlled-release drug delivery I . Compaction and in vitro drug release behaviour, *International Journal of Pharmaceutics*, 129, 233–241.
- Talukdar, M. M., Vinckier, I., Moldenaers, P., & Kinget, R., 1996b, Rheological Characterization of Xanthan Gum and Hydroxypropylmethyl Cellulose with Respect to Controlled-Release Drug Delivery, *Journal of Pharmaceutical Sciences*, 85(5), 537–540.

- USP, 2014, The Dissolution Procedure: Validation and Development. In *United Stated Pharmacopoeia 43-National Formulary* (pp. 735–763), Rockville, Maryland, USA: The United States Pharmacopeial Convention.
- USP, 2017a, Captopril Tablets Official Monograph. In *United Stated Pharmacopoeia 40-National Formulary-National Formulary* (pp. 3175–3176), Rockville, Maryland, USA: The United States Pharmacopeial Convention.
- USP, 2017b, The Dissolution Procedure: Development and Validation. In *United Stated Pharmacopoeia 40-National Formulary* (pp. 1292–1316, 2608–2609), Rockville, Maryland, USA: The United States Pharmacopeial Convention.
- USP, 2018, Tablet Friability. In *United Stated Pharmacopoeia 41-National Formulary* (pp. 7634–7635), Rockville, Maryland, USA: The United States Pharmacopeial Convention.
- Wang, Z., & Shmeis, R. A., 2006, Dissolution Controlled Drug Delivery System. In X. Li & B. Jasti (Eds.), *Design of Controlled Release Drug Delivery System*, New York: The McGraw-Hill Companies. Inc.
- Yadav, V. K., Kumar, R., & Kumar, B., 2010, Mucoadhesive Polymers: Means of Improving the Mucoadhesive Properties of Drug Delivery System, *Journal of Chemical and Pharmaceutical Research*, 2(5), 418–432.