

DAFTAR PUSTAKA

- Anderson, P. and Butcher, K. (2006). Childhood Obesity: Trends and Potential Causes. *The Future of Children*, 16(1), pp.19-45.
- Bain, J. (2008). The many faces of testosterone. *Clinical Interventions in Aging*, Volume 2, pp.567-576.
- Basaria, S. (2013). Reproductive Aging in Men. *Endocrinology and Metabolism Clinics of North America*, 42(2), pp.255-270.
- Birch, L. and Fisher, J. (2018). *Development of Eating Behaviors Among Children and Adolescents*. [online] Pediatrics. Available at: http://pediatrics.aappublications.org/content/101/Supplement_2/539.long [Accessed 24 Dec. 2018].
- Burt Solorzano, C. and McCartney, C. (2010). Obesity and the pubertal transition in girls and boys. *Reproduction*, 140(3), pp.399-410.
- Carnegie, C. (2004). Diagnosis of Hypogonadism: Clinical Assessments and Laboratory Tests. *Reviews in Urology*, 6, pp.S3-8.
- Chandel, A., Dhindsa, S., Topiwala, S., Chaudhuri, A. and Dandona, P. (2008). Testosterone Concentration in Young Patients With Diabetes. *Diabetes Care*, 31(10), pp.2013-2017.
- Clément, K. and Ferré, P. (2003). Genetics and the Pathophysiology of Obesity. *Pediatric Research*, 53(5), pp.721-725.
- Corona, G., Mannucci, E., Ricca, V., Lotti, F., Boddi, V., Bandini, E., Balercia, G., Forti, G. and Maggi, M. (2009). The age-related decline of testosterone is associated with different specific symptoms and signs in patients with sexual dysfunction. *International Journal of Andrology*, 32(6), pp.720-728.
- Davison, K. and Birch, L. (2001). Childhood overweight: a contextual model and recommendations for future research. *Obesity Reviews*, 2(3), pp.159-171.
- Duggal, N. (2009). Hypogonadism: comorbidities and laboratory confirmation. *Advanced Study in Pharmacology*, 3(4), pp.142-148.
- Gapstur, S., Gann, P., Kopp, P., Colangelo, L., Longcope, C. and Liu, K. (2002). Serum androgen concentrations in young men: a longitudinal analysis of associations with age, obesity, and race. The CARDIA male hormone study. *Cancer Epidemiology, Biomarkers & Prevention*, 11(10), pp.1041-1047.

- Grossmann, M., Tang Fui, M. and Dupuis, P. (2014). Lowered testosterone in male obesity: Mechanisms, morbidity and management. *Asian Journal of Andrology*, 16(2), p.223.
- Hackett, G., Cole, N., Bhartia, M., Kennedy, D., Raju, J. and Wilkinson, P. (2013). *Testosterone* Replacement Therapy with Long-Acting Testosterone Undecanoate Improves Sexual Function and Quality-of-Life Parameters vs. Placebo in a Population of Men with Type 2 Diabetes. *The Journal of Sexual Medicine*, 10(6), pp.1612-1627.
- Haslam, D. and James, W. (2005). Obesity. *The Lancet*, 366(9492), pp.1197-1209.
- Hayes, F. (2001). Differential Regulation of Gonadotropin Secretion by Testosterone in the Human Male: Absence of a Negative Feedback Effect of Testosterone on Follicle-Stimulating Hormone Secretion. *Journal of Clinical Endocrinology & Metabolism*, 86(1), pp.53-58.
- Kapoor, D., Goodwin, E., Channer, K. and Jones, T. (2006). Testosterone *replacement* therapy improves insulin resistance, glycaemic control, visceral adipocytusy and hypercholesterolaemia in hypogonadal men with type 2 diabetes. *European Journal of Endocrinology*, 154(6), pp.899-906.
- Keenan, B. (1993). Androgen-stimulated pubertal growth: the effects of testosterone and dihydrotestosterone on growth hormone and insulin-like growth factor-I in the treatment of short stature and delayed puberty. *Journal of Clinical Endocrinology & Metabolism*, 76(4), pp.996-1001.
- Kementerian Kesehatan RI (2013). *Riset Kesehatan Dasar*. Jakarta: Badan Penelitian dan Pengembangan Kesehatan, pp.219-222.
- Kumar, P., Kumar, N., Thakur, D. and Patidar, A. (2010). Male hypogonadism: Symptoms and treatment. *Journal of Advanced Pharmaceutical Technology & Research*, 1(3), p.297.
- Kuczmarski, R., Ogden, C. and Guo, S. (2002). 2000 CDC growth charts for the United States: Methods and development. *Vital Health Stat*, [online] 11(246). Available at: https://www.cdc.gov/nchs/data/series/sr_11/sr11_246.pdf.
- Lee, H., Park, H., Ko, J., Kim, Y. and Hwang, J. (2013). Impact of Body Mass Index on Luteinizing Hormone Secretion in Gonadotropin-Releasing Hormone Stimulation Tests of Boys Experiencing Precocious Puberty. *Neuroendocrinology*, 97(3), pp.225-231.

- Li, C., Ford, E., Li, B., Giles, W. and Liu, S. (2010). Association of Testosterone and Sex Hormone-Binding Globulin With Metabolic Syndrome and Insulin Resistance in Men. *Diabetes Care*, 33(7), pp.1618-1624.
- Luetjens, M. (2012). Testosterone: biosynthesis, transport, metabolism, and (non-genomic) actions. In: E. Nieschlag, ed., *Testosterone: Action, Deficiency, Substitution*, 4th ed. Cambridge: Cambridge University, pp.15-32.
- Mah, P. and Wittert, G. (2010). Obesity and testicular function. *Molecular and Cellular Endocrinology*, 316(2), pp.180-186.
- Matsuzawa, Y. (2004). Adiponectin and metabolic syndrome. *Atherosclerosis, Thrombosis, and Vascular Biology*, 24(1), pp.29-33.
- Mogri, M., Dhindsa, S., Quattrin, T., Ghanim, H. and Dandona, P. (2013). Testosterone concentrations in young pubertal and post-pubertal obese males. *Clinical Endocrinology*, 78(4), pp.593-599.
- Mooradian, A., Morley, J. and Korenman, S. (1987). Biological Actions of Androgens. *Endocrine Reviews*, 8(1), pp.1-28.
- Moriarty-Kelsey, M., Harwood, J., Travers, S., Zeitler, P. and Nadeau, K. (2010). Testosterone, Obesity and Insulin Resistance in Young Males: Evidence for an Association between Gonadal Dysfunction and Insulin Resistance During Puberty. *Journal of Pediatric Endocrinology and Metabolism*, 23(12).
- Reinehr, T., de Sousa, G., Roth, C. and Andler, W. (2005). Androgens before and after Weight Loss in Obese Children. *The Journal of Clinical Endocrinology & Metabolism*, 90(10), pp.5588-5595.
- Reinehr, T., Kulle, A., Wolters, B., Lass, N., Welzel, M., Riepe, F. and Holterhus, P. (2013). Steroid Hormone Profiles in Prepubertal Obese Children Before and After Weight Loss. *The Journal of Clinical Endocrinology & Metabolism*, 98(6), pp.E1022-E1030.
- Rivas, A., Mulkey, Z., Lado-Abeal, J. and Yarbrough, S. (2014). Diagnosing and Managing Low Serum Testosterone. *Baylor University Medical Center Proceedings*, 27(4), pp.321-324.
- Smeets, J. (2015). *Timing of puberty – Which factors trigger pulsatile GnRH release and the onset of puberty?*. Master of Neuroscience & Cognitive, Graduate School of Life Sciences. Utrecht University.
- Spiegelman, B. and Flier, J. (2001). Obesity and the Regulation of Energy Balance. *Cell*, 104(4), pp.531-543.

- Suryaputra, K. (2012). Perbedaan Pola Makan dan Aktivitas Fisik Antara Remaja Obesitas dengan Non Obesitas. *Makara Journal of Science*, 16, pp.223-231.
- Svartberg, J., von Mühlen, D., Sundsfjord, J. and Jorde, R. (2003). Waist Circumference and Testosterone Levels in Community Dwelling Men. The Tromsø Study. *European Journal of Epidemiology*, 19(7), pp.657-663.
- Taneli, F., Ersoy, B., Özhan, B., Çalkan, M., Yılmaz, Ö., Dinç, G., Genç, A. and Taneli, C. (2010). The effect of obesity on testicular function by insulin-like factor 3, inhibin B, and leptin concentrations in obese adolescents according to pubertal stages. *Clinical Biochemistry*, 43(15), pp.1236-1240.
- TestosteroneUpdate (2010). *Checklist of Hypogonadism Symptoms and Comorbidities.* [image] Available at: http://www.testosteroneupdate.org/toolkit/checklist_03_29_10.pdf [Accessed Feb. 2018].
- Traish, A. (2014). Testosterone and weight loss. *Current Opinion in Endocrinology & Diabetes and Obesity*, 21(5), pp.313-322.
- Vandewalle, S., Taes, Y., Fiers, T., Van Helvoirt, M., Debode, P., Herregods, N., Ernst, C., Van Caenegem, E., Roggen, I., Verhelle, F., De Schepper, J. and Kaufman, J. (2014). Sex Steroids in Relation to Sexual and Skeletal Maturation in Obese Male Adolescents. *The Journal of Clinical Endocrinology & Metabolism*, 99(8), pp.2977-2985.
- Vermeulen, A., Kaufman, J., Deslypere, J. and Thomas, G. (1993). Attenuated luteinizing hormone (LH) pulse amplitude but normal LH pulse frequency, and its relation to plasma androgens in hypogonadism of obese men. *The Journal of Clinical Endocrinology & Metabolism*, 76(5), pp.1140-1146.
- Walker, W. (2011). Testosterone signaling and the regulation of spermatogenesis. *Spermatogenesis*, 1(2), pp.116-120.
- Wang, C., Jackson, G., Jones, T., Matsumoto, A., Nehra, A., Perelman, M., Swerdloff, R., Traish, A., Zitzmann, M. and Cunningham, G. (2011). Low Testosterone Associated With Obesity and the Metabolic Syndrome Contributes to Sexual Dysfunction and Cardiovascular Disease Risk in Men With Type 2 Diabetes. *Diabetes Care*, 34(7), pp.1669-1675.
- Wu, F., Tajar, A., Pye, S., Silman, A., Finn, J., O'Neill, T., Bartfai, G., Casanueva, F., Forti, G., Giwercman, A., Huhtaniemi, I., Kula, K., Punab, M., Boonen, S. and Vanderschueren, D. (2008). Hypothalamic-Pituitary-Testicular Axis Disruptions in Older Men Are Differentially Linked to Age and Modifiable Risk Factors: The European Male Aging Study. *The Journal of Clinical Endocrinology & Metabolism*, 93(7), pp.2737-2745.

World Health Organization. (2016). *Obesity and overweight*. [online] Available at: <http://www.who.int/mediacentre/factsheets/fs311/en/> [Accessed Oct. 2017].

Yassin, A., Nettleship, J., Salman, M. and Almeahmadi, Y. (2016). Waist circumference is superior to weight and BMI in predicting sexual symptoms, voiding symptoms and psychosomatic symptoms in men with hypogonadism and erectile dysfunction. *Andrologia*, 49(4), p.e12634.