

DAFTAR PUSTAKA

- Acharya, B.N., Saraswat, D., Tiwari, M., Shrivastava, A.K., Ghorpade, R., Bapna, S., and Kaushik, M.P., 2010, Synthesis and Antimalarial Evaluation of 1, 3, 5-trisubstitued Pyrazolines, *Eur. J. Med. Chem.*, 45(2), 430–438.
- Anonim, 2017, *World Malaria Report 2016*, World Health Organisation.
- Anonim, 2018, *Hari Malaria Sedunia, Pemerintah Perluas Wilayah Bebas Malaria, Kementerian Kesehatan Republik Indonesia*, tersedia dalam www.depkes.go.id, diakses pada tanggal 21 Mei 2019.
- Baartzes, N., Stringer, T., Chellan, P., Combrinck, J.M., Smith, P.J., Hutton, A.T., and Smith, G.S., 2016, Synthesis, Characterization, Antiplasmodial Evaluation and Electrochemical Studies of Water-Soluble Heterobimetallic Ferrocenyl Complexes, *Inorg. Chim. Acta.*, 446, 111–115.
- Bale, T.A., Mohammed Khan, K., Salar, U., Chigurupati, S., and Fasina, T., Ali, F., 2018, Chalcones and Bis-Chalcones: As Potential α -amylase Inhibitors, Synthesis, In Vitro Screening, and Molecular Modelling Studies, *Bioorg. Chem.*, 79, 179–189.
- Bano, S., Alam, M.S., Javed, K., Dudeja, M., Das, A.K., and Dhulap, A., 2015, Synthesis, Biological Evaluation and Molecular Docking of Some Substituted Pyrazolines and Isoxazolines as Potential Antimicrobial Agents, *Eur. J. Med. Chem.*, 95, 96–103.
- Basilico, N., Pagani, E., Monti, D., Olliaro, P., and Taramelli, D., 1998, A Microtitre-Based Method for Measuring the Haem Polymerization Inhibitory Activity (HPIA) of Antimalarial Drugs, *J. Antimicrob. Chemother.*, 42, 55–60.
- Beyhan, N., Kocyigit-kaymakcioglu, B., Gumru, S., and Aricioglu, F., 2017, Synthesis and Anticonvulsant Activity of Some 2-Pyrazolines Derived from Chalcones, *Arab. J. Chem.*, 10, 2073–2081.
- Buller, R., Peterson, M.L., Almarsson, Ö., and Leiserowitz, L., 2002, Quinoline Binding Site on Malaria Pigment Crystal: A Rational Pathway for Antimalaria Drug Design, *Cryst. Growth Des.*, 2, 553–562.
- Chen, M., Theander, T.G., Christensen, S.B., Hviid, L., Zhai, L.I.N., and Kharazmil, A., 1994, Licochalcone A, a New Antimalarial Agent, Inhibits In Vitro Growth of the Human Malaria Parasite Plasmodium Falciparum and Protects Mice from *P. Yoelii* Infection, *J. Antimicrob. Chemother.*, 38(7), 1470–1475.
- Coskun, D., Gunduz, B., and Coskun, M.F., 2019, Synthesis, Characterization and Significant Optoelectronic Parameters of 1-(7-methoxy-1-benzofuran-2-yl) Substituted Chalcone Derivatives, *J. Mol. Struct.*, 1178, 261–267.
- Fong, K.Y., Sandlin, R.D., and Wright, D.W., 2015, Identification of β -hematin Inhibitors in the MMV Malaria Box, *Int. J. Parasitol. Drugs Drug Resist.*, 5, 84–91.

- Guillon, J., Moreau, S., Mouray, E., Sinou, V., Forfar, I., and Fabre, S.B., 2008, New ferrocenic pyrrolo[1,2-a]quinoxaline Derivatives: Synthesis, and *In Vitro* Antimalarial Activity, *Bioorg. Med. Chem.*, 16, 9133–9144.
- Hadanu, R., Anwar, C., Jumina, and Tahir, I., 2004, Synthesis of Antimalarial 3-(2-Hydroxyethyl)-2-methyl-1,10-phenanthroline-4-ol from 8-aminoquinoline, *Indones. J. Chem.*, 4(2), 82–87.
- Ignatuschenko, M.V., Winter, R.W., and Riscoe, M., 2000, Xanthones as Antimalarial Agent: Stage Specificity, *Am. J. Trop. Med. Hyg.*, 62(1), 77–81.
- Insuasty, B., Montoya, A., Becerra, D., Quiroga, J., Abonia, R., and Robledo, S., 2013, Synthesis of Novel Analogs of 2-Pyrazoline Obtained from [(7-chloroquinolin-4-yl)amino] Chalcones and Hydrazine as Potential Antitumor and Antimalarial Agents, *Eur. J. Med. Chem.*, 67, 252–262.
- Kalaria, P.N., Karad, S.C., and Raval, D.K., 2018, A Review on Diverse Heterocyclic Compounds as the Privileged Scaffolds in Antimalarial Drug Discovery, *Eur. J. Med. Chem.*, 158, 917–936.
- Kalaria, P.N., Satasia, S.P., and Raval, D.K., 2014, Synthesis, Characterization and Biological Screening of Novel 5-imidazopyrazole Incorporated Fused pyran Motifs Under Microwave Irradiation, *New J. Chem.*, 38, 1512–1521.
- Kumar, R., Mohanakrishnan, D., Sharma, A., Kaushik, N.K., Kalia, K., Sinha, A.K., and Sahal, D., 2010, Reinvestigation of Structure Activity Relationship of methoxylated Chalcones as Antimalarials: Synthesis and Evaluation of 2,4,5-trimethoxy Substituted Patterns as Lead Candidates Derived from Abundantly Available Natural β -asarone, *Eur. J. Med. Chem.*, 45, 5292–5301.
- Laloo, D.G., Shingadia, D., Bell, D.J., Beeching, N.J., and Whitty, C.J.M., 2016, UK Malaria Treatment Guidelines 2016, *J Infect.*, 72(6), 635–649.
- Loza, S., Ramírez-Candelero, T.I., Tapia-Bustamante, A., González-Romero, C., Díaz-Torres, E., and Tamariz, J., 2019, Synthesis of 4,5,6,7-tetrahydrobenzoxazol-2-ones by a Highly Regioselective Diels-Alder Cycloaddition of exo-oxazolidin-2-one dienes with Chalcones, *Tetrahedron Lett.*, 60, 1370–1374.
- Ming, L.S., Jamalis, J., Al-Maqtari, H.M., Rosli, M.M., Sankaranarayanan, M., Chander, S., and Fun, H.K., 2017, Synthesis, Characterization, Antifungal Activities and Crystal Structure of thiophene Based Heterocyclic Chalcones, *Chem. Data Collect.*, 9(10), 104–113.
- Mishra, V.K., Mishra, M., Kashaw, V., and Kashaw, S.K., 2017, Synthesis of 1,3,5-trisubstituted Pyrazolines as Potential Antimalarial and Antimicrobial Agents, *Bioorg. Med. Chem.*, 25, 1949–1962.
- Nkoana, W., Nyoni, D., Chellan, P., Stringer, T., Taylor, D., and Smith, P.J., 2014, Heterometallic Half-Sandwich Complexes Containing a ferrocenyl motif: Synthesis, Molecular Structure, Electrochemistry and Antiplasmodial

- Evaluation, *J. Organomet. Chem.*, 752, 67–75.
- Pant, G.J., Singh, P., Rawat, B.S., Rawat, M.S.M., and Joshi, G.C., 2011, Synthesis, Characterization and Fluorescence Studies of 3,5-diaryl substituted 2-Pyrazolines, *Spectrochim. Acta Part A Mol. Biomol. Spectrosc.*, 78, 1075–1079.
- Phyo, A.P., Nkhoma, S., Stepniewska, K., Ashley, E.A., Nair, S., and McGready, R., 2012, Emergence of Artemisinin-Resistant Malaria on the Western Border of Thailand : a Longitudinal Study, *Lancet.*, 379(9830), 1960–1966.
- Prashar, H., Chawla, A., Sharma, A., and Kharb, R., 2012, Chalcone as a Versatile Moiety for Diverse Pharmacological Activities, *Int. J. Pharm. Sci. Res.*, 3, 1913–1927.
- Rafidha, U.N., 2018, Sintesis Senyawa Turunan Kalkon dan Pirazolina Berbahan Dasar 4-aminoastofenon serta Uji Aktivitasnya sebagai Senyawa Antioksidan dan Tabir Surya, *Skripsi*, Departemen Kimia FMIPA UGM, Yogyakarta.
- Rani, M., Yusuf, M., and Khan, S.A., 2012, Synthesis and In Vitro Antibacterial Activity of [5-(furan-2-yl)-phenyl]-4,5-carbothioamide-pyrazolines, *J. Saudi Chem. Soc.*, 16, 431–436.
- Rashid, H., Xu, Y., Ahmad, N., Muhammad, Y., and Wang, L., 2019, Promising Anti-Inflammatory Effects of Chalcones via Inhibition of Cyclooxygenase, Prostaglandin E 2, Inducible NO Synthase and Nuclear Factor K β Activities, *Bioorg. Chem.*, 87, 335–365.
- Sakthnathan, S.P., Vanangamudi, G., and Thirunarayanan, G., 2012, Synthesis, Spectral Studies and Antimicrobial Activities of Some 2-naphthyl pyrazoline Derivatives, *Spectrochim. Acta-Part A Mol. Biomol. Spectrosc.*, 95, 693–700.
- Sandlin, R.D., Fong, K.Y., Wicht, K.J., Carrell, H.M., Egan, T.J., and Wright, D.W., 2014, Identification of β -hematin Inhibitors in a High Throughput Screening Effort Reveals Scaffolds with In Vitro Antimalarial Activity, *Int. J. Parasitol. Drugs Drug Resist.*, 4, 316–325.
- Sathish, M., Meenakshi, G., Xavier, S., Sebastian, S., Periandy, S., and Ahmad, N., 2018, Synthesis, Molecular Structure, Hirshfeld Surface, Spectral Investigations and Molecular Docking Study of 3-(5-bromo-2-thienyl)-1-(4-fluorophenyl)-3-acetyl-2-pyrazoline (2) by DFT Method, *J. Mol. Struct.*, 1164, 420–437.
- Sharma, S., Kaur, S., Bansal, T., and Gaba, J., 2014, Review on Synthesis of Bioactive Pyrazoline Derivatives, *Chem. Sci. Trans.*, 3(3), 861–875.
- Sid, A., Messai, A., Parlak, C., Kazanci, N., Luneau, D., and Keşan, G., 2016, 1-Formyl-3-phenyl-5-(4-isopropylphenyl)-2-pyrazoline: Synthesis, Characterization, Antimicrobial Activity and DFT Studies, *J. Mol. Struct.*, 1121, 46–53.
- Sidiq, M.N., 2015, Sintesis Uji Antibakteri dan Uji Sitotoksisitas Senyawa N-Fenil Pirazolina dari 4-dimetilaminobenzaldehida dan 4-kloroasetofenon,

Skripsi, Departemen Kimia FMIPA UGM, Yogyakarta.

- Soltani, M., Memarian, H.R., and Sabzyan, H., 2018, Spectroscopic Studies of Aryl Substituted 1-phenyl-2-pyrazolines: Steric and Electronic Substitution Effects, *J. Mol. Struct.*, 1173, 903–917.
- Stapleton, D.H., 2004, Public Health Chronicles, *Public Health Rep.*, 119, 206–215.
- Stefanes, N.M., Toigo, J., Maioral, M.F., Jacques, A.V., Delatorre, L.D.C., and Perondi, D.M., 2019, Synthesis of Novel Pyrazoline Derivatives and The Evaluation of Death Mechanisms Involved in Their Antileukemic Activity, *Bioorg. Med. Chem.*, 27, 375–382.
- Steinbacher, S., Kaiser, J., Eisenreich, W., Huber, R., Bacher, A., and Rohdich, F., 2003, Structural Basis of Fosmidomycin Action Revealed by the Complex with 2- C -Methyl- D -erythritol 4-phosphate Synthase (IspC), *J. Biol. Chem.*, 278, 18401–18407.
- Vargas, S., Ndjoko Ioset, K., Hay, A.E., Ioset, J.R., Wittlin, S., and Hostettmann, K., 2011, Screening Medicinal Plants for the Detection of Novel Antimalarial Products Applying the Inhibition of β -hematin Formation, *J. Pharm. Biomed. Anal.*, 56, 880–886.
- Wanare, G., Aher, R., Kawathekar, N., Ranjan, R., and Kaushik, N.K., 2010, Synthesis of novel a-pyrano-chalcones and pyrazoline derivatives as Plasmodium falciparum growth inhibitors, *Bioorg. Med. Chem. Lett.*, 20, 4675–4678.
- Wooden, J.M., Hartwell, L.H., Vasquez, B., and Sibley, C.H., 1997, Analysis in Yeast of Antimalaria Drugs that Target the dihydrofolate Reductase of Plasmodium Falciparum, *Mol. Biochem. Parasitol.*, 85, 25–40.
- Yadav, N., Dixit, S.K., and Mishra, L.C., 2012, Antimalarial Activity of Newly Synthesized Chalcone Derivatives In Vitro, *Chem. Biol. Drug. Des.*, 80(2), 340–347.