

DAFTAR PUSTAKA

- Abdullah M. 2014. Tumor Kolorektal. *Buku Ajar Ilmu Penyakit Dalam*. Edisi Keenam. Bab 34: Onkologi Medik Khusus. Jakarta. Interna Publishing.
- Alminer Y, Ghamrawi R, Aburahma A, Salah S, Rios-Beyoda C, Katato K. 2017. Factors associated with short recurrence-free survival in completely resected colon cancer. *Journal of Community Hospital Internal Medicine Perspectives*; 7 (6): 341-6.
- American Joint Committee on Cancer. 2016. AJCC Cancer Staging Manual, 8th Edition. USA.
- Arnold CN, Goel A, Boland CR. 2003. Role of hMLH1 promoter hypermethylation in drug resistance to 5-fluorouracil in colorectal cancer cell lines. *Int J Cancer*; 106: 66–73.
- Banerjea A, Hands RE, Powar MP, Bustin SA, Dorudi S. 2009. Microsatellite and chromosomal stable colorectal cancers demonstrate poor immunogenicity and early disease recurrence. *Colorectal Dis*; 11 : 601-8.
- Belt EJT, Velde EAT, Krijgsman O, Brosens RP, Tijssen M, van Essen HF, *et al.* 2012. High lymph node yield is related to microsatellite instability in colon cancer. *Ann Surg Oncol*; 19: 1222–30.
- Benatti P, Gafa R, Barana D, Marino M, Scarselli A, Pedroni M, *et al.* 2005. Microsatellite instability and colorectal cancer prognosis. *Clin Cancer Res*; 11: 8332–40.
- Boland CR, Thibodeau SN, Hamilton SR, Sidransky D, Eshleman JR, Burt RW, *et al.* 1998. A National Cancer Institute Workshop on Microsatellite Instability for cancer detection and familial predisposition: development of international criteria for the determination of microsatellite instability in colorectal cancer. *Cancer Res*; 58: 5248-57.
- Buckowitz A, Knaebel HP, Benner A, Blaker H, Gebert J, Kienle P, *et al.* 2005. Microsatellite instability in colorectal cancer is associated with local lymphocyte infiltration and low frequency of distant metastases. *Br J Cancer*; 92: 1746–53.
- Carethers JM, Smith EJ, Behling CA, Nguyen L, Tajima A, Doctorelo RT, *et al.* 2004. Use of 5-fluorouracil and survival in patients with microsatellite unstable colorectal cancer. *Gastroenterology*; 126: 394–401.
- Cunningham D, Atkin W, Lenz HJ, Lynch HT, Minsky B, Nordlinger B, *et al.* 2010. Colorectal cancer. *Lancet*; 375: 1030–47.

- Dahlan S. 2016. Besar Sampel dalam Penelitian Kedokteran dan Kesehatan. *Epidemiologi Indonesia*. Edisi 4. Jakarta.
- Des-Guetz G, Schischmanoff O, Nicolas P, Perret GY, Morere JF, Uzzan B. 2009. Does microsatellite instability predict the efficacy of adjuvant chemotherapy in colorectal cancer? A systematic review with meta-analysis. *Eur J Cancer*; 45: 1890-6.
- Eveno C, Nemeth J, Soliman H, Praz F, de The H, Valleur P, *et al.* 2010. Association between a high number of isolated lymph nodes in T1 to T4 N0M0 colorectal cancer and the microsatellite instability phenotype. *Arch Surg*; 145: 12–7.
- Garcia M, Jemal A, Ward EM, Center MM, Hao Y, Siegel RL, *et al.*, 2007. *American Cancer society: Global cancer facts & figures*. Atlanta, USA.
- Gelsomino F, Barbolini M, Spallanzani A, Pugliese G, Cascinu S. 2016. The evolving role of microsatellite instability in colorectal cancer: A review. *Cancer Treatment Reviews*; 51: 19–26.
- Globocan Cancer Fact Sheets: Colorectal Cancers. 2018. Diakses dari URL: http://globocan.iarc.fr/Pages/fact_sheets_cancer.aspx
- Haddad R, Ogilvie RT, Croitoru M, Muniz V, Gryfe R, Pollet A, *et al.* 2004. Microsatellite instability as a prognostic factor in resected colorectal cancer liver metastases. *Ann Surg Oncol*; 11: 977–82.
- Hendriks YM, de Jong AE, Morreau H, Tops CM, Vasen HF, Wijnen JT, *et al.* 2006. Diagnostic approach and management of Lynch syndrome (hereditary nonpolyposis colorectal carcinoma): a guide for clinicians. *CA Cancer J Clin*; 56: 213–25.
- Hong SP, Min BS, Kim TI, Cheon JH, Kim NK, Kim H, *et al.* 2012. The differential impact of microsatellite instability as a marker of prognosis and tumour response between colon cancer and rectal cancer. *European Journal of Cancer*; 48: 1235-1243
- Imai K, Yamamoto H. 2008. Carcinogenesis and microsatellite instability: the interrelationship between genetics and epigenetics. *Carcinogenesis*; 29: 673–80.
- Jin HY, Liu X, Li VK, Ding Y, Yang B, Geng J, *et al.* 2008. Detection of mismatch repair gene germline mutation carrier among Chinese population with colorectal cancer. *BMC Cancer*; 8: 44.
- Jogja Cancer Registry. 2017. RKBK November 2017. Diakses dari URL: <https://canreg.fk.ugm.ac.id/laporan-data/rkbp-november-2017/>

- Jogja Cancer Registry. 2018. RKBR Oktober 2018. Diakses dari URL: <https://canreg.fk.ugm.ac.id/laporan-data/rkbr-oktober-2018/>
- Jover R, Zapater P, Castells A, Llor X, Andreu M, Cubiella J, *et al.* 2006. Mismatch repair status in the prediction of benefit from adjuvant fluorouracil chemotherapy in colorectal cancer. *Gut*; 55: 848–55.
- Kakar S, Aksoy S, Burgart LJ, Smyrk TC. 2004. Mucinous carcinoma of the colon: correlation of loss of mismatch repair enzymes with clinicopathologic features and survival. *Mod Pathol*; 17(6): 696–700.
- Kang S, Na Y, Joung SY, Lee SI, Oh SC, Min BW. 2018. The significance of microsatellite instability in colorectal cancer after controlling for clinicopathological factors. *Medicine*; 97: 9.
- Kim GP, Colangelo LH, Wieand HS, Paik S, Kirsch IR, Wolmark N, *et al.* 2007. Prognostic and predictive roles of high-degree microsatellite instability in colon cancer: a National Cancer Institute-National Surgical Adjuvant Breast and Bowel Project Collaborative Study. *J Clin Oncol*; 25: 767–72.
- Kim CG, Ahn JB, Jung M, Beom SH, Kim C, Kim JH, *et al.* 2016. Effects of microsatellite instability on recurrence patterns and outcomes in colorectal cancers. *Br J Cancer*; 115: 25–33.
- Labianca R, Nordlinger B, Beretta GD, Brouquet A, Cervantes A. 2010. Primary colon cancer: ESMO Clinical Practice Guidelines for diagnosis, adjuvant treatment and follow-up. *Annals of Oncol*; 21(5):70–7.
- Laghi L., Bianchi P, Malesci A. 2008. Differences and evolution of the methods for the assessment of microsatellite instability. *Oncogene*; 27:6313–21.
- Lee SY, Kim DW, Lee HS, Ihn MH, Oh HK, Min BS, *et al.* 2015. Low-Level Microsatellite Instability as a Potential Prognostic Factor in Sporadic Colorectal Cancer. *Medicine*; 94:50.
- Li L, Ma BB. 2014. Colorectal cancer in Chinese patients: current and emerging treatment option. *OncoTargets and Therapy*; 7: 1817–1828.
- Liang JT, Huang KC, Lai HS, Lee PH, Cheng YM, Hsu HC, *et al.* 2002. High-Frequency Microsatellite Instability Predicts Better Chemosensitivity to High Dose 5-Fluorouracil Plus Leucovorin Chemotherapy for Stage IV Sporadic Colorectal Cancer after Palliative Bowel Resection. *Int J Cancer*; 101: 519-525.
- Lynch HT, de la Chapelle A., 2003. Hereditary colorectal cancer. *N Engl J Med*; 348: 919.

- Malesci A, Laghi L, Bianchi P, Delconte G, Randolph A, Torri V, *et al.* 2007. Reduced likelihood of metastases in patients with microsatellite-unstable colorectal cancer. *Clin Cancer Res*; 13: 3831–9.
- Minoo P, Zlobec I, Peterson M, Terraciano L, Lugli A. 2010. Characterization of rectal, proximal and distal colon cancers based on clinicopathological, molecular and protein profiles. *Int J Oncol*; 37: 707–18.
- Moghimi-Dehkordi B, Safaee A. 2012. An overview of colorectal cancer survival rates and prognosis in Asia. *World J Gastrointest Oncol*; 4(4): 71-5.
- Mojarad EN, Kashfi SM, Mirtalebi H, Taleghani MY, Azimzadeh P, Savabkar S, *et al.* 2016. Low Level of Microsatellite Instability Correlates with Poor Clinical Prognosis in Stage II Colorectal Cancer Patients. *J of Oncol*; Article ID 2196703.
- National Cancer Institute. 2016. Diakses dari URL: <https://www.cancer.gov/publications/dictionaries/cancer-terms?cdrid=44023>
- Ng K, Schrag D. 2010. Microsatellite instability and adjuvant fluorouracil chemotherapy: a mismatch? *J Clin Oncol*; 28 : 3207-10.
- Ogino S, Nosho K, Irahara N, Meyerhardt JA, Baba Y, Shima K, *et al.* 2009. Lymphocytic reaction to colorectal cancer is associated with longer survival, independent of lymph node count, microsatellite instability, and CpG island methylator phenotype. *Clin Cancer Res*; 15 : 6412-20.
- Ohlsson, L., 2011. Biomarker mRNAs For Staging and prognosis of colorectal cancer. *Departement of Clinical Microbiology and Immunology*. University of Umea, Sverige.
- Pino MS, Chung DC. 2010. The Chromosomal Instability Pathway in Colon Cancer. *Gastroenterology*: 138(6): 2059–72.
- Popat S, Hubner R, Houlston RS. 2005. Systematic review of microsatellite instability and colorectal cancer prognosis. *J Clin Oncol*; 23 : 609-18.
- Poynter JN, Siegmund KD, Weisenberger DJ, Long TI, Thibodeau SN, Lindor N, *et al.* 2008. Molecular characterization of MSI-H colorectal cancer by MLHI promoter methylation, immunohistochemistry, and mismatch repair germline mutation screening. *Cancer Epidemiol Biomarkers Prev*; 17: 3208–15.
- Reimers MS, Zeestraten ECM, Kuppen PJK, Liefers GJ, van de Velde CJH. 2013. Biomarkers in precision therapy in colorectal cancer. *Gastroenterology Report*; 1: 166–183.

- Ribic CM, Sargent DJ, Moore MJ, Thibodeau SN, French AJ, Goldberg RM, *et al.* 2003. Tumor microsatellite-instability status as a predictor of benefit from fluorouracilbased adjuvant chemotherapy for colon cancer. *N Engl J Med*; 349: 247–57.
- Rosseau B, Chibaudel B, Bachet JB, Larsen AK, Tournigand C, Louvet C, *et al.* 2010. Stage II and Stage III Colon Cancer: Treatment Advances and Future Directions. *Cancer J*; 16: 202–9.
- Samowitz WS, Curtin K, Ma KN, Schaffer D, Coleman LW, Leppert M, *et al.* 2001. Microsatellite instability in sporadic colon cancer is associated with an improved prognosis at the population level. *Cancer Epidemiol Biomarkers Prev*; 10: 917–23.
- Samadder NJ, Vierkant RA, Tillmans LS, Wang AH, Weisenberger DJ, Laird PW, *et al.* 2013. Associations between colorectal cancer molecular markers and pathways with clinicopathologic features in older women. *Gastroenterology*; 145: 348-56.
- Sargent D, Marsoni S, Thibodeau SN, Labianca R, Hamilton SR, Torri V. 2008. Confirmation of deficient mismatch repair (dMMR) as a predictive marker for lack of benefit from 5-FU based chemotherapy in stage II and III colon cancer (CC): a pooled molecular reanalysis of randomized chemotherapy trials. *J Clin Oncol*; 26(15).
- Saridaki Z, Souglakos J, Georgoulas V. 2014. Prognostic and predictive significance of MSI in stages II/III colon cancer. *World J Gastroenterol*; 20(22): 6809-14.
- Setaffy L, Langner C. 2015. Microsatellite instability in colorectal cancer: clinicopathological significance. *Pol J Pathol*; 66(3): 203–18.
- Sinicrope FA, Rego RL, Halling KC, Foster N, Sargent DJ, La Plant B, *et al.* 2006. Prognostic impact of microsatellite instability and DNA ploidy in human colon carcinoma patients. *Gastroenterology*; 131: 729–37.
- Sinicrope FA., Sargent DJ. 2009. Clinical implications of microsatellite instability in sporadic colon cancers. *Curr Opin Oncol*; 21(4): 369–73.
- Srdjan M, Jadranka A, Dimitrijevic I, Branimir Z, Daniela B, Petar S, *et al.* 2016. Microsatellite instability and survival in patients with stage II/III colorectal carcinoma. *Indian J Med Res*; 143: 104-111.
- Thomas M, Hewett PJ, Ruszkiewicz AR, Moore J. 2015. Clinicopathological predictors of benefit from adjuvant chemotherapy for stage C colorectal cancer: Microsatellite unstable cases benefit. *Asia Pacific J of Clin Oncol*; 11: 343-51.

- Vilar E, Gruber SB. 2010. Microsatellite instability in colorectal cancer-the stable evidence. *Nat Rev Clin Oncol*; 7(3): 153–62.
- Wahidin M, Noviani R, Hermawan S, Andriani V, Ardian A, Djarir H. 2012. Population-Based Cancer Registration in Indonesia. *Asian Pac J Cancer Prev*; 13(4): 1709-10.
- Wardhani Y, Hutajulu SH, Ferianti VW, Fitriani Z, Taroeno-Hariadi KW, Kurnianda J. 2019. Effects of oxaliplatin-containing adjuvant chemotherapy on short term survival in patients with colon cancer in Dr Sardjito Hospital Yogyakarta Indonesia. *J Gastrointest Oncol*; 10(2): 226-34.
- Watson P, Lynch HT. 2001. Cancer risk in mismatch repair gene mutation carriers. *Fam Cancer*; 1: 57–60.
- Yamamoto H, Adachi Y, Taniguchi H, Kunimoto H, Nosho K, Suzuki H, *et al.* 2012. The interrelationship between microsatellite instability and microRNA in gastrointestinal cancer. *World J Gastroenterol*; 18: 2745–55.
- Yamamoto H, Watanabe Y, Maehata T, Morita R, Yoshida Y, Oikawa R, *et al.* 2014. An updated review of gastric cancer in the next-generation sequencing era: insights from bench to bedside and vice versa. *World J Gastroenterol*; 20: 3927–37.
- Yamamoto H, Imai K. 2015. Microsatellite instability: an update. *Arch Toxicol*; 89(6): 899-921.
- Yamauchi M, Morikawa T, Kuchiba A, Imamura Y, Qian ZR, Nishihara R, *et al.* 2012. Assessment of colorectal cancer molecular features along bowel subsites challenges the conception of distinct dichotomy of proximal versus distal colorectum. *Gut*; 61: 847–54.
- Zhu L, Huang Y, Fang X, Liu C, Deng W, Zhong C, *et al.* 2018. A Novel and Reliable Method to Detect Microsatellite Instability in Colorectal Cancer by Next-Generation Sequencing. *The Journal of Molecular Diagnostics*; 20: 2.