

DAFTAR PUSTAKA

- Acharya, B.N., Saraswati, D., Tiwari, M., Shrivastava, A.K., Ghorpade, R., Bapna, S., and Kaushik, M.P., 2010, Synthesis and Antimalarial Evaluation of 1,3,5-trisubstituted Pyrazolines, *Eur. J. Med. Chem.*, 45, 430–438.
- Ahmad, A., Husain, A., Khan, S.A., Mujeeb, M., and Bhandari, A., 2016, Synthesis, Antimicrobial and Antitubercular Activities of Some Novel Pyrazoline Derivatives Antimicrobial and Antitubercular Activities of Novel Pyrazoline Derivatives, *J. Saudi Chem. Soc.*, 20, 577–584.
- Amir, M., Kumar, H., and Khan, S.A., 2008, Synthesis and Pharmacological Evaluation of Pyrazoline Derivatives as New Anti-inflammatory and Analgesic agents, *Bioorganic Med. Chem. Lett.*, 18, 918–922.
- Anonim, 1994, *Profil Kesehatan Indonesia Tahun 1993*, Pusat Data Kesehatan, Departemen Kesehatan RI, Jakarta.
- Anonim, 2018, World Malaria Report, <https://www.who.int/malaria/en/>, diakses tanggal 2 Mei 2019.
- Azarifar, D., and Shaebanzadeh, M., 2002, Synthesis and Characterization of New 3,5-Dinaphthyl Substituted 2-Pyrazolines and Study of Their Antimicrobial Activity, *Molecules*, 7, 885-895.
- Baelmans, R., Deharo, E., Muoz, V., Sauvain, M., and Ginsburg, H., 2000, Experimental Conditions for Testing The Inhibitory Activity of Chloroquine on The Formation of β -hematin, *Exp. Parasitol.*, 96, 243–248.
- Basilico, N., Pagani, E., Monti, D., Olliaro, P., and Taramelli, D., 1998, A Microtitre-based Method for Measuring The Haem Polymerization Inhibitory Activity (HPIA) of Antimalarial Drugs, *J. Antimicrob. Chemother.*, 42, 55–60.
- Bhattacharya, A., Mishra, L.C., Sharma, M., Awasthi, S.K., and Bhasin, V.K., 2009, Antimalarial Pharmacodynamics of Chalcone Derivatives in Combination with Artemisinin Against *Plasmodium falciparum* In Vitro, *Eur. J. Med. Chem.*, 44, 3388–3393.
- Beyhan, N., Kocyigit-Kaymakcioglu, B., Gümürü, S., and Aricioglu, F., 2017, Synthesis and Anticonvulsant Activity of Some 2-pyrazolines Derived from Chalcones, *Arab. J. Chem.*, 10, S2073–S2081.
- Budi, D.S., Baskara, A.A.N.N., Putra, P.P., Faiqoh, Z., and Sholikhah, E.N., 2013, When Parasite Eradicates Parasite: A Study of Antiplasmodial Activity, Heme Polymerase Inhibition, and Vero Cell Cytotoxicity of Mistletoe (*Dendrophthoe pentandra*), *J. Indon. Med. Assoc.*, 63(7), 272 -278.

- Chen, M., Theander, T.G., Cristensen, S.B., Hviid, L., Zhai, L., Kharazmi, A., 1994, Licochalcone A, A New Antimalarial Agent Inhibits In Vitro Growth of The Human Malaria Parasite *Plasmodium falciparum* and Protects Mice from *Plasmodium yorli* Infection, *Antimicrob Agents Chemother.*, 38(7), 1470-1475.
- De Sousa, A.C.C., Diaz, N.C., De Souza, A.M.T., Cabral, L.M., Castro, H.C., Albuquerque, M.G., and Rodrigues, C.R., 2015, Molecular Modeling Study of A Series of Amodiaquine Analogues with Antimalarial Activity, *Med. Chem. Res.*, 24, 3529–3536.
- Dipankaar, B., Panneerselvam, P., and Asish, B., 2012, Synthesis, Characterization and Evaluation of Analgesic, Anti-Inflammatory, Ulcerogenic Potential of Some 2-Pyrazoline Derivatives, *Der Pharma Chemica.*, 4(4), 1678-1688.
- Eicher, T., and Hauptmann, S., 1995, *The Chemistry of Heterocycles*, Georg Thieme Verlag Stuttgart, New York.
- Fessenden, R.J., dan Fessenden, J.S., 1986, *Kimia Organik Dasar*, Edisi Ketiga, Jilid 2, Terjemahan oleh A.H. Pudjaatmaka, Erlangga, Jakarta.
- Guetzoyan, L., Yu, X.M., Ramiandrasoa, F., Pethe, S., Rogier, C., Pradines, B., Cresteil, T., Fauvet, M.P., and Mahy, J.P., 2009, Antimalarial Acridines: Synthesis, In Vitro Activity Against *P. falciparum* and Interaction with Hematin, *Bioorg. Med. Chem.*, 17, 8032–8039.
- Gupta, R., Gupta, N., and Jain, A., 2010, Improved Synthesis of Chalcones and Pyrazolines Under Ultrasonic Irradiation, *Indian J. Chem., Sect. B: Org. Chem. Incl. Med. Chem.*, 49, 351–355.
- Hastuty, N., 2017, Sintesis Senyawa *N*-hidrogen Pirazolina dari Bahan Dasar *p*-anisaldehida dan 2,4-dihidroksiasetofenon serta Uji Sitotoksitasnya terhadap Beberapa Sel Kanker, *Skripsi*, Departemen Kimia FMIPA UGM, Yogyakarta.
- Hermantono, F., Yun, Y.F., Aisyah, L.S., Saputra, T.R., Hakim, A.R., Ningsih, A.K., Herlina, T., Julaeha, E., Zainuddin, A., dan Supratman, U., 2014, Uji Aktivitas Antimalaria Ekstrak Etanol Daun Cocor Bebek (*Kalanchoe blossfeldiana* Poelln.), *Kartika Jurnal Ilmia Farmasi*, 2(2), 54-58.
- Huy, N.T., Maeda, A., Uyen, D.T., Trang, D.T.X., Sasai, M., Shiono, T., Oida, T., Harada, S., and Kamei, K., 2007, Alcohols Induce Beta-hematin Formation Via The Dissociation of Aggregated Heme and Reduction in Interfacial Tension of The Solution, *Acta Trop.*, 101, 130–138.
- Insuasty, B., Montoya, A., Becerra, D., Quiroga, J., Abonia, R., Robledo, S., Velez, I.D., Upegui, Y., Noguerras, M., and Cobo, J., 2013, Synthesis of Novel Analogs of 2-pyrazoline Obtained from [(7-chloroquinolin-4-yl) amino]

- Chalcones and Hydrazine as Potential Antitumor and Antimalarial Agents, *Eur. J. Med. Chem.*, 67, 252–262.
- Jain, D.K., Bhadoriya, U., and Lodhi, J.L., 2013, Synthesis, Characterization and Biological Evaluation of Some New Pyrazoline Derivatives, *Asian J. Chem.*, 25, 1387–1390.
- Jayapal, M.R., Prasad, K.S., and Sreedhar, N.Y., 2010, Synthesis and Characterization of 2,4-dihydroxy Substituted Chalcones Using Aldol Condensation by SOCl_2 / EtOH, *J. Chem. Pharm. Res.*, 2, 127–132.
- Kalaria, P.N., Karad, S.C., and Raval, D.K., 2018, A Review on Diverse Heterocyclic Compounds as The Privileged Scaffolds in Antimalarial Drug Discovery, *Eur. J. Med. Chem.*, 158, 917–936.
- Kendre, M., and Baseer, A, 2013, Synthesis and Evaluation of Some New Pyrazoline Derivatives as Antimicrobial Agents, *J. Org. Chem.*, 29(1), 253256.
- Krostad, D.J., 2012, Malaria as A Reemerging Disease, *Epidemiol. Rev.*, 18, 77–89.
- Kumar, R., Mohanakrishnan, D., Sharma, A., Kumar, N., and Kalia, K., 2010, Reinvestigation of Structure – Activity Relationship of Methoxylated Chalcones as Antimalarials ; Synthesis and Evaluation of 2, 4, 5-trimethoxy Substituted Patterns as Lead Candidates Derived from Abundantly Available Natural B – Asarone, *Eur. J. Med. Chem.*, 45, 5292-5301.
- Kuter, D., Streltsov, V., Davydova, N., Venter, G.A., Naidoo, K.J., and Egan, T.J., 2015, Solution Structures of Chloroquine-ferriheme Complexes Modeled Using MD Simulation and Investigated by EXAFS Spectroscopy, *J. Inorg. Biochem.*, 154, 114–125.
- Leed, A., DuBay, K., Ursos, L.M.B., Sears, D., De Dios, A.C., and Roepe, P.D., 2002, Solution Structures of Antimalarial Drug - Heme Complexes, *Biochemistry*, 41, 10245–10255.
- Li, R., Kenyon, G.L., Cohen, F.E., Chen, X., Gong, B., Dominguez, J.N., Davidson, E., Kurzban, G., Miller, R.E., Nuzum, E.O., Rosenthal, P.J., and Mckerrow, J.H., 1995, *In Vitro* Antimalarial Activity of Chalcones and Their Derivatives, *J. Med. Chem.*, 38, 5031–5037.
- Lim, S.S., Kim, H.S., and Lee, D.U., 2007, *In Vitro* Antimalarial Activity of Flavonoids and Chalcones, *Bull. Korean Chem. Soc.*, 28, 2495–2497.
- Liu, M., Wilairat, P., Croft, S.L., Tan, A.L.C., and Go, M.L., 2003, Structure-Activity Relationships of Antileishmanial and Antimalarial Chalcones, *Bioorg. Med. Chem.*, 11, 2729–2738.

- Loza, S., Ramírez-Candeler, T.I., Tapia-Bustamante, A., González-Romero, C., Díaz-Torres, E., and Tamariz, J., 2019, Synthesis of 4,5,6,7-tetrahydrobenzoxazol-2-ones by a Highly Regioselective Diels-Alder Cycloaddition of Exo-oxazolidin-2-one Dienes with Chalcones, *Tetrahedron Lett.*, 60, 1370–1374
- Mahapatra, D.K., Bharti, S.K., and Asati, V., 2015, Chalcone Scaffolds as Anti-infective Agents: Structural and Molecular Target Perspectives, *Eur. J. Med. Chem.*, 101, 496–524.
- Mai, C.W., Yaeghoobi, M., Abd-Rahman, N., Kang, Y.B., and Pichika, M.R., 2014, Chalcones with Electron-withdrawing and Electron-donating Substituents: Anticancer Activity Against TRAIL Resistant Cancer Cells, Structure-activity Relationship Analysis and Regulation of Apoptotic Proteins., *Eur. J. Med. Chem.*, 77, 378–387.
- Marella, A., Akhter, M., and Shaquiquzzaman, M., 2014, Synthesis and In-Vitro Antimalarial Evaluation of Pyrazoline: A New Antimalarial Scaffold, *J. Pharm. Res.*, 8(1), 77–80.
- Mishra, N., Arora, P., Kumar, B., Mishra, L.C., Bhattacharya, A., Awasthi, S.K., and Bhasin, V.K., 2008, Synthesis of Novel Substituted 1,3-diaryl-propenone Derivatives and Their Antimalarial Activity In Vitro, *Eur. J. Med. Chem.*, 43, 1530–1535..
- Montes-Avila, J., Díaz-Camacho, S.P., Sicairos-Félix, J., Delgado-Vargas, F., and Rivero, I.A., 2009, Solution-phase Parallel Synthesis of Substituted Chalcones and Their Antiparasitary Activity Against *Giardia lamblia*, *Bioorg. Med. Chem.*, 17, 6780–6785
- Narender, T. and Papi Reddy, K., 2007, A Simple and Highly Efficient Method for The Synthesis of Chalcones by Using Borontrifluoride-etherate, *Tetrahedron Lett.*, 48, 3177–3180.
- Neto, A.B. and Lavarda, F.C., 2014, The Correlation between Electronic Structure and Antimalarial Activity of Alkoxyated and Hydroxylated Chalcones, *Med. Chem. Res.*, 23, 580–586.
- Noviyanti, E.D., 2014, Sintesis dan Uji Aktivitas Antibakteri Secara *In Vitro* Turunan Kloropirazolina Berbahan Dasar Vanilin, *Tesis*, Departemen Kimia FMIPA UGM, Yogyakarta.
- Padhy, G.K., Panda, J., and Behera, A.K., 2017, Synthesis and Characterization of Novel Benzimidazole Embedded 1,3,5-trisubstituted Pyrazolines as Antimicrobial Agents, *J. Serbian Chem. Soc.*, 82, 985–993.
- Pant, G.J., Singh, P., Rawat, B.S., Rawat, M.S.M., and Joshi, G.C., 2011, Synthesis,

- Characterization and Fluorescence Studies of 3,5-diaryl Substituted 2-Pyrazolines, *Spectrochim. Acta Part A Mol. Biomol. Spectrosc.*, 78, 1075–1079.
- Patil, C.B., Mahajan, S.K., and Katti, S.A., 2009, Chalcone: A Versatile Molecule, *J. Pharm. Sci. Res.*, 1, 11–22.
- Patel, N.B., Shaikh, F.M., Patel, H.R., and Rajani, D., 2016, Synthesis of 2-pyrazolines from Pyridine Based Chalcone by Conventional and Microwave Techniques: Their Comparison and Antimicrobial Studies, *J. Saudi Chem. Soc.*, 20, S451–S456.
- Pavia D.L., Lampman G.M., Kriz G.S., dan Vyvyan J.R., 2009, *Introduction to Spectroscopy*, 5th Ed., Belmont.
- Rafidha, U.N., 2018, Sintesis Senyawa Turunan Kalkon dan Pirazolina Berbahan Dasar 4-aminoasetofenon serta Uji Aktivitasnya sebagai Senyawa Antioksidan dan Tabir Surya, *Skripsi*, Departemen Kimia FMIPA UGM, Yogyakarta.
- Rosenthal, P.J., 1998, Proteases of Malaria Parasites: New Targets for Chemotherapy, *Emerg. Infect. Dis.*, 4, 49–57.
- Sarimole, E., Martosupono, M., Semangun, H., Mangimbulude, J.C., Pengobatan Penyakit Malaria dengan Menggunakan Beberapa Jenis Tumbuhan Nabai di Kabupaten Raja Ampat, *Prosiding Seminar Nasional Raja Ampat Waisai*, 12-13 Agustus 2014, Salatiga.
- Sastrohamidjojo, 2007, *Spektroskopi*, Edisi ketiga, Liberty, Yogyakarta.
- Setiawati, A., 2015., Sintesis Turunan Pirazolina sebagai Agen Antibakteri dari Vanilin dan Minyak Gandapura, *Tesis*, Departemen Kimia FMIPA UGM, Yogyakarta.
- Safaei-Ghomi, J., Bamoniri, A.H., and Soltanian-Telkabadi, M., 2006, A Modified and Convenient Method for The Preparation of *N*-phenylpyrazoline Derivatives, *Chem. Heterocycl. Compd.*, 42, 892–896.
- Sharifzadeh, B., Mahmoodi, N.O., Mamaghani, M., Tabatabaeian, K., Chirani, A.S., and Nikokar, I., 2013, Facile Regioselective Synthesis of Novel Bioactive Thiazolyl-pyrazoline Derivatives Via a Three-component Reaction and Their Antimicrobial Activity, *Bioorg. Med. Chem. Lett.*, 23, 548–551.
- Sidiq, M.R., 2015, Sintesis Uji Antibakteri dan Uji Sitoksisitas Senyawa *N*-fenilpirazolina dari 4-dimetilaminobenzaldehyda dan 4-kloroasetofenon, *Skripsi*, Departemen Kimia FMIPA UGM, Yogyakarta.
- Snow, R.W., Guerra, C.A., Noor, A.M., Myint, H.Y., and Simon, I., 2011, Europe PMC Funders Group The Global Distribution of Clinical Episodes of *Plasmodium falciparum* Malaria, *Nature*, 434, 214–217.

- Suma, A.A.T., 2014, Sintesis dan Uji Antibakteri Senyawa *N*-fenilpirazolina dari 6-Nitroveratraldehida dan Asetofenon, *Skripsi*, Departemen Kimia FMIPA UGM, Yogyakarta.
- Suslick, K., and Price, G., 1999, Application of Ultrasound to Materials Chemistry, *Annu. Rev. Master. Sci.*, 29, 295-326.
- Syahri, J., Yuanita, E., Nurohmah, B.A., Armunanto, R., and Purwono, B., 2017, Chalcone Analogue as Potent Anti-malarial Compounds Against *Plasmodium falciparum*: Synthesis, Biological Evaluation, and Docking Simulation Study, *Asian Pac. J. Trop. Biomed.*, 7, 675–679.
- Tiwari, B., Pratapwar, A.S., Tapas, A.R., Butle, S.R., and Vatkar, B.S., 2010, Synthesis and Antimicrobial Activity of Some Chalcone Derivatives, *Int. J. Chem. Tec. Res.*, 2(1), 499-503.
- Wiser, M.F., 2006, Biochemistry of Plasmodium, <http://www//tulane.edu/wiser/malaria.html>, diakses tanggal 31 Agustus 2018.
- Won, S.J., Liu, C.T., Tsao, L.T., Weng, J.R., Ko, H.H., Wang, J.P., and Lin, C.N., 2005, Synthetic Chalcones as Potential Anti-inflammatory and Cancer Chemopreventive Agents, *Eur. J. Med. Chem.*, 40, 103–112.
- Yadav, N., Dixit, S.K., Bhattacharya, A., Mishra, L.C., Sharma, M., Awasthi, S.K., and Bhasin, V.K., 2012, Antimalarial Activity of Newly Synthesized Chalcone Derivatives In Vitro, *Chem. Biol. Drug Des.*, 80, 340–347.