

DAFTAR PUSTAKA

- Anonim., 2011, Sodium Alginate – Industrial Grade, <http://www.irochemical.com>, 1 Januari 2019.
- Adebisi, A.O., Laity, P.R., & Conway, B.R., 2014, Formulation and Evaluation of Floating Mucoadhesive Alginate Beads for Targeting *Helicobacter Pylori*. *Journal of Pharmacy and Pharmacology*, 67(4), 511–524.
- Alderborn, G., 2002, Tablets and Compaction, dalam Aulton, M., (Ed.), *Pharmaceutics: The Science of Dosage Form Design*, Second Edition, Curcill Livingstone Edirberd, London, 435-438.
- Allen, L.V., Luner, P.E., C.G., 2009, Magnesium Stearate dalam Rowe, R.C., Sheskey, P.J., and Quinn, M.E., (Eds.), *Handbook of Pharmaceutical Excipients*, Sixth Edition, Pharmaceutical Press, London, 404-407.
- Andrews, G.P., Lavery, T.P., & Jones, D.S., 2009, Mucoadhesive Polymeric Platforms for Controlled Drug Delivery, *European Journal of Pharmaceutics and Biopharmaceutics*, 71(3), 505–518.
- Ansel, H.C., Popovich, N.G., & Allen L.V., 2011, *Pharmaceutical Dosage Forms and Drug Delivery Systems*, Ninth Edition, Lippincott William & Wilkins, Baltimore, 225, 233, 237, 242,
- AOAC International, 2012, Appendix F: Guidelines for Standard Method Performance Requirements, dalam Latimer, G.W., (Ed.), *Official Methods of Analysis of AOAC International*, Association of Official Analytical Chemists International, Rockville, 1-17.
- Augsburger, L.L., & Zellhofer, M.J., 2002, Tablet Formulation, dalam Boyland, J.C., (Ed.) *Encyclopaedia of Pharmaceutical Technology*, Second Edition, Marcell Dekker, New York, 97-100.
- Badoni, A., Ojha, A., Gnanarajanl, G., & Kothiyall, P., 2012, Review on Gastoretentive Drug Delivery System, *The Pharma Inovation*, 1(8).
- Bardonnet, P.L., Faivre, V., Pugh, W.J., Piffaretti, J.C., & Falson, F., 2006, Gastoretentive Dosage Forms: Overview and Special Case of *Helicobacter Pylori*. *Journal of Controlled Release*, 111(1-2), 1–18.
- Bhatta, R., Hossain, M.S., Banik, S., Moghal, M.R., Rashid, M.O., & Akther, M., 2017, Swelling and Mucoadhesive Behaviour With Drug Release Characteristics of Gastoretentive Drug Delivery System Based on A Combination of Natural Gum and Semi-Synthetic Polymers. *Marmara Pharm J*, 22(2), 286-298.

- Bolton, S., & Bon, C., 2010, *Pharmaceutical statistics : Practical and Clinical Applications*, Fifth Edition, Informa Healthcare, New York, 439-446.
- Cable, C.G., 2009, Sodium Alginate dalam Rowe, R.C., Sheskey, P.J., and Quinn, M.E., (Eds.), *Handbook of Pharmaceutical Excipients*, 6th Edition, Pharmaceutical Press, London, 622-624.
- Carvalho, F.C., Bruschi, M.L., Evangelista, R.C., & Gremiao, M.P.D., 2010, Mucoadhesive Drug Delivery Systems, *Brazilian Journal of Pharmaceutical Sciences*, 46, 1-7.
- Choi, H.G., Jung, J.H., Yong, C.S., Rhee, C.D., Lee, M.K., Han, J.H., & Kim, C.K., 2000, Formulation and In Vivo Evaluation of Omeprazole Buccal Adhesive Tablet. *Journal of Controlled Release*, 68(3), 405–412.
- Cohen, J.L., Hubert, B.B., Leeson, L.J., Rhodes, C.T., Robinson, J.R., Roseman, T.J., 1990, The Development of USP Dissolution and drug release standard. *Pharm Res*, (10), 983-987.
- Costa, P. dan Lobo, J.M.S., 2001, Modeling And Comparison Of Dissolution Profiles, *European Journal of Pharmaceutical Sciences*, 13, 123–133.
- Departemen Kesehatan, 2014, *Farmakope Indonesia*, Edisi V, Departemen Kesehatan Republik Indonesia, Jakarta, , 805-806, 1247, 1526-1528.
- Desmukh, G.D., Varma, M.M., & Manjunath, S.Y., 2011, Critical Review on Buccal Mucoadhesive Drug Delivery System, *American Journal of PharmTech Research*, 1(1), 66-80.
- El Zahaby, S.A., Kassem, A.A., & El-Kamel, A.H., 2014, Formulation and In Vitro Evaluation of Size Expanding Gastro-Retentive Systems of Levofloxacin Hemihydrate, *International Journal of Pharmaceutics*, 464(1-2), 10–18.
- Fahrurroji, A., 2012, Formulasi Tablet *Mucoadhesive* Ketoprofen Menggunakan Polimer Polietilen Oksida WSR 1105, Natrium Karboksimetilselulosa dan Carbopol 940, *Tesis*, Fakultas Farmasi Universitas Gadjah Mada Yogyakarta.
- FDA, 2006, *United States Pharmacopeia National Formulary*, USP 29/NF 24, Twinbrook Parkway, United States, 3017.
- Fudholi, A., 2013, *Disolusi dan Pelepasan Obat In Vitro*, Pustaka Pelajar, Yogyakarta.
- Gandjar, I.G. & Rohman, A., 2007, *Kimia Farmasi Analisis*, 235, Pustaka Pelajar, Yogyakarta.

- Garapati, C., Gupta, H., Renukuntla, J., & Boddu, S.H.S., 2015, Tailoring the Release of Drugs Using Excipient, dalam Narang, A.S., Boddu, S.H.S., (Eds.), *Excipient Application in Formulation Design and Drug Delivery*, Springer Verlag, Switzerland, 214-216.
- Garg, R. & Gupta, G.D., 2008, Progress in Controlled Gastroretentive Delivery System, *Tropical Journal of Pharmaceutical Research* 7(3), 1055-1066.
- Gohel, M.C., Parikh, R.K., Nagori, S.A., & Jena, D.G., 2009, Fabrication of Modified Release Tablet Formulation of Metoprolol Succinate Using Hydroxypropyl Methylcellulose and Xanthan Gum, *AAPS PharmSciTech*, 10(1), 62-68.
- Guy, A., 2009, Cellulose, Microcrystalline dalam Rowe, R.C., Sheskey, P.J., and Quinn, M.E., (Eds.), *Handbook of Pharmaceutical Excipients*, Sixth Edition, Pharmaceutical Press, London, 129-133.
- Harmita, 2004, Petunjuk Pelaksanaan Validasi Metode dan Cara Perhitungannya, *Majalah Ilmu Kefarmasian*, 1(3), 117-135.
- Jain, S., & Sankar., 2013, Development and Characterization of Gastroretentive Sustained Release Formulation by Combination of Swelling and Mucoadhesive Approach: A Mechanistic Study, *Drug Design Development and Therapy*, 1455.
- Jin, B.L., 2008, Pharmaceutical Preformulation: Physicochemical Properties of Excipients and Powers and Tablet Characterization, dalam Gad, S.C., (Ed.) *Pharmaceutical Manufacturing Handbook: Production and Processes*, John Wiley & Sons, Inc., Canada, 881-890.
- Kartikasari, S.D., Murti, Y.B., & Mufrod, 2015, Effervescent Tablets Formulation of Ginger Rhizome (*Zingiber officinale* Rosc.) with Variation of Citric Acid and Tartaric Acid Level, *Traditional medicine Journal* 20(2), 124-132.
- Khan, A.B., Mahamana, R., & Pal, E., 2014, Review on Mucoadhesive Drug Delivery System: Novel Approaches in Modern Era, *Journal of Pharmaceutical Science*, 4, 128-140.
- Kibe, AH., 2009, Talc dalam Rowe, R.C., Sheskey, P.J., and Quinn, M.E., (Eds.), *Handbook of Pharmaceutical Excipients*, Sixth Edition, Pharmaceutical Press, London, 728-731.
- Koepppe, M. O., Cristofolletti, R., Fernandes, E.F., Storpirtis, S., Junginger, H.E., Kopp, S., Barends, D. M., 2011, Biowaiver Monographs for Immediate

Release Solid Oral Dosage Forms: Levofloxacin. *Journal of Pharmaceutical Sciences*, 100(5), 1628–1636.

Lhodiya, D.J., Mukherjee, D.J., Dholakiya, R.B., Akbari, B.V., Shiyan, B.G., & Lathiya, H.N., 2009, Gastreretentive System of Atenolol Using HPMC K15, *Int. J. Pharm Tech Res*, 1(4), 1616-1620.

Liew, C.V., Chan, L.W., Ching, A.L., & Heng, P.W.S., 2006, Evaluation of Sodium Alginate as Drug Release Modifier In Matrix Tablets, *International Journal of Pharmaceutics*, 309(1-2), 25–37.

Mansuri, S., Kesharwani, P., Jain, K., Tekade, R.K., & Jain, N.K., 2016, Mucoadhesion: A promising approach in drug delivery system, *Reactive and Functional Polymers*, 100, 151–172.

Mitchell, K., Ford, J.L., Armstrong, D.J., Elliott, P.N.C., Hogan, J.E., & Rostron, C., 1993, The influence of the particle size of hydroxypropyl methylcellulose K15M on its hydration and performance in matrix tablets, *International Journal of Pharmaceutics*, 100(1-3), 175–179.

Mouzam, M.I., Dehghan, M.H.G., Asif, S., Sahuji, T., & Chudiwal, P., 2011, Preparation of a Novel Floating Ring Capsule-Type Dosage Form for Stomach Specific Delivery, *Saudi Pharmaceutical Journal*, 19(2), 85–93.

Mujtaba, A., Ali, M., & Kohli, K., 2014, Statistical Optimization and Characterization of pH-Independent Extended-Release Drug Delivery of Cefpodoxime Proxetil Using Box–Behnken Design, *Chemical Engineering Research and Design*, 92(1), 156–165.

Mutjaba, A., & Kohli, K., 2016, In Vitro/In Vivo Evaluation of HPMC/Alginate Based Extended-Release Matrix Tablets of Cefpodoxime Proxetil, *International Journal of Biological Macromolecules*, 89, 434–441.

Nair, A., & Jacob, S., 2016, a Simple Practice Guide for Dose Conversion Between Animals and Human, *Journal of Basic and Clinical Pharmacy*, 7(2), 27.

Nokhodchi, A., Raja, S., Patel, P., & Asare-Addo, K., 2012, The role of oral controlled release matrix tablets in drug delivery systems. *BioImpacts : BI*, 2(4), 175-187.

Ortho-McNeil, 2006, Levaquin, *US. Patent* No. 5,053,407, Raritan, New Jersey, USA.

Parmar, H.K., Pandya, K.K., Pardasani, L.J., Panchal, V.S., & Tandel, H.K., 2017, A Systematic Review on Mucoadhesive Drug Delivery System, *World Journal of Pharmaceutical Research*, 6(9), 337-336.

- Qiu, Y., Yisheng, C., Zhang, G.G.Z., Yu, L., Mantri, Rao V., 2017, *Developing Solid Oral Dosage Forms*, Second Edition, Academic Press, London, 208.
- Qureshi, Saed A., 2007, Tablet Testing, dalam Swarbrick, J., (Eds.), *Encyclopedia of Pharmaceutical Technology*, Third Edition, Vol. 1, PharmaceuTech, Inc., North California.
- Rogers, T.L., 2009, Hypromellose dalam Rowe, R.C., Sheskey, P.J., and Quinn, M.E., (Eds.), *Handbook of Pharmaceutical Excipient*, Sixth Edition, Pharmaceutical Press, London, 326-329.
- Sahid, K., Verma, M., Anggarwal, G., dan Kumar S.L.H., 2016, Mucoadhesive Drug Delivery System: A Review, *World Journal of Pharmaceutical Science*, 5(5), 392-405.
- Sarisaltik, D., Teksin, Z.S., 2007, Bioavailability File : Levofloxacin, *Fabad J.Pharms. Sci.*, 32, 197-208.
- Sathali, A.A.H., Ganesan, S., 2012, Formulation and Evaluation of Fast Dissolving Tablets of Desloratadine. *International Journal of Pharmaceutical Science and Research*, 3(3), 1-31.
- Satindekakar, R. S., & Shallusandhan., 2015, Gastroretentive drug delivery systems: A review, *African Journal of Pharmacy and Pharmacology*, 9(12), 405–417.
- Schulze, D., 2008, *Powders and Bulk Solids: Behavior, Charaterization, Storage and Flow*, Springer-Verlag, Berlin Heidelberg.
- Shahwal, V., Dubey, B. and Bhoumick, M., 2013, Preformulation study of Levofloxacin, *International Journal of Advances in Pharmaceutics*, 1(1), 01-08.
- Shargel, L., Wu-Pong, S., & Yu, A.B.C., 2005, *Applied Biopharmaceutics and Pharmaceutics*, 5th Edition, Appleton dan Lange, United States, 135.
- Siepmann, J., 2001, Modeling of Drug Release From Delivery Systems Based on Hydroxypropyl Methylcellulose (HPMC), *Advanced Drug Delivery Reviews*, 48(2-3), 139–157.
- Siregar, C., 2010, *Teknologi Farmasi Sediaan Tablet Dasa-Dasar Praktis*, Penerbit Buku Kedokteran, Jakarta.
- Siswanto, Agus., & Soebagyo, S. S., 2006, Optimasi Formula Sediaan Tablet Lepas Lambat Teofilin Dengan Bahan Matrik HPMC, Na CMC dan Xanthan Gum, *Majalah Farmasi Indonesia*, 17(3), 143-148.

- Staniforth, J., 2002, Powder Flow, dalam Aulton, M., (Ed.), *Pharmaceutics: The Science of Dosage Form Design*, 2nd Edition, Curcill Livingstone Edirberd, London, 200-201.
- Sugiyono, 2007, *Statistika untuk Penelitian*, AlfaBeta, Bandung.
- Suhery, W.N., Fernando, A., Giovanni, B., 2016, Perbandingan Metode Granulasi Basah dan Kempa Langsung Terhadap Sifat Fisik dan Waktu Hancur Orally Disintegrating Tablets (ODTs) Piroksikam, *Jurnal Sains Farmasi Klinis*, 2(2), 138-144.
- The United States Pharmacopeial Convention, 2017, The United States Pharmacopeia, 40th Edition, 2608-2609, U.S. Pharmacopeia, United States.
- Timmins, P., Pygall, S.R., & Media, C. D., 2014, *Hydrophilic Matrix Tablets for Oral Controlled Release*, Springer, New York, 100-102.
- Tiwari, S.B., DiNunzio, J., Siahboomi, A.R., 2011, Drug-Polimer Matrices For Extended Release, dalam Wilson, C.G., Crowley, P.J., (Eds.), *Controlled Release in Oral Drug Delivery*, Springer US, Boston, 140-141.
- Tønnesen, H. H., Karlsen, J., 2002, Alginate in Drug Delivery Systems, *Drug Development and Industrial Pharmacy*, 28(6), 621–630.
- Vardanyan, R., & Hruby, V., 2016, Antibacterial Drugs, *Synthesis of Best-Seller Drugs*, 645–667.
- Wells, B.G., DiPiro, J.T., Schwinghammer, T.L., dan DiPiro, C.V., 2015. *Pharmacotherapy Handbook*, Ninth Edition. ed. Mcgraw Hill Education, New York.
- Yanuar, R. F., Sulaiman, T. S., & Kuncahyo, I., 2015, Optimasi Formulasi Tablet Sustained-Release Nifedipin Kombinasi Natrium Alginat Dan HPMC K15m Sebagai Matriks Mucoadhesive Secara Simplex Lattice Design. *Majalah Farmaseutik*, 11(3), 353-361.
- Zhang, Y., Huo, M., Zhon, J., Zou, A., Li, W., Yao, C. and Xie, S., 2010, DDSolver: An Add-In Program for Modeling and Comparison of Drug Dissolution Profiles, *AAPS Journal*, 12(3), 263-271.