



DAFTAR PUSTAKA

- Anirudhan, T.S. dan Suchithra, P.S., 2009, Adsorption Characteristics of Humic Acid-Immobilized Amine Modified Polyacrylamide/Bentonite Composite for Cationic Dyes in Aqueous Solutions, *J. Environ. Sci.*, 21, 884–891.
- Anonim, 2006, *Guidelines for Drinking-water Quality*, World Health Organization, Geneva.
- Benhouria, A., Islam, M.A., Zaghouane-Boudiaf, H., Boutahala, M., dan Hameed, B.H., 2015, Calcium Alginate-Bentonite-Activated Carbon Composite Beads as Highly Effective Adsorbent for Methylene Blue, *Chem. Eng. J.*, 270, 621–630.
- Chen, J.H., Liu, Q.L., Hu, S.R., Ni, J.C., dan He, Y.S., 2011, Adsorption Mechanism of Cu(II) Ions from Aqueous Solution by glutaraldehyde Crosslinked Humic Acid-Immobilized Sodium Alginate Porous Membrane Adsorbent, *Chem. Eng. J.*, 173, 511–519.
- Chen, J.H., Ni, J.C., Liu, Q.L., dan Li, S.X., 2012, Adsorption Behavior of Cd(II) Ions on Humic Acid-Immobilized Sodium Alginate and Hydroxyl Ethyl Cellulose Blending Porous Composite Membrane Adsorbent, *Desalination*, 285, 54–61.
- Choe, S.R., Haldorai, Y., Jang, S.C., Rethinasabapathy, M., Lee, Y.C., dan Han, Y.K., 2018, Fabrication of alginate/Humic Acid/Fe-Aminoclay Hydrogel Composed of A Grafted-Network for The Efficient Removal of Strontium Ions from Aqueous Solution, *Environ. Technol. Innov.*, 9, 285–293.
- Draget, K.I., 2009, Alginates, *Handb. Hydrocoll. Second Ed.*, 807–828.
- Elwakeel, K.Z., Aly, M.H., El-Howety, M.A., El-Fadaly, E., dan Al-Said, A., 2018, Synthesis of Chitosan@activated Carbon Beads with Abundant Amino Groups for Capture of Cu(II) dan Cd(II) from Aqueous Solutions, *J. Polym. Environ.*, 26, 3590–3602.
- Falcón, J., Gryglewicz, G., Otero Calvis, A., Van der Bruggen, B., Carleer, R., dan Yperman, J., 2017, Adsorption of Ni²⁺ on Spent Coffee and Coffee Husk Based Activated Carbon, *J. Environ. Chem. Eng.*, 6, 1161–1170.
- Guo, Z., Fan, J., Zhang, J., Kang, Y., Liu, H., Jiang, L., dan Zhang, C., 2016, Sorption Heavy Metal Ions by Activated Carbons with Well-Developed Microporosity and Amino Groups Derived from Phragmites australis by Ammonium Phosphates Activation, *J. Taiwan Inst. Chem. Eng.*, 58, 290–296.
- Guo, Z., Zhao, C., Yin, W., Shao, Y., Zhang, J., dan Xu, J., 2018, Removal of Cd(II) dan Ni²⁺ from Aqueous Solutions Using Activated Carbon Developed from Powder-Hydrolyzed-Feathers and Trapa natans Husks, *Colloids Surfaces A Physicochem. Eng. Asp.*, 560, 426–433.



- Gyu, H., Won, T., Yun, M., dan Yoo, I., 2007, Activated Carbon-Containing Alginate Adsorbent for The Simultaneous Removal of Heavy Metals and Toxic Organics, *42*, 1371–1377.
- Hassan, A.F., Abdel-Mohsen, A.M., dan Fouda, M.M.G., 2014, Comparative Study of Calcium Alginate, Activated Carbon, dan Their Composite Beads on Methylene Blue Adsorption, *Carbohydr. Polym.*, *102*, 192–198.
- He, S., Li, Y., Weng, L., Wang, J., He, J., dan Liu, Y., 2018, Competitive Adsorption of Cd²⁺, Pb²⁺ dan Ni²⁺ onto Fe³⁺-Modified Argillaceous Limestone: Influence of pH, Ionic Strength and Natural Organic Matters, *Sci. Total Environ.*, *637–638*, 69–78.
- Ho, Y.S., 2006, Review of Second-Order Models for Adsorption Systems, *J. Hazard. Mater.*, *136*, 681–689.
- Jesus, A.M.D., Romão, L.P.C., Araújo, B.R., Costa, A.S., dan Marques, J.J., 2011, Use of Humic Acid as An Alternative Material for Adsorption/Desorption of Reactive Dyes, *Desalination*, *274*, 13–21.
- Kim, T.Y., Jin, H.J., Park, S.S., Kim, S.J., dan Cho, S.Y., 2008, Adsorption Equilibrium of Copper Ion and Phenol by Powdered Activated Carbon, Alginate Bead and Alginate-Activated Carbon Bead, *J. Ind. Eng. Chem.*, *14*, 714–719.
- Kleinübing, S.J., Vieira, R.S., Beppu, M.M., Guibal, E., dan da Silva, M.G.C., 2010, Characterization and Evaluation of Copper and Nickel Biosorption on Acidic Algae *Sargassum Filipendula*, *Mater. Res.*, *13*, 541–550.
- Kongarapu, R.J., Nayak, A.K., Khobragade, M.U., dan Pal, A., 2018, Surfactant Bilayer on Chitosan Bead Surface for Enhanced Ni²⁺ Adsorption, *Sustain. Mater. Technol.*, *18*, 1–10.
- Lin, Y.B., Fugetsu, B., Terui, N., dan Tanaka, S., 2005, Removal of Organic Compounds By Alginate Gel Beads with Entrapped Activated Carbon, *J. Hazard. Mater.*, *120*, 237–241.
- De Melo, B.A.G., Motta, F.L., dan Santana, M.H.A., 2016, Humic acids: Structural Properties and Multiple Functionalities for Novel Technological Developments, *Mater. Sci. Eng. C*, *62*, 967–974.
- Malkoc, E. and Nuhoglu, Y., 2005, Investigations of Nickel(II) Removal from Aqueous Solutions using Tea Factory Waste, *J. Hazard. Mater.*, *127*, 120–128.
- Nasrullah, A., Bhat, A.H., Naeem, A., dan Hasnain, M., 2018, High Surface Area Mesoporous Activated Carbon-Alginate Beads for Efficient Removal of Methylene Blue, *Int. J. Biol. Macromol.*, *107*, 1792–1799.
- Qiusheng, Z., Xiaoyan, L., Jin, Q., Jing, W., dan Xuegang, L., 2015, Porous Zirconium Alginate Beads Adsorbent for Fluoride Adsorption from Aqueous Solutions, *RSC Adv.*, *5*, 2100–2112.



- Raval, N.P., Shah, P.U., dan Shah, N.K., 2016, Adsorptive Removal of Nickel(II) Ions from Aqueous Environment: A Review, *J. Environ. Manage.*, 179, 1–20.
- Sheng, G., Yang, S., Sheng, J., Zhao, D., dan Wang, X., 2011, Influence of Solution Chemistry on The Removal of Ni²⁺ from Aqueous Solution to Titanate Nanotubes, *Chem. Eng. J.*, 168, 178–182.
- Song, D., Park, S., Kang, H.W., Park, S. Bin, dan Han, J., 2013, Recovery of Lithium (I), Strontium (II), dan Lanthanum (II) Using Ca –Alginate Beads, *J. Chem. Eng. Data*, 58, 2455–2464.
- Tang, W., Zeng, G., Gong, J., Liang, J., Xu, P., Zhang, C., dan Huang, B., 2014, Science of The Total Environment Impact of Humic/Fulvic Acid on The Removal of Heavy Metals from Aqueous Solutions Using Nanomaterials : A Review, *Sci. Total Environ.*, 468–469, 1014–1027.
- Wang, Y., Feng, Y., Zhang, X.F., Zhang, X., Jiang, J., dan Yao, J., 2018, Alginate-Based Attapulgitic Foams as Efficient and Recyclable Adsorbents for The Removal of Heavy Metals, *J. Colloid Interface Sci.*, 514, 190–198.
- Yang, S., Sheng, G., Tan, X., Hu, J., Du, J., Montavon, G., dan Wang, X., 2011, Determination of Ni²⁺ Uptake Mechanisms on Mordenite Surfaces: A Combined Macroscopic and Microscopic Approach, *Geochim. Cosmochim. Acta*, 75, 6520–6534.
- Yu, J., Zhang, J., Song, S., Liu, H., Guo, Z., dan Zhang, C., 2019, Removal of Ni²⁺ from Aqueous Solutions Using Activated Carbon with Manganese Formate Hydrate In-Situ Modification, *Colloids Surfaces A Physicochem. Eng. Asp.*, 560, 84–91.
- Zhang, J., Dai, J., Wang, R., Li, F., dan Wang, W., 2009, Adsorption and Desorption of Divalent Mercury (Hg²⁺) on Humic Acids dan Fulvic Acids Extracted from Typical Soils in China, *Colloids Surfaces A Physicochem. Eng. Asp.*, 335, 194–201.
- Zhang, Y.J., Ou, J.L., Duan, Z.K., Xing, Z.J., dan Wang, Y., 2015, Adsorption of Cr(VI) on Bamboo Bark-Based Activated Carbon in The Absence and Presence of Humic Acid, *Colloids Surfaces A Physicochem. Eng. Asp.*, 481, 108–116.
- Zhao, X., Wang, H., Peng, H., Wang, L., Lu, X., dan Huang, Y., 2017, Buoyant ALG/HA/HGMs Composite Adsorbents for Highly Efficient Removal of Copper from Aqueous Solution and Contaminated Kaolin Soil, *Chem. Eng. J.*, 327, 244–256.
- Zhao, X., Wang, Y., Wu, H., Fang, L., Liang, J., Fan, Q., dan Li, P., 2017, Insights into The Effect of Humic Acid on Ni²⁺ Sorption Mechanism on Illite: Batch, XPS dan EXAFS Investigations, *J. Mol. Liq.*, 248, 1030–1038.