

DAFTAR PUSTAKA

- Abbas, M., Rao, B.P., Reddy, V., and Kim, C., 2014, Fe₃O₄/TiO₂ Core/shell Nanocubes: Single-batch Surfactantless Synthesis, Characterization and Efficient Catalysts for Methylene Blue Degradation, *Ceram. Int.*, 40, 11177–11186.
- Akpan, U.G. and Hameed, B.H., 2009, Parameters Affecting the Photocatalytic Degradation of Dyes Using TiO₂-based Photocatalysts: A Review, *J. Hazard. Mater.*, 170, 520–529.
- Aliabadi, R.S. and Mahmoodi, N.O., 2018, Synthesis and Characterization of Polypyrrole, Polyaniline Nanoparticles and Their Nanocomposite for Removal of Azo Dyes; Sunset Yellow and Congo red, *J. Clean. Prod.*, 179, 235–245.
- Ananthakumar, S., Ramkumar, J., and Babu, S.M., 2016, Semiconductor Nanoparticles Sensitized TiO₂ Nanotubes for High Efficiency Solar cell Devices, *Renew. Sustain. Energy Rev.*, 57, 1307–1321.
- Aravindan, V., Lee, Y., Yazami, R., and Madhavi, S., 2015, TiO₂ Polymorphs in 'Rocking-chair' Li-ion Batteries, *Mater. Today Proc.*, 18, 345–351.
- Bhagwat, U.O., Wu, J.J., Asiri, A.M., and Anandan, S., 2017, Journal of Photochemistry and Photobiology A : Chemistry Sonochemical Synthesis of Mg-TiO₂ Nanoparticles for Persistent Congo Red Dye Degradation, *J. Photochem. Photobiol. A Chem.*, 346, 559–569.
- Carp, O., Huisman, C.L., and Reller, A., 2004, Photoinduced Reactivity of Titanium Dioxide, *Prog. Solid State Chem.*, 32, 33–177.
- Chen, X., Kuo, D.H., and Lu, D., 2017, Visible Light Response and Superior Dispersed S-doped TiO₂ Nanoparticles Synthesized via Ionic Liquid, *Adv. Powder Technol.*, 28, 1213–1220.
- Cheng, T.C., Yao, K.S., Yeh, N., Chang, C.I., Hsu, H.C., Chien, Y.T., and Chang, C.Y., 2009, Visible Light Activated Bactericidal Effect of TiO₂/Fe₃O₄ Magnetic Particles on Fish Pathogens, *Surf. Coat. Technol.*, 204, 1141–1144.
- Choi, J.S., Youn, H.K., Ho Kwak, B., Wang, Q., Yang, K.S., and Chung, J.S., 2009, Preparation and Characterization of TiO₂-masked Fe₃O₄ Nanoparticles for Enhancing Catalytic Combustion of 1,2-dichlorobenzene and Incineration of Polymer Wastes, *Appl. Catal. B Environ.*, 91, 210–216.
- Farimani, N., Roknabadi, N.G., and Kazemi, A., 2013, Study of Structural and Magnetic Properties of Superparamagnetic Fe₃O₄/SiO Core-Shell Nanocomposites Synthesized with Hydrophilic Citrate-Modified Fe₃O₄ Seeds via a Sol-Gel Approach., *Phys. E*, 53, 207–216.
- Gupta, S.M. and Tripathi, M., 2011, A Review of TiO₂ Nanoparticles, *Chinese Sci. Bull.*, 56, 1639–1657.
- Haider, A.J., Al-Anbari, R.H., Kadhim, G.R., and Salame, C.T., 2017, Exploring Potential Environmental Applications of TiO₂ Nanoparticles, *Energy Procedia*, 119, 332–345.
- Han, C., Pelaez, M., Likodimos, V., Kontos, A.G., Falaras, P., O'Shea, K., and Dionysiou, D.D., 2011, Innovative Visible Light-Activated Sulfur Doped TiO₂ Films for Water Treatment, *Appl. Catal. B Environ.*, 107, 77–87.

- He, Q., Zhang, Z., Xiong, J., Xiong, Y., and Xiao, H., 2008, A Novel Biomateria l - Fe₃O₄:TiO₂ Core-shell Nano Particle with Magnetic Performance and High Visible Light Photocatalytic Activity, *Opt. Mater. (Amst.)*, 31, 380–384.
- Hoffmann, M.R., Martin, S.T., Choi, W., and Bahnemann, D.W., 1995, Environmental Applications of Semiconductor Photocatalysis, *Chem. Rev.*, 95, 69–96.
- Islam, M.S., Kusumoto, Y., Abdulla-Al-Mamun, M., and Horie, Y., 2011, Photocatalytic and AC Magnetic-field Induced Enhanced Cytotoxicity of Fe₃O₄-TiO₂ Core-Shell Nanocomposites Against HeLa Cells, *Catal. Commun.*, 16, 39–44.
- Ivanov, S., Barylyak, A., Besaha, K., Bund, A., Bobitski, Y., Wojnarowska-Nowak, R., et al., 2016, Synthesis, Characterization, and Photocatalytic Properties of Sulfur- and Carbon-Codoped TiO₂ Nanoparticles, *Nanoscale Res. Lett.*, 11, .
- Jiang, W., Zhang, X., Gong, X., Yan, F., and Zhang, Z., 2010, Sonochemical Synthesis and Characterization of Magnetic Separable Fe₃O₄-TiO₂ Nanocomposites and Their Catalytic Properties, *Int. J. Smart Nano Mater.*, 1, 278–287.
- Jing, J., Li, J., Feng, J., Li, W., and Yu, W.W., 2013, Photodegradation of Quinoline in Water Over Magnetically Separable Fe₃O₄/TiO₂ Composite Photocatalysts, *Chem. Eng. J.*, 219, 355–360.
- Joshi, M.M., Labhsetwar, N.K., Mangrulkar, P.A., Tijare, S.N., Kamble, S.P., and Rayalu, S.S., 2009, Visible Light Induced Photoreduction of Methyl Orange by N-doped Mesoporous Titania, *Appl. Catal. A Gen.*, 357, 26–33.
- Khalaf, M.M. and Abd El-Lateef, H.M., 2016, Corrosion Protection of Mild Steel by Coating with TiO₂ Thin Films Co-doped with NiO and ZrO₂ in Acidic Chloride Environments, *Mater. Chem. Phys.*, 250–165, 1–16.
- Khashan, S., Dagher, S., Tit, N., Alazzam, A., and Obaidat, I., 2017, Novel Method for Synthesis of Fe₃O₄@TiO₂ Core/Shell Nanoparticles, *Surf. Coat. Technol.*, 322, 92–98.
- Kunarti, E.S., Kartini, I., Syoufian, A., and Widyandari, K.M., 2018, Synthesis and Photoactivity of Fe₃O₄/TiO₂-Co as a Magnetically Separable Visible Light Responsive Photocatalyst, *Indones. J. Chem.*, 18, 403–410.
- Lee, J.W., Choi, S.P., Thiruvenkatachari, R., Shim, W.G., and Moon, H., 2006, Evaluation of the Performance of Adsorption and Coagulation Processes for the Maximum Removal of Reactive Dyes, *Dye. Pigment.*, 69, 196–203.
- Leong, H.J. and Oh, S.G., 2018, Preparation of Antibacterial TiO₂ Particles by Hybridization with Azelaic Acid for Applications in Cosmetics, *J. Ind. Eng. Chem.*, 66, 242–247.
- Li, G., Chen, L., Graham, M.E., and Gray, K.A., 2007, A Comparison of Mixed Phase Titania Photocatalysts Prepared by Physical and Chemical Methods: The Importance of the Solid-solid Interface, *J. Mol. Catal. A Chem.*, 275, 30–35.
- Li, M., Xing, Z., Jiang, J., Li, Z., Kuang, J., Yin, J., and Wan, N., 2018, In-situ Ti³⁺/S Doped High Thermostable Anatase TiO₂ Nanorods as Efficient Visible-Light-Driven Photocatalysts, *Mater. Chem. Phys.*, 219, 303–310.

- Li, Q., Li, X., Wang, W., Lin, H., Zhuang, L., and Xu, Y., 2018, Magnetic Nanoparticles Modified by Citrate Groups for Magnetically Responsive Photonic Crystals, *J. Phys. Chem. Solids*, 122, 278–283.
- Li, R., Song, X., Huang, Y., Fang, Y., Jia, M., and Wanhong, M., 2016, Visible-light Photocatalytic Degradation of Azo Dyes in Water by Ag₃PO₄: An Unusual Dependency between Adsorption and the Degradation Rate on pH value, *J. Mol. Catal. A Chem.*, 421, 57–65.
- Lin, Y.H., Hsueh, H.T., Chang, C.W., and Chu, H., 2016, The Visible Light-driven Photodegradation of Dimethyl Sulfide on S-doped TiO₂: Characterization, Kinetics, and Reaction Pathways, *Appl. Catal. B Environ.*, 199, 1–10.
- Liu, J., Sun, Z., Deng, Y., Zou, Y., Li, C., Guo, X., et al., 2009, Highly Water-Dispersible Biocompatible Magnetite Particles with Low Cytotoxicity Stabilized by Citrate Groups, *Angew. Chemie - Int. Ed.*, 48, 5875–5879.
- Lu, J., Wang, M., Deng, C., and Zhang, X., 2013, Facile Synthesis of Fe₃O₄@mesoporous TiO₂ Microspheres for Selective Enrichment of Phosphopeptides for Phosphoproteomics Analysis, *Talanta*, 105, 20–27.
- Mcmanamon, C., Connell, J.O., Delaney, P., Rasappa, S., Holmes, J.D., and Morris, M.A., 2015, A Facile Route to Synthesis of S-doped TiO₂ Nanoparticles for Photocatalytic Activity, *J. Mol. Catal. A Chem.*, 406, 51–57.
- Melghit, K., Al-shukeili, O.S., and Al-amri, I., 2009, Effect of M-doping (M= Fe, V) on the Photocatalytic Activity of Nanorod Rutile TiO₂ for Congo Red Degradation Under the Sunlight, *Ceram. Int.*, 35, 433–439.
- Munir, S., Mujtaba, S., Hussain, H., and Ali, R., 2016, Effect of Carrier Concentration on the Optical Band Gap of TiO₂ Nanoparticles, *Mater. Des.*, 92, 64–72.
- Niu, Y., Xing, M., Tian, B., and Zhang, J., 2012, Improving the Visible Light Photocatalytic Activity of Nano-sized Titanium Dioxide via the Synergistic Effects Between Sulfur Doping and Sulfation, *Appl. Catal. B, Environ.*, 115–116, 253–260.
- Niyafar, M., Hasanpour, A., Mohammadpour, H., and Amighian, J., 2013, Capped and Coupled Fe₃O₄/TiO₂ Nanopowder Systems Fabricated by Sol-gel and a Nonthermal Method, *Phys. Status Solidi Appl. Mater. Sci.*, 210, 1190–1194.
- Ochiai, T. and Fujishima, A., 2012, Photoelectrochemical Properties of TiO₂ Photocatalyst and Its Applications for Environmental Purification, *J. Photochem. Photobiol. C Photochem. Rev.*, 13, 247–262.
- Ohno, T., Akiyoshi, M., Umebayashi, T., Asai, K., Mitsui, T., and Matsumura, M., 2004, Preparation of S-doped TiO₂ Photocatalysts and Their Photocatalytic Activities Under Visible Light, *Appl. Catal. A Gen.*, 265, 115–121.
- Olowoyo, J.O., Kumar, M., Jain, S.L., Shen, S., Zhou, Z., Mao, S.S., et al., 2018, Reinforced Photocatalytic Reduction of CO₂ to Fuel by Efficient S-TiO₂: Significance of Sulfur Doping, *Int. J. Hydrogen Energy*, 43, 17682–17695.
- Ong, C.B., Mohammad, A.W., Rohani, R., Ba-Abbad, M.M., and Hairom,

- N.H.H., 2016, Solar Photocatalytic Degradation of Hazardous Congo Red Using Low-temperature Synthesis of Zinc Oxide Nanoparticles, *Process Saf. Environ. Prot.*, 104, 549–557.
- Pelaez, M., de la Cruz, A.A., Stathatos, E., Falaras, P., and Dionysiou, D.D., 2009, Visible Light-Activated N-F-Codoped TiO₂ Nanoparticles for the Photocatalytic Degradation of Microcystin-LR in Water, *Catal. Today*, 144, 19–25.
- Periyat, P., Pillai, S.C., McCormack, D.E., Colreavy, J., and Hinder, S.J., 2008, Improved High-Temperature Stability and Sun-Light-Driven Photocatalytic Activity of Sulfur-Doped Anatase TiO₂, *J. Phys. Chem. C*, 112, 7644–7652.
- Rajabi, H.R., Arjmand, H., Hoseini, S.J., and Nasrabadi, H., 2015, Surface Modified Magnetic Nanoparticles as Efficient and Green Sorbents: Synthesis, Characterization, and Application for the Removal of Anionic Dye, *J. Magn. Magn. Mater.*, 394, 7–13.
- Ramacharyulu, P.V.R.K., Praveen Kumar, J., Prasad, G.K., and Sreedhar, B., 2014, Sulphur Doped Nano TiO₂: Synthesis, Characterization and Photocatalytic Degradation of a Toxic Chemical in Presence of Sunlight, *Mater. Chem. Phys.*, 148, 692–698.
- Ramesan, M.T., Santhi, V., Bahuleyan, B.K., and Al-Maghrabi, M.A., 2018, Structural Characterization, Material Properties and Sensor Application Study of in Situ Polymerized Polypyrrole/Silver Doped Titanium Dioxide Nanocomposites, *Mater. Chem. Phys.*, 211, 343–354.
- Salamat, S., Younesi, H., and Bahramifar, N., 2017, Synthesis of Magnetic Core-shell Fe₃O₄@TiO₂ Nanoparticles from Electric Arc Furnace Dust for Photocatalytic Degradation of Steel Mill Wastewater, *RSC Adv.*, 7, 19391–19405.
- Sansiviero, M.T.C., David, S., Job, A.E., and Aroca, R.F., 2011, Layer by Layer TiO₂ Thin Films and Photodegradation of Congo Red, *Journal Photochem. Photobiol. A Chem.*, 220, 20–24.
- Shen, S., Wu, L., Xie, M., Shen, H., Qi, X., Yan, Y., et al., 2015, Core-shell Structured Fe₃O₄@ TiO₂-doxorubicin Nanoparticles for Targeted Chemodynamic Therapy of Cancer, *Int. J. Pharm.*, 486, 380–388.
- Simamora, P., Manullang, M., Munthe, J., and Rajagukguk, J., 2018, The Structural and Morphology Properties of Fe₃O₄/Ppy Nanocomposite, *J. Phys. Conf. Ser.*, 1120, .
- Sun, S., Zhang, J., Gao, P., Wang, Ying, Li, X., Wu, T., et al., 2017, Full Visible-Light Absorption of TiO₂ Nanotubes Induced by Anionic S₂²⁻ Doping and Their Greatly Enhanced Photocatalytic Hydrogen Production Abilities, *Catal. B, Environ.*, 206, 168–174.
- Szatmáry, L., Bakardjieva, S., Subrt, J., Bezdič, P., Brezová, V., and Korenko, M., 2011, Sulphur Doped Nanoparticles of TiO₂, *Catal. Today*, 161, 23–28.
- Tama, S.A., 2014, Sintesis Fotokatalis TiO₂-S dan Kinetika Degradasi Metilen Biru, *Skripsi*, Departemen Kimia, FMIPA, Universitas Gadjah Mada, Yogyakarta
- Thomas, M., Naikoo, G.A., Ud, M., Sheikh, D., Bano, M., and Khan, F., 2016, Effective Photocatalytic Degradation of Congo Red Dye Using

- Alginate/carboxymethyl Cellulose/TiO₂ Nanocomposite Hydrogel Under Direct Sunlight Irradiation, *Journal Photochem. Photobiol. A Chem.*, 327, 33–43.
- Tio, L.O., Guo, H., Chen, J., Weng, W., Zheng, Z., and Wang, D., 2014, Adsorption Behavior of Congo Red from Aqueous Solution on La₂O₃-doped TiO₂ Nanotubes, *J. Ind. Eng. Chem.*, 20, 3081–3088.
- Trisunaryanti, W., 2015, *Material Katalis dan Karakternya*, UGM Press, Yogyakarta.
- Valentin, C. and Pacchioni, G., 2013, Trends in Non-metal Doping of Anatase TiO₂: B, C, N and F, *Catal. Today*, 206, 12–18.
- Varshney, G., Kanel, S.R., Kempisty, D.M., Varshney, V., Agrawal, A., Sahle-Demessie, E., et al., 2016, Nanoscale TiO₂ Films and Their Application in Remediation of Organic Pollutants, *Coord. Chem. Rev.*, 306, 43–64.
- Wahi, R.K., Yu, W.W., Liu, Y., Mejia, M.L., Falkner, J.C., Nolte, W., and Colvin, V.L., 2005, Photodegradation of Congo Red Catalyzed by Nanosized TiO₂, *J. Mol. Catal. A Chem.*, 242, 48–56.
- Wang, Y., He, Y., Lai, Q., and Fan, M., 2014, Review of the Progress in Preparing Nano TiO₂: An Important Environmental Engineering Material, *JES*, 26, 2139–2177.
- Wijaya, K., Tahir, I., and Haryanti, N., 2005, Synthesis of Fe₂O₃-montmorillonite and Its Application as a Photocatalyst for Degradation of Congo Red Dye, *Indones. J. Chem.*, 5, 41–47.
- Xin, T., Ma, M., Zhang, H., Gu, J., Wang, S., Liu, M., and Zhang, Q., 2014, A Facile Approach for the Synthesis of Magnetic Separable Fe₃O₄@TiO₂, Core-shell Nanocomposites as Highly Recyclable Photocatalysts, *Appl. Surf. Sci.*, 288, 51–59.
- Xin, T., Ma, M., Zhang, H., Gu, J., Wang, S., Liu, M., and Zhang, Q., 2014, A Facile Approach for the Synthesis of Magnetic Separable Fe₃O₄@TiO₂, Core-Shell Nanocomposites as Highly Recyclable Photocatalysts, *Appl. Surf. Sci.*, 288, 51–59.
- Xuan, S., Jiang, W., Gong, X., Hu, Y., and Chen, Z., 2009, Magnetically Separable Fe₃O₄/TiO₂ Hollow Spheres: Fabrication and Photocatalytic Activity, *J. Phys. Chem. C*, 113, 553–558.
- Yamashita, H., Ichihashi, Y., Takeuchi, M., Kishiguchi, S., Anpo, M., Ivanov, S., et al., 2018, Synthesis of Magnetic Core-shell Fe₃O₄@TiO₂ Nanoparticles from Electric Arc Furnace Dust for Photocatalytic Degradation of Steel Mill Wastewater, *Catal. Today*, 40, 115–121.
- Ye, F.X., Tsumura, T., Nakata, K., and Ohmori, A., 2008, Dependence of Photocatalytic Activity on the Compositions and Photo-absorption of Functional TiO₂-Fe₃O₄ Coatings Deposited by Plasma Spray, *Mater. Sci. Eng. B Solid-State Mater. Adv. Technol.*, 148, 154–161.
- Zhan, J., Zhang, H., and Zhu, G., 2014, Magnetic Photocatalysts of Cenospheres Coated with Fe₃O₄/TiO₂ Core/shell Nanoparticles Decorated with Ag Nanoparticles, *Ceram. Int.*, 40, 8547–8559.