

## DAFTAR PUSTAKA

- Abbas, M. dan Trari, M., 2015, Kinetic, equilibrium and thermodynamic study on the removal of Congo Red from aqueous solutions by adsorption onto apricot stone, *Prosess Saf. Environ.*, 98, 424-436.
- Ahmed, E.M., 2014, Application of Super Absorbent Hydrogel Poly (acrylate/acrylic acid) for Water Conservation in Sandy Soil, *Trans. Egypt. soc. chem. eng.*, 40, 1-8.
- Akpa, J.G. dan Nmegbu, C.G.J., 2014 Adsorption of benzena on activated carbon from agricultural waste Materials, *Res. J. Chem. Sci.*, 4, 30-34.
- Alexopoulos, A.B. dan Mavranetzoulis, A., 2002, Oil Spills in the Eastern Mediterranean Region, The Case of Single-Hull Tankers, *Cyprus J. Sci. Tech.*, 2, 1-11.
- Ayranci, E. dan Duman, O., 2010, Structural effects on the interactions of benzena and naphthalene sulfonates with activated carbon cloth during adsorption from aqueous solutions, *Chem. Eng. J.*, 156, 70-76.
- Baltrenas, P., Baltrenaite, E., Šerevičiene, V., dan Pereira, P., 2011, Atmospheric BTEX concentrations in the vicinity of the crude oil refinery of the Baltic region, *Environ. Monit. Assess.*, 182, 115-127.
- Bandura, L., Franus, M., Józefaciuk, G., dan Franus, W., 2015, Synthetic zeolites from fly ash as effective mineral sorbents for land-based petroleum spills cleanup, *Fuel*, 147, 100-107.
- Bao, S., Li, K., Ning, P., Peng, J., Jin, X., dan Tang, L., 2017, Highly effective removal of mercury and lead ions from wastewater by mercaptoamine-functionalised silica-coated magnetik nano-adsorbents: Behaviours and mechanisms, *Appl. Surf. Sci.*, 393, 457-466.
- Blaney, L., 2007, Magnetite (Fe<sub>3</sub>O<sub>4</sub>): Properties, Synthesis, and Applications, *Lehigh Review*.
- Bocard, C., Renault, P., dan Croquette, J., 2013, Cleaning products used in operations after the Amoco Cadiz disaster, *Int. Oil Spill Conf. Proc.*, 1, 163-167.
- Bruce, I.J., Taylor, J., Todd, M., Davies, M.J., Borioni, E., Sangregorio, C., dan Sen, T., 2004, Synthesis, characterisation and application of silica-magnetite nanocomposites, *J. Magn. Magn. Mater.*, 284, 145-160.
- Carmody, O., Frost, R., Xi, Y., dan Kokot, S., 2008, Selected adsorbent materials for oil-spill cleanup, *A thermoanalytical study*, 91, 809-816.
- Chang, C.-F., Chang, C.-Y., Chen, K.-H., Tsai, W.-T., Shie, J.-L., dan Chen, Y.-H., 2004, Adsorption of naphthalene on zeolite from aqueous solution, *J. Colloid Interf. Sci.*, 277, 29-34.
- Chen, X., 2015, Modeling of experimental adsorption isotherm data, *Information*,

6, 14-22.

Choi, H. M. dan Cloud, R.M., 1992, Natural sorbents in oil spill cleanup, *Environ. Sci. Tech.*, 26, 772-776.

Chuang, K.T., Cheng, S., dan Tong, S., 1992, Removal and Destruction of Benzene, Toluene, and Xylene from Wastewater by Air Stripping and Catalytic Oxidation, *Ind. Eng. Chem. Res.*, 31, 2466-2472.

Cooper, W.J., Nickelsen, M.G., Green, R. V., dan Mezyk, S.P., 2002, The removal of naphthalene from aqueous solutions using high-energy electron beam irradiation, *Radiat. Phys. Chem.*, 65, 571-577.

Coradin, T. dan Lopez, P.J., 2003, Biogenic silica patterning: Simple chemistry or subtle biology?, *ChemBioChem*, 4, 251-259.

Deng, J.H., Zhang, X.R., Zeng, G.M., Gong, J.L., Niu, Q.Y., dan Liang, J., 2013, Simultaneous removal of Cd(II) and ionic dyes from aqueous solution using magnetik graphene oxide nanocomposite as an adsorbent, *Chem. Eng. J.*, 226, 189-200.

Deng, Y.H., Wang, C.C., Hu, J.H., Yang, W.L., dan Fu, S.K., 2005, Investigation of formation of silica-coated magnetite nanoparticles via sol-gel approach, *Colloids Surf. A: Physicochemical and Engineering Aspects*, 262, 87-93.

Deschner, T., Liang, Y., dan Anwender, R., 2010, Silylation efficiency of chorosilanes, alkoxysilanes, and monosilazanes on periodic mesoporous silica, *J. Phys. Chem. C*, 114, 22603-22609.

Dhawade. P. dan Jagtap, R., 2012 Comparative study of physical and thermal properties of chitosan-silica hybrid coatings prepared by sol-gel method. *Der Chem Sin*, 3, 589.

Drbohlovova, J., Hrdy, R., Adam, V., Kizek, R., Schneeweiss, O., dan Hubalek, J., 2009, Preparation and properties of various magnetik nanoparticles, *Sensors*, 9, 2352-2362.

Ebihara, T. dan Bishop, P.L., 2002, Influence of Supplemental Acetate on Bioremediation for Dissolved Polycyclic Aromatic Hydrocarbons, *J. Environ. Eng.*, 128, 505-513.

El-Ashtoukhy, E.S.Z., El-Taweel, Y.A., Abdelwahab, O., dan Nassef, E.M., 2013, Treatment of petrochemical wastewater containing phenolic compounds by electrocoagulation using a fixed bed electrochemical reactor, *Int. J. Electrochem. Sc.*, 8, 1534-1550.

Faraji, M., Yamini, Y., dan Rezaee, M., 2010, Magnetik nanoparticles: Synthesis, stabilization, functionalization, characterization, and applications, *J. Iran. Chem. Soc.*, 7, 1-37.

Fonseca, F.A., 2015, Tropicals Sphagnum Peat Moss , an Efficient, *Syst. Eng.*, 1-16.

Fu, J., He, Q., Wang, R., Liu, B., dan Hu, B., 2011, Comparative study of phenol

compounds adsorption on mesoporous sieves with different degrees of modification, *Colloids Surf. A: Physicochemical and Engineering Aspects*, 375, 136-140.

- Fu, S., Zhou, H., Wang, H., Ding, J., Liu, S., Zhao, Y., Niu, H., Rutledge, G.C. dan Lin, T., 2018. Magnet-responsive, superhydrophobic fabrics from waterborne, fluoride-free coatings. *RSC advances*, 8, 717-723.
- Furuya, E., Sato, K., Kataoka, T., Horiguchi, T., dan Otake, Y., 2004, Amount of aromatic compounds adsorbed on inorganic adsorbents, *Sep. Purif. Technol.*, 39, 73-78.
- Gao, P., Yang, C., Liang, Z., Wang, W., Zhao, Z., Hu, B., dan Cui, F., 2019, N-propyl functionalized spherical mesoporous silica as a rapid and efficient adsorbent for steroid estrogen removal: Adsorption behaviour and effects of water chemistry, *Chemosphere*, 214, 361-370.
- Garshelis, D.L., 1997, Sea Otter Mortality Estimated from Carcasses Collected after the Exxon Valdez Oil Spill, 11, 905-916.
- Gutierrez, T. dan Aitken, M.D., 2014, Role of methylotrophs in the degradation of hydrocarbons during the Deepwater Horizon oil spill, *The ISME Journal*, 8, 2543.
- Hammoud, A.H., 2005, Enhanced oil spill recovery rate using the weir skimmer, *Mechanical Engineering Department*, 1-14.
- Hazrati, S., Rostami, R., Fazlzadeh, M., dan Pourfarzi, F., 2016, Benzene, toluene, ethylbenzene and xylene concentrations in atmospheric ambient air of gasoline and CNG refueling stations, *Air Quality, Atmosphere and Health*, 9, 403-409.
- Ho, Y.S., 2006, Review of second-order models for adsorption systems., *J. Hazard. Mater.*, 136, 681-689.
- Ho, Y.S., 2004, Citation review of Lagergren kinetic rate equation on adsorption reactions, *Scientometrics*, 59, 171-177.
- Ho, Y.S. dan McKay, G., 1998, A Comparison of chemisorption kinetic models applied to pollutant removal on various sorbents, *Process Saf. Environ.*, 76, 332-340.
- Ho, Y.S. dan McKay, G., 1999, Pseudo-second order model for sorption processes, *Process Biochem.*, 34, 451-465.
- Holman, H.Y.N., Nieman, K., Sorensen, D.L., Miller, C.D., Martin, M.C., dan Borch, T., 2002, Catalysis of PAH biodegradation by humic acid shown in synchrotron infrared studies, *Environ. Sci. Tech.*, 36, 1276-1280.
- Hossain, M.A., Yeasmin, F., Rahman, S.M.M., dan Rana, M.S., 2011, Gas chromatograph – mass spectrometry determination of carcinogenic naphthalene, anthracene, phenanthrene and fluorene in the Bangsai river water of Bangladesh, *Arab. J. Chem.*, 9, 109-113.

- Huang, H.L. dan Lee, W.-M.G., 2002, Simultaneous Removal of Naphthalene and Sulfur Dioxide using Surfactant, *J. Environ. Eng.*, 128, 60–67.
- Huff, J., 2007, Benzene-induced cancers: Abridged history and occupational health impact, *Int. J. Occup. Env. Heal.*, 13, 213–221.
- Iraeta, A., 2006, Short-term effects of the prestige oil spill on the peregrine falcon ( *Falco peregrinus* ), 52, 1176–1181.
- Jal, P.K., Patel, S., dan Mishra, B.K., 2004, Chemical modification of silica surface by immobilization of functional groups for extractive concentration of metal ions, *Talanta*, 62, 1005–1028.
- Jaroniec, M., Ościk, J., Deryło, A., Kusak, R., dan Czarniecki, J., 1982, Multilayer adsorption of alcohols from benzene/n-heptane mixtures on silica gel, *Monatshefte für Chemie Chemical Monthly*, 113, 29–35.
- Jiang, D.S., Long, S.Y., Huang, J., Xiao, H.Y., dan Zhou, J.Y., 2005, Immobilization of *Pycnopus sanguineus* laccase on magnetik chitosan microspheres, *Biochem. Eng. J.*, 25, 15–23.
- Kim, Jaeyun, Lee, J.E., Lee, J., Yu, J.H., Kim, B.C., dan An, K., 2006, Magnetik fluorescent delivery vehicle using uniform mesoporous silica spheres embedded with monodisperse magnetik and semiconductor nanocrystals, *J. Am. Chem. Soc.*, 128, 688–689.
- Koto, J. dan Putrawidjaja, M., 2018, Subsea pipeline damaged in Balikpapan Bay caused by anchor load, *Sci. Eng.*, 14.
- Kundari, N.A. dan Wiyuniati, S., 2008, Tinjauan kesetimbangan adsorpsi tembaga dalam limbah pencuci pcb dengan zeolit, *Seminar Nasional IV SDM Teknologi Nuklir*, 25–26.
- Lagergren, S., 1898, About the theory of so-called adsorption of solid substance, *Sven Vetenskapsakad Handlingar*, 24, 1–39.
- Lathe, S.S., Hirashima, H., dan Rao, A.V., 2009, Smart Materials and Structures TEOS based water repellent silica films obtained by a co-precursor sol–gel method, *Smart Mater. Struct.*, 18.
- Laubier, L., Moigne, M. Le, Flammarion, P., Thybaud, E., and Cossa, D., 2004, The monitoring programme of the ecological and ecotoxicological consequences of the “ Erika ” oil spill, *Aquat. Living Resour.*, 239–241.
- Lim, C.W. dan Lee, I.S., 2010, Magnetikally recyclable nanocatalyst systems for the organic reactions, *Nano Today*, 5, 412–434.
- Linghu, W.S. dan Shen, R.P., 2014, Removal of Terephthalic Acid from Waste Water Using Diatomite Adsorbent, *Mater. Sci. Forum*, 787, 82–91.
- Liu, J.F., Zhao, Z.S., dan Jiang, G. Bin, 2008, Coating  $\text{Fe}_3\text{O}_4$  magnetik nanoparticles with humic acid for high efficient removal of heavy metals in water, *Environ. Sci. Tech.*, 42, 6949–6954.
- Liu, Y. dan Kujawinski, E.B., 2015, Chemical composition and potential

- environmental impacts of water-soluble polar crude oil components inferred from esi FT-ICR MS, *Plos One*, 10, 1–18.
- Liu, Y., Zhu, L., dan Shen, X., 2001, Polycyclic aromatic hydrocarbons (PAHs) in indoor and outdoor air of Hangzhou, China, *Environ. Sci. Tech.*, 35, 840-844.
- Lu, Q., Sorial, G.A., Mullin, J., Srinivasan, R., dan Venosa, A.D., 2007, Dispersant Effectiveness of Heavy Fuel Oils Using Baffled Flask Test, *Environ. Eng. Sci.*, 24, 1307–1320.
- Lynam, M.M., Kilduff, J.E., dan Weber, W.J., 2009, Adsorption of p-Nitrophenol from Dilute Aqueous Solution: An Experiment in Physical Chemistry with an Environmental Application, *J. Chem. Educ.*, 72, 80.
- Mahltig, B. dan Böttcher, H., 2003, Modified silica sol coatings for water-repellent textiles, *J. Sol-Gel Sci. Techn.*, 27, 43–52.
- May, W.E., Wasik, S.P., Miller, M.M., Tewari, Y.B., Brown-Thomas, J.M. dan Goldberg, R.N., 1983, Solution thermodynamics of some slightly soluble hydrocarbons in water, *J. Chem. Eng. Data*, 28, 197-200.
- Morel, A.L., Nikitenko, S.I., Gionnet, K., Wattiaux, A., Lai-Kee-Him, J., dan Labrugere, C., 2008, Sonochemical approach to the synthesis of Fe<sub>3</sub>O<sub>4</sub>@SiO<sub>2</sub> core - Shell nanoparticles with tunable properties, *ACS Nano*, 25, 847-856.
- Muflikhah, M., Rusdiarso, B., Putra, E.G.R., dan Nuryono, N., 2017, Modification of Silica Coated on Iron Sand Magnetik Material with Chitosan for Adsorption of Au(III), *Indones. J. Chem.*, 17, 264-273.
- Muir, B. dan Bajda, T., 2016, Organically modified zeolites in petroleum compounds spill cleanup-Production, efficiency, utilization, *Fuel process. technol.*, 149, 153-162.
- Mulyono, P. dan Kusuma, W.M., 2010, Kinetika Adsorpsi Phenol Dalam Air Dengan Arang Tempurung Kelapa, *Forum Teknik*, 3, 2.
- Mysore, D., Viraraghavan, T., dan Jin, Y.C., 2004, Removal of oil by vermiculite, *Fresen. Environ. Bull.*, 13, 560-567.
- Nayakasinghe, M.T., Sivapragasam, N., dan Burghaus, U., 2017, Benzene adsorption on two-dimensional silica films – Benzene on silicatene, *Chem. Phys. Lett.*, 685, 490-495.
- Nuryono, N., Rosiati, N.M., Rusdiarso, B., Sakti, S.C.W. dan Tanaka, S., 2014. Coating of magnetite with mercapto modified rice hull ash silica in a one-pot process, *SpringerPlus*, 3, 515.
- Nwabanne, J.T. dan Igbokwe, P.K., 2012, Adsorption Performance of Packed Bed Column for the removal of Lead (ii) using oil Palm Fibre, *Int. J. Appl. Sci. Tech.*, 2, 5.
- Price, P.S. dan Jayjock, M.A., 2008, Available data on naphthalene exposures: Strengths and limitations, *Regul. Toxicol. Pharm.*, 51, 15-21.
- Ranck, J.M., Bowman, R.S., Weeber, J.L., Katz, L.E., dan Sullivan, E.J., 2005,

- BTEX Removal from Produced Water Using Surfactant-Modified Zeolite, *J. Environ. Eng.*, 131, 434-442.
- Sasaki, T. dan Tanaka, S., 2011, Adsorption behavior of some aromatic compounds on hydrophobic magnetite for magnetik separation, *J. Hazard. Mater.*, 196, 327–334.
- Shahbazi, F. dan Amani, K., 2014, Synthesis, characterization and heterogeneous catalytic activity of diamine-modified silica-coated magnetite-polyoxometalate nanoparticles as a novel magnetikally-recoverable nanocatalyst, *Catal. Commun.*, 55, 57-64.
- Shan, G., Liu, H., Xing, J., Zhang, G., dan Wang, K., 2004, Separation of Polycyclic Aromatic Compounds from Model Gasoline by Magnetik Alumina Sorbent Based on  $\pi$ -Complexation, *Ind. Eng. Chem. Res.*, 43, 758-761.
- Sheng, Y., Tang, D. dan Pan, G., 2011, Phytoplankton bloom over the Northwest Shelf of Australia after the Montara oil spill in 2009, *Geomat. Nat. Haz. Risk*, 2, 329-347.
- Shin, S. and Jang, J., 2007, Thiol containing polymer encapsulated magnetik nanoparticles as reusable and efficiently separable adsorbent for heavy metal ions, *Chem. Commun.*, 41, 4230-4232.
- Sukmawati, P.D., 2017, Pengaruh aktivasi fisik zeolit alam sebagai adsorben dalam proses adsorpsi minyak jelantah, *Sanitasi: Jurnal Kesehatan Lingkungan*, 8, 169-174.
- Sullivan, E.J., Bowman, R.S., dan Legiec, I.A., 2010, Sorption of Arsenic from Soil-Washing Leachate by Surfactant-Modified Zeolite, *J. Environ. Quality*, 32, 2387-2391.
- Szala, B., Bajda, T., Matusik, J., Zięba, K., dan Kijak, B., 2015, BTX sorption on Na-P1 organo-zeolite as a process controlled by the amount of adsorbed HDTMA, *Micropor. Mesopor. Mat.*, 202, 115-123.
- Taylor, J.I., Hurst, C.D., Davies, M.J., Sachsinger, N., dan Bruce, I.J., 2000, Application of magnetite and silica-magnetite composites to the isolation of genomic DNA, *J Chromatogr. A*, 890, 159-166.
- Teas, C., Kalligeros, S., Zankos, F., Stoumas, S., Lois, E., dan Anastopoulos, G., 2001, Investigation of the effectiveness of absorbent materials in oil spills clean up, *Society*, 140, 259–264.
- Uragami, T., Fukuyama, E., dan Miyata, T., 2016, Selective removal of dilute benzena from water by poly(methylmethacrylate)-graft-poly(dimethylsiloxane) membranes containing hydrophobic ionic liquid by pervaporation, *J. Membrane Sci.*, 510, 131-140.
- U.S. Department of Health and Human Services, 2000, Public Health Service, National Toxicology Program: 11<sup>th</sup> Report on Carcinogens, *Nat. Toxicol. Program*, 1-2



- Vidal, C.B., Raulino, G.S.C., Barros, A.L., Lima, A.C.A., Ribeiro, J.P., Pires, M.J.R., dan Nascimento, R.F., 2012, BTEX removal from aqueous solutions by HDTMA-modified Y zeolite, *J. Environ. Manage.*, 112, 178-185.
- Wang, H., Wang, D., Tian, T., dan Ren, W., 2019, Removal of Organic Compounds Containing a Benzene Ring from Water by Adsorptive Micellar Flocculation, *J. Surfactants Deterg.*, 22, 161-174.
- Wang, H., Xue, Y., Ding, J., Feng, L., Wang, X., dan Lin, T., 2011, Durable, self-healing superhydrophobic and superoleophobic surfaces from fluorinated-decyl polyhedral oligomeric silsesquioxane and hydrolyzed fluorinated alkyl silane, *Angew. Chem. - International Edition*, 50, 11433-11436.
- Wang, S. dan Peng, Y., 2010, Natural zeolites as effective adsorbents in water and wastewater treatment, *Chem. Eng. J.*, 156, 11-24.
- Wehrli, B. dan Stumm, W., 1989, Vanadyl in natural waters: Adsorption and hydrolysis promote oxygenation, *Geochim. Cosmochim. Ac.*, 53, 69-77.
- Wei, Q.F., Mather, R.R., Fotheringham, A.F., dan Yang, R.D., 2003, Evaluation of nonwoven polypropylene oil sorbents in marine oil-spill recovery, *Mar. Pollut. Bull.*, 46, 780-783.
- Weschayanwiwat, P., Kunanupap, O., dan Scamehorn, J.F., 2008, Benzene removal from waste water using aqueous surfactant two-phase extraction with cationic and anionic surfactant mixtures, *Chemosphere*, 72, 1043-1048.
- Wu, W., He, Q., dan Jiang, C., 2008, Magnetik iron oxide nanoparticles: synthesis and surface functionalization strategies., *Nanoscale res. lett.*, 3, 397.
- Yuwei, C. dan Jianlong, W., 2011, Preparation and characterization of magnetik chitosan nanoparticles and its application for Cu(II) removal, *Chem. Eng. J.*, 168, 286-292.
- Zhang, X., Chen, B., Wei, W., dan Sun, Y., 2006, Preparation and catalytic activity of amine functionalized silica, *Petrochemical Technology*, 35, 953.
- Zhao, X., Shi, Y., Cai, Y., dan Mou, S., 2008, Cetyltrimethylammonium bromide-coated magnetik nanoparticles for the preconcentration of phenolic compounds from environmental water samples, *Environ. Sci. Tech.*, 42, 1201-1206.