



REFERENCES

- Acda, M.N., 2016, Sustainable Use of Waste Chicken Feather for Durable and Low Cost Building Materials for Tropical Climates. Nova Science Publisher, Inc. New York.
- Ashtarinezhad, A., Panahyab, A., Mohamadzadehasl, B., Vatanpour, H., and Shirazi, H., 2015, FTIR Microspectroscopy Reveals Chemical Changes in Mice Fetus Following Phenobarbital Administration, *Iran. J. Pharm. Res.*, 14, 121-130.
- Bertus, M.Y.P., Suherman, and Sabang S.M., 2014, Karakterisasi FTIR Poliblend Adsorben Serbuk Biji Buah Kelor (*Moringa oleifera*) dan Cangkang Ayam Ras Untuk Pengolahan Air Gambut di daerah Palu Barat, *J. Akad. Kim.*, 3, 21-29.
- Chuntanapum, A., Yong, T.L., Miyake, S., and Matsumura, Y., 2008, Behavior of 5-HMF in Subcritical and Supercritical Water, *Ind. Eng. Chem. Res.*, 2956–2962.
- Cahyadi, Yuliani, N., and Srikandi, 2013, Penetapan Ambang Batas Kadar Fe Total dalam Pupuk, *J. Sains Natural*, 3, 135–143.
- Cardamone, J.M., Nunez, A., Garcia, R.A., and Aldema-Ramos, M., 2009, Characterizing Wool Keratin, *Adv. Mater. Res-Switz.*, 2009, 1-5.
- Coward-Kelly, G., Chang, V.S., Agbogbo, F.K., and Holtzapple, M.T., 2006. Lime Treatment of Keratinous Material for the Generation of Highly Digestible Animal Feed: 1. Chicken Feathers, *Biosource Technology*, 97, 1337-1343.
- Donkoh, A., Atuahene, C.C., Anang, D.M., and Ofori, S.K, 1999, Chemical Composition of Solar-dried Blood Meal and Its Effect on Performance of Broiler Chickens, *Anim. Feed Sci. Technol*, 81, 299-307.
- Filipović, N., Stiječić, Z., Milinković-Tur, S., Beer Ljubić, B., and Zdelar-Tuk, M., 2007, Changes in Concentration and Fractions of Blood Serum Proteins of Chickens during Fattening, *Vet. Arhiv.*, 77, 319-326.
- Gascó, G., Paz-Ferreiro, J., Álvarez, M.L., Saa, A., and Méndez, A., 2018, Biochars and Hydrochars Prepared by Pyrolysis and Hydrothermal Carbonization of Pig Manure, *Waste Manage.*, 79, 395-403.
- Graebing, P., Frank, M., and Chib J.S., 2002, Effects of Fertilizer and Soil Components on Pesticide Photolysis, *J. Agri. Food Chem.*, 50, 7332-7339.
- Gupta, C.P., 2014, Role of Iron (Fe) in Body, *J. App. Chem.*, 11(7), 38-46.



- Harrar, B.S. & Woods, E.F., 1963, Soluble Derivatives of Feather Keratin 1. Isolation, Fractionation, Amino Acid Composition, *Biochemistry Journal*, 92, 8-18.
- Hayes, M.H.B. and Swift, R.S., 1978, The Chemistry of Soil Organic Colloids in the Chemistry of Soil Constituent, John Wiley & Sons Ltd., Chichester.
- Hayes, M.H.B., Swift, R.S., Byrne C.M., Song, G., and Simpson, A.J., 2010, The Isolation and Characterization of Humic Substances and Humin from Grey Brown Podzolic and Grey Grassland Soil, *19th world congress of soil science, soil solution for changing world*, 1-6 August 2010, Brisbane.
- Heidari, M., Dutta, A., Acharya, B., and Mahmud, S., 2018, A Review of the Current Knowledge and Challenges of Hydrothermal Carbonization for Biomass Conversion, *J. Energy Inst.*
- Hudson, R.L., 2016, Infrared Spectra and Band Strength of CH₃SH, an Interstellar Molecule, *Phys. Chem. Chem. Phys.*, 36, 25756-25763.
- Janakiraman, N., and Johnson, M., 2015, Functional Groups of Tree Ferns (Cyathea) using FT-IR: Chemotaxonomic Implications, *Romanian J. Biophys.*, 2, 131-141.
- Jordanova, D., Jordanova, N., Petrov, P., and Tsacheva, Ts., 2010, Soil Development of Three Chernozem-Like Profile from North Bulgaria Revealed by Magnetic Studies, *Catena*, 83, 158-169.
- Karshan, M., 1930, The Chemistry and Staining Reactions of Keratin. *J. Dental Research*, 10, 181-186.
- Kuncaka, A., 2014, *Metode memproduksi Pupuk Organik Paramagnetik Pelepasan Lambat (Pupuk Slow Release Organic Paramagnetic/Pupuk SROP)*, Direktorat Jendral Hak Kekayaan Intelektual, Kementrian Hukum dan Hak Asasi Manusia Republik Indonesia, No. Pendaftaran Paten P00201401530.
- Leoci, R., 2014, Animal By-products (ABPs): Origins, Uses, and European Regulations chapter 4. Mantova, Italy : Universitas Studiorum.
- Liljestrale, A., 2007, Hydrothermal Carbonization of Biowaste – A Step Towards Efficient Carbon Sequestration and Sustainable Energy Production, *Thesis*, Uppsala Universitet, Swedia.
- Matasove, G.G., Kazansky, A.Y., Podznyakova, O.A., 2014, Rock Magnetic Properties of Archeological Site in Different Geological Environments, *J. Geophy.*, SB RAS, Evora, Rusia.
- McGovern, V., 2000, Recycling Poultry Feather: More Bang for the Cluck.



Environmental Health Perspective, 108, 336-339.

Mitsunobu, S., Suzuki, Y., Watanabe, K., Yang, K., and Kim, J.W., 2018, μ XAFS and TEM studies of Fe(III) oxides precipitated on submarine basaltic glass from South Pacific Gyre, *Chem. Geol.*, 501, 51–57.

Mullins, C. and Tite, M.S., 1973, Magnetic Viscosity, Quadrature Susceptibility and Frequency Dependence of Susceptibility in Single-Domain Assemblies of Magnetite and Maghemite, *J. Geophys. Res.*, 78, 804-809.

Nurdiawati, A., Nakhshinieva, B., Zaini, I.N., Saldov, N., Takashi F., and Yoshikawa, K., 2018, Characterization of Potential Liquid Fertilizer Obtained by Hydrothermal Treatment of Chicken Feathers. *Environ. Prog. Sustain. Energy*. 37, 375 – 382.

Nurhaini, R. and Affandi, A., 2016, Analisa Logam Besi (Fe) di Sungai Pasar Daerah Belangwetan Klaten Dengan Metode, *J. Adv. Agric. Technol.*, 2, 39–43.

Nurtini, S., Muzayyanah, M.A.U., Haryadi, F.T., and Hakim, A., 2017, Performance of Broiler Farmer in Partnerships System at Surakarta , Indonesia,4, 196–199.

Ockerman, H.W., and Hansen, C.L., 2000, Animal By-product Processing & Utilization Chapter 9. Pennsylvania: Technomic Publishing Company, Inc.

Parkinson, G., 1998, Chementator : A Higher Use for Lowly Chicken Feather?, *Chem. Eng.*, 105(3), 21.

Piccolo, A., 2002, The Supramolecule Structure of Humic Substances: A Novel Understanding of Humus Chemistry and Implications in Soil Science, *Adv. Agro*, 75, 57-144.

Poole, A.J., Church, J.S., and Husin, M.G., 2009, Environmentally Sustainable Fibers from Generated Protein, *Biomacromolecules*, 10, 1-8.

Puccini, M., Ceccarini, L., Antichi, D., Seggiani, M., Tavarini, S., Latorre, M.H., and Vitolo, S., 2018, Hydrothermal carbonization of municipal woody and herbaceous prunings: Hydrochar valorisation as soil amendment and growth medium for horticulture, *Sustain.*, 10, .

Rachmawati, E., Mushawwir, R., dan Latipudin, D., 2015, Profil Glukosa dan Keratin Darah Ayam Petelur Fase Layer pada Temperature Humidity Index yang Berbeda, *Jurnal Unpad*, 1(4), 1-12.

Rachmawati, S., 2000, Upaya Pengelolaan Lingkungan Usaha Peternakan Ayam, *Wartazoa*, 9, 73 – 80.



- Scanes, C. G., 2015, *Sturkie's avian physiology* 6th ed, Elsevier Inc., London.
- Schmidt, W.F., 2002. Microcrystalline keratin: from Feather to Composite Products, In F.T., Wallenberger, N.E., Weston R., Ford, R.P. and Wool, K. Chawla (Eds), Proc. Material Research Symposium, December, 2-6, 2002, Boston, *Massachusetts*, U1.5.1-U1.5.5.
- Segneanu, A. E., Gozescu, I., Dabici, A., Sfirloaga, P., and Szabadai, Z., 2012, *Organic Compounds FT-IR Spectroscopy*, INTECH Access Publisher, Timisoara.
- Skoog, D.A., Holler, F.J., Crouch, S.R. 2007, *Principles of Instrumental Analysis* 6th Thomson Brooks/Cole, Canada.
- Sorapukdee, S. and Narunatsopanon, S., 2017, *Food Science of Animal Resources Comparative Study on Compositions and Functional Properties of Porcine , Chicken and Duck Blood*.
- Stevenson F.J., 1994, *Humus Chemistry: Genesis, Composition, Reactions*. 2nd ed, John Wiley & Sons Ltd., New York.
- Sun, X., and Li, Y., 2004, Ga₂O₃ and GaN Semiconductor Hollow Spheres, *Angew. Chem. Int. Ed.*, 43, 3827-3831.
- Tartè, R, 2011, Meat Protein Ingredients. In: *Handbook of Food Proteins* (Eds), Phillips, G. O., and Williams, P.A., Cambridge : Woodhead Publishing, pp. 56-91.
- Tesfaye, T., Sithole, B., Ramjugernath, D., and Chunilall, V., 2017, Valorisation of Chicken Feathers: Characterization of Chemical Properties, *Waste manage.*, 68, 626-635.
- Uddin, M.J., Miran, M.S., and Mollah, M.Y.A., 2007, Electrochemical Synthesis and Characterization of Iron Oxyhydroxide, *J. Bangladesh Chem. Soc.*, 20(1), 39-45.
- Van Der Wal, P.G., Reimert, H.G.M., Goedhart, H.A., Engel, B., and Uijttenboogaart, T.G., 1999, The Effect of Feed Withdrawal on Broiler Blood Glucose and Nonesterified Fatty Acid Levels, Postmortem Liver pH Values, and Carcass Yield, *Poult. Sci.*, 78, 569-573.
- Wahyuningtyas, A., Roto, R., and Kuncaka, A., 2016, Study of Glucose Adsorption on Synthetic Humin, *Asian J. Chem.*, 28, 987-992.
- Ward, W.H., Binkley, C.H. and Snell, S.N., 1955, Amino Acid Composition of Normal Wools, Wool Fraction, Mohair, Feather, and Feather Fractions. *Feather Textile Research Journal.*, 25, 314-325.



- Zboril, R., Mashlan, M., and Petridis, D., 2002, Iron(III) Oxides from Thermal Processes-Synthesis, Structural and Magnetic Properties, Mössbauer Spectroscopy Characterization, and Applications, *Chem. Mater.*, 14, 969–982.
- Zhu, X., Liu, Y., Qian, F., Zhang, S., and Chen, J., 2015, Investigation on the Physical and Chemical Properties of Hydrochar and Its Derived Pyrolysis Char for Their Potential Application: Influence of Hydrothermal Carbonization Conditions. *Energ. Fuel.*, 29, 5222-5230.