

DAFTAR PUSTAKA

- Aguiar, A.C.C., Santos, R., Figueiredo, F. J. B., Cortopassi, W. A., Pimentel, A. S., Franca, T. C. C., Meneghetti, M. R. and Krettil, A. U., 2012, Antimalarial Activity and Mechanism of Action of Two Novel 4-Aminoquinolines Against Chloroquine-Resistant Parasites, *PLoS ONE*, 7(5), e37259.
- Anonim, 2011, Epidemiologi Malaria di Indonesia, *Buletin Jendela Data dan Informasi Kesehatan*, edisi 1, 1-16.
- Anonim, 2018, *World Malaria Report 2017*, WHO, Geneva.
- Baelsman, R., Deharo, E., Munoz, V., Sauvin, M. and Ginsburg, H., 2000, Experimental Conditions for Testing The Inhibitory Activity of Chloroquin on The Formation of β -hematin, *Exp. Parasitol.*, 96(4), 243-248.
- Choomuenwai, V., Beattie, K., Healy, P., Andrews, K., Fechner, N. and Davis, R., 2015, Entonolactams A-C: Isoindolinone Derivatives from an Australian Rainforest Fungus Belonging to The Genus *Entonaema*, *Phytochem.*, 117, 10-16.
- Chopin, N., Iikawa, S., Bossom, J., Lavoignat, A., Bonnot, G., Bienvenu, A., Picot, S., Bouillon, J. and Medebielle, M., 2016, 7-Chloro-4-aminoquinoline γ -hydroxy- γ -lactam Derived-tetramates As A New Family of Antimalarial Compounds, *Bioorg. Med. Chem. Lett.*, 26(21), 5308-5311.
- Cornut, D., Lemoine, H., Kanishchev, O., Okada, E., Albrieux, F., Beavogui, A. H., Bienvenu, A., Picot, S., Bouillon, J. P. and Medebielle, M., 2013, Incorporation of a 3-(2,2,2-Trifluoroethyl)- γ -hydroxy- γ -lactam Motif in the Side Chain of 4-Aminoquinolines. Syntheses and Antimalarial Activities., *J. Med. Chem.*, 56, 73-83.
- Csermely, P., Agoston, V. and Pongor, S., 2005, The Efficiency of Multi-target Drugs: The Network Approach Might Help Drug Design, *Trends Pharmacol Sci.*, 26(4), 178-182.
- Cui, L., Mharakurwa, S., Ndaye, D., Rathot, P.K. and Rosenthal, P.J., 2015, Antomalarial Drug Resistance: Literature Review and Activities and Findings of the ICEMR Network, *Am. J. Trop. Med. Hyg.*, 93, 57-68.
- Entjang, I., 2000, *Ilmu Kesehatan Masyarakat*, PT. Citra Bakti, Bandung.

- Fidock, D.A., Nomura, T., Talley, A. K., Cooper, R. A., Dzekunov, S. M., Ferdig, M. T., Ursos, L. M., Sidhu, A. B., Naude, B., Deitsch, K. W., Su, Z. Z., Wootton, J. C., Roepe, P. D. and Wellems, T. E., 2000, Mutations in the Plasmodium falciparum Digestive Vacuole Transmembrane Protein PfCRT and Evidence for Their Role in Chloroquine Resistance, *Mol. Cell.*, 6(4), 861-871.
- Foley, M. and Tilley, L., 1998, Quinoline Antimalarials: Mechanism of Action and Resistance and Prospects for New Agents, *Pharmacol. Ther.*, 79(1), 55-87.
- Gasco, A., Boschi, D., Chegaev, K., Cena, C., Stilo, A., Fruttero, R., Lazzarato, L., Rolando, B. and Tosco, P., 2008, Multitarget Drugs: Focus on the NO-donor Hybrid Drugs, *Pure. Appl. Chem.*, 80(8), 1693-1701.
- Julianti, T., De Mieri, M., Zimm ermann, S., Ebrahimi, S.N., Kaiser, M., Neuburger, M., 2014, HPLC-based activity pro fi ling for antiplasmodial activity in the traditional Indonesian medicinal plant Carica papaya L., *J.Ethnopharmacol.*, 1–9.
- Kamaraj, C., Rahuman, A.A., Roopan, S.M., Bagavan, A., Elango, G. and Zahir, A.A., 2014, Bioassay-guided isolation and characterization of active antiplasmodial compounds from *Murraya koenigii* extracts against *Plasmodium falciparum* and *Plasmodium berghei*. *Parasitol Res*, 113, 1657–1672.
- Karmakar, R., Pahari., P. and Mal, D., 2014, Phthalides and Phthalans: Syntetic Methodologies and Their Applications in the Total Synthesis, *Chem. Rev.*, 114(12), 6213-6284.
- Kaschula, C.H., Egan, T.J., Hunter, R., Basilico, N., Parapini, S., Taramelli, D., Pasini, E. and Monti, D.. 2002. Structure-activity relationships in 4-aminoquinoline antiplasmodials. The role of the group at the 7 position. *Eur. J. Med. Chem.*, 45(16), 3531-3539. n
- Kim, I.S., Park, J., Park, E. and Sharma, S., 2012, Tandem Rh(III)-Catalyzed Oxidative Acylation of Secondary Benzamides with Aldehydes and Intramolecular Cyclization: The Direct Synthesis oh 3-hydroxyisoindolinones, *Org. Lett.*, 14(3), 907-909.
- Krogstad, D. J., Gluzman, I. Y., Kyle, D. E., Oduola, A. M., Martin, S. K., Milhous, W. K. and Schlesinger, P. H., 1987, Efflux of Chloroquine from Plasmodium falciparum: Mechanism of Chloroquine Resistance, *Science*, 238, 1283-1285.

- Kumar, M. R., Irudayanathan, F. M., Moon, J. H. and Lee, S., 2013, Regioselective One-Pot Synthesis of Isocoumarins and Phthalides from 2-Iodobenzoic Acids and Alkynes by Temperature Control, *Adv. Synth. Catal.*, 355, 3221-3230.
- Liu, H., Zhou, Y., Li, J., Ye, D. and Jiang, H., 2010, Metal-free Tandem Reaction in Water: An Efficient and Regioselective Synthesis of 3-hydroxyisoindolin-1-ones, *Green. Chem.*, 12, 1397-1404.
- Mali, R., Massey, A. and Talele, M., 1998, Synthesis of Naturally Occuring (Z)-3-benzilidenphthalide and 3-benzylphthalides, *J. Chem. Research*, 68-69.
- Manohar, S., Tripathi, M. and Rawat, D. S., 2014, 4-Aminoquinoline Based Molecular Hybrids As Antimalarials: An Overview, *Curr. Top. Med. Chem.*, 14, 1706-1733.
- Maurya, S. S., Khan, S. L., Bahuguna, A, Kumar, D. and Rawat, D. S., 2017, Synthesis, Antimalarial Activity, Heme Binding and Docking Studies of N-substituted 4-Aminoquinoline-pyrimidine Molecular Hybrids, *Eur. J. Med. Chem.*, 2017(129), 175-185.
- Musonda, C. C., Little, S., Yardley, V. and Chibale, K., 2007, Application of Multicomponent Reactions to Antimalarial Drug Discovery. Part 3: Discovery of Aminoxazole 4-aminoquinolines with Potent Antiplasmodial Activity In Vitro, *Bioorg. Med. Chem. Lett.*, 2007(7), 4733-4736.
- Musonda, C. C., Ncokazi, K., Egan, T. J., Yardley, V., Carvalho, R. C. and Chibale, K., 2008, Application of Multicomponent Reactions to Antimalarial Drug Discovery. Part 4: Antiplasmodial, β -hematin Inhibition, Antitrypanosomal and Cytotoxic Activity of Novel 4-aminoquinoline 2-imidazolines, *ChemMedChem*, 10, 2099-2110.
- Muti'ah, R., 2012, Penyakit Malaria dan Mekanisme Kerja Obat-obat Antimalaria, *Alchemy*, 2(1), 80-91.
- Niedek, D., Schuler, S. M., Eschmann, C., Wende, R. C., Seitz, A., Keul, F. and Schreiner, P. R., 2016, Synthesis of Enantioenriched Phthalide and Isoindolinone Derivatives from 2-formylbenzoic Acid, *Synthesis*, 2016(48), A-L.
- Rambabu, D., Kumar, G., Kumar, B., Kapavarapu, R., Rao, M. and Pal., M., 2013, Pd/C-mediated Synthesis of (Z)-3-alkylidenephthalides of Potential Pharmacological Interest, *Tetrahedron Lett.*, 54, 2989-2995.

- Rasoanaivo, P, Eric, D., Suzanne, R. and Frappier, F., 2004, *Traditional Medicinal Plants and Malaria: Guidelines for The Nonclinical Evaluation of The Efficacy of Traditional Antimalarials*, CRC Press, Florida.
- Rogers, W. O., Sem, R., Tero, T., Chim, P., Lim, P., Muth, S., Socheat, D., Ariey, F. and Wongsrichanalai, C., 2009, Failure of artesunate-mefloquine Combination Therapy for Uncomplicated Plasmodium falciparum Malarial in Southern Cambodia, *Malar. J.*, 8, 10.
- Satish, P.V. V and Sunita, K., 2017, Antimalarial Efficacy of *Pongamia pinnata* (L) Pierre Against *Plasmodium falciparum* (3D7 strain) and *Plasmodium berghei* (ANKA). *BMC Complem. Altern. M.*, 17, 1–26.
- Trager, W. and Jensen, J. B., 1976, Human Malaria Parasite in Continuous Culture, *Science*, 193, 673-675.
- Thelu, J., Burnod, J., Bracchi, V. and Ambroise-Thomas, P., 1994, Identification of Differentially Transcribed RNA and DNA Helicase-related Genes of *Plasmodium falciparum*, *DNA Cell Biol.*, 13, 1109-1115.
- Yu, Q., 2013, Efficient Synthesis of Hydroxyl Isoindolinones by a Pd-Mediated C-H Activation/ Annulation Reaction, *Chem. Eur. J.*, 34(19), 11184-11188.