

## DAFTAR PUSTAKA

- Afisna, L. P., Juwana, W. E., Indarto, I., Nugroho, F. M., & Deendarlianto, D. (2017). Performance of Porous-Venturi Microbubble Generator for Aeration Process. *Journal of Energy, Mechanical, Material and Manufacturing Engineering*, 2(2), 73–80. <https://doi.org/10.22219/jemmmme.v2i2.5054>
- Breeden, D. E. (1981). *United States Patent ( 19 ) ( Do ) W31 LV8*. (19).
- Budhijanto, W., Deendarlianto, Widyatama, A., Indarto, Dinaryanto, O., & Juwana, W. E. (2018). Hydrodynamic characteristics of the microbubble dissolution in liquid using orifice type microbubble generator. *Chemical Engineering Research and Design*, 141, 436–448. <https://doi.org/10.1016/j.cherd.2018.11.017>
- Firra, R., Iwan, W., & Tuhu Agung, R. (2016). Peningkatan Efektifitas Aerasi dengan Menggunakan Micro Bubble Generator (MBG). *Envirotek: Jurnal Ilmiah Teknik Lingkungan*, 8(2), 88–97.
- Gordiychuk, A., Svanera, M., Benini, S., & Poesio, P. (2016). Size distribution and Sauter mean diameter of micro bubbles for a Venturi type bubble generator. *EXPERIMENTAL THERMAL AND FLUID SCIENCE*, 70, 51–60. <https://doi.org/10.1016/j.expthermflusci.2015.08.014>
- Hills, B., Porta, P. E. P., & Dwight, H. (1998). *United States Patent ( 19 ) Fig-2a*. (19). [https://doi.org/10.1016/j.\(73\)](https://doi.org/10.1016/j.(73))
- Kaunang, C. D., Kawet, L., & Halim, F. (2015). Pengembangan Sistem Penyediaan Air Bersih di Desa Maliambao Kecamatan Likupang Barat Kabupaten Minahasa Utara. *Sipil Statik*, 3(6), 361–372. Retrieved from <http://ejournal.unsrat.ac.id/index.php/jss/article/view/8829/8388>
- Lau, Y. M., Deen, N. G., & Kuipers, J. A. M. (2013). Development of an image measurement technique for size distribution in dense bubbly flows. *Chemical Engineering Science*, 94, 20–29. <https://doi.org/10.1016/j.ces.2013.02.043>

- Parmar, R., & Majumder, S. K. (2013). Microbubble generation and microbubble-aided transport process intensification-A state-of-the-art report. *Chemical Engineering and Processing: Process Intensification*, 64, 79–97. <https://doi.org/10.1016/j.cep.2012.12.002>
- Roca, S. F., & Cited, R. (2006). ( 12 ) *United States Patent*. 2(12). <https://doi.org/10.1038/incomms1464>
- Sadatomi, M., Kawahara, A., Kano, K., & Ohtomo, A. (2005). Performance of a new micro-bubble generator with a spherical body in a flowing water tube. *Experimental Thermal and Fluid Science*, 29(5), 615–623. <https://doi.org/10.1016/j.expthermflusci.2004.08.006>
- Sadatomi, M., Kawahara, A., Matsuura, H., & Shikatani, S. (2012). Micro-bubble generation rate and bubble dissolution rate into water by a simple multi-fluid mixer with orifice and porous tube. *Experimental Thermal and Fluid Science*, 41, 23–30. <https://doi.org/10.1016/j.expthermflusci.2012.03.002>
- Santoso, P., & Satmoko, A. (2013). *Perhitungan dan Pemilihan Pompa pada Instalasi Pengolahan Air Bebas Mineral Radiator Gamma Kapasitas 200 KCi*. (November). Prosiding Pertemuan Ilmiah Perencanaan Perangkat Nuklir, Batan
- SHIRAI, H., HARUYAMA, S., TAKAKUSAGI, F., TABEL, K., & YAMAGUCHI, S. (2007). Study of Micro Bubble Generation by a Swirl Jet. *Journal of Environment and Engineering*, 2(1), 172–182. <https://doi.org/10.1299/jee.2.172>
- Temesgen, T., Bui, T. T., Han, M., Kim, T. il, & Park, H. (2017). Micro and nanobubble technologies as a new horizon for water-treatment techniques: A review. *Advances in Colloid and Interface Science*, 246(June), 40–51. <https://doi.org/10.1016/j.cis.2017.06.011>
- White, F. M. (2011). *Fluid Mechanics* (7th ed). New York: McGraw-Hill.

Voll, B.A., Richard, B.M., Gabrysch, A.D., 1998, *Wire Mesh Filter*, US Patent  
US5849188A

Yoon, R.H., Adel, G.T., Luttrell, G.H., 1991, *Process and Apparatus for Separating  
Fine Particles by Microbubble Flotation Together with A Process and  
Apparatus for Generation Of Microbubbles*, US Patent. US4981582