

DAFTAR PUSTAKA

- Anonim, 2014 , Malaria Policy Advisory Committe to the WHO: Conclusion and Recommendation of Sixth Biannual Meeting, *Malar. J.*, 14, 107.
- Anonim, 2015, *Guidlines for Treatment of Malaria, 3rd Ed.*, WHO, Geneva.
- Anonim, 2018, *World Malaria Report 2018*, WHO, Geneva.
- Chauhan, K., Sharma, M., Saxena, J., Singh, S.V., Trivedi, P., Srivastava, K., Puri, S.K., Saxena, J.K., Chaturvedi, V., and Chauhan, P.M.S., 2013, Synthesis and Biological Evaluation of a New Class of 4-aminoquinolineerhodanine Hybrid as Potent Anti-infective Agents, *Eur. J. Med. Chem.*, 62, 693-704.
- Cornut, D., Lemoine, H., Kanishchev, O., Okada, E., Albrieux, F., Beavogui, A.H., Bienvenu, A.L., Picot, S., Bouillon, J.P., and Medebielle, M., 2013, Incorporation of a 3-(2,2,2-Triflouroethyl)- γ -hidroksi- γ -lactam Motif in the Chain of 4-aminoquinolines. Synthesis and Antimalarial Activities, *J. Med. Chem.*, 56, 73-83.
- Choomuenwai, V., Beattie, K.D., Healey, P.C., Andrews, K.T., Fechner, N., and Davis, R.A., 2015, Entonalactams A-C: Isoindolinone Derivatives from an Australian Rainforest Fungus Belonging to The Genus *Entonaema*, *J. Photochem.*, 117(1), 10-16.
- Chopin, N., Iikawa, S., Bossom, J., Lavoignat, A., Bonnot, G., Bienvenu, A., Picot, S., Bouillon, J., and Medebielle, M., 2016, 7-Cloro-4-aminoquinoline- γ -hydroxy- γ -lactam Derived- γ -tetramates As A New Family of Antimalarial Compounds, *Bioorg. Med. Chem. Lett.*, 26(21), 5308-5311.
- Cui, L., Mharakurwa, S., Ndaye, D., Rathod, P.K., and Rosenthal, P.J., 2015, Antomalarial Drug Resistance: Literature Review and Activities and Findings of the ICEMR Network, *Am. J. Trop. Med. Hyg.*, 93, 57-68.
- Dahriyanus, 2004, *Analisis Struktur Semyawa Organik Secara Spektroskopi*, Lembaga Pengembangan Teknologi Informasi dan Komunikasi (LPTIK) Universitas Andalas, Padang.
- Fardis, M., Jin, H., Cai, R.Z., Mish, M., Tsiang, M., and Kim, C.U., 2006, Effect of Substituen on Novel Tricyclic HIV-1 Integrase Inhibitor, *Bioorg. Med. Chem. Lett.*, 16, 4031-4035.
- Gasco, A., Boschi, D., Chegaev, K., Cena, C., Di Stilo, A., Fruttero, R., Lazzarato, L., Rolando, B., and Tosco, P., 2008, Multitarget drugs: Focus on the NO-Donor Hybrid Drugs, *Pure Appl. Chem.*, 80(8), 1693-1701.

- Gorka, A.P., Dios, A.D., and Roepo, P.D., 2013, Quinolin Drug-Heme Interaction and Implication for Antimalarial Cytostatic Versus Cytocidal Activities, *J. Med. Chem.*, 56(13), 5231-5246.
- Inack-Ngi, S., Rahmani, R., Commeiras, L., Chouraqui, G., Thibonnet, J., Duchêne, A., Abarbri, M., and Parrain, J-L., 2009, Copper-Catalyzed Preparation of γ -Alkylidenebutenolides and Isocoumarins under Mild Palladium Free Conditions, *Adv. Synth. Catal.*, 351(5), 779-788.
- Karmakar, R., Pahari, P., and Mal, D., 2014, Phthalides and Phthalans: Synthetic Methodologies and Their Applications in the Total Synthesis, *Chem. Rev.*, 114(12), 6213–6284.
- Kaschula, C.H., Egan, T. J., Hunter, R., Basilico, N., Parapini, S., Taramelli, D., Pasini, E., and Monti D, 2002, Structure-Activity Relationships in 4-aminoquinoline Antiplasmodials. The Role of the Group at the 7 position, *J. Med. Chem.*, 45(16), 3531-3539.
- Kondaparla, S., Manhas, A., Dola, V.R., Srivastava, K., Puri, S.K., and Katti, S.B., 2018, Design, Synthesis and Antiplasmodial Activity of Novel Imidazole Derivatives Based on 7-chloro-4-aminoquinoline, *Bioorg. Med. Chem. Lett.*, 80, 204-211.
- Kouznetsov, V.V., and Gomez-Barrio, A., 2009, Recent Developments in the Design and Synthesis of Hybrid Molecules Based on Aminoquinoline Ring and their Antiplasmodial Evaluation, *Eur. J. Med. Chem.*, 44(8), 3091-3113.
- Kumar, A., Srivastava., Kumar., S.R., Puri., S. K and Chauhan, P.M.S., 2008, Synthesis and Bioevaluation of Hybrid 4-aminoquinoline Triazines as a New Class of Antimalarial Agents, *Bioorg. Med. Chem. Lett.*, 18, 6530-6533.
- Kumar, M.R., Irudayanathan, F.M., Moon, J.H., and Lee, S., 2013, Regioselective One-Pot Synthesis of Isocoumarins and Phthalides from 2-Iodobenzoic Acids and Alkynes by Temperature Control, *Adv. Synth. Catal.*, 355, 3221-3230.
- Lumbard, M.C., N'Da, D.D., Ba, C.T.V., Wein, S., Norman, J., Wisner, L., and Vial, H., 2013, Potent in Vivo Anti-malarial Activity and Representative Snapshot Pharmacokinetic Evaluation of Artemisinin-quinoline Hybrids, *Malar. J.*, 12, 71.
- Manohar, S., Khan, S.I., and Rawat, D.S., 2010, Synthesis, Antimalarial Activity and Cytotoxicity of 4-aminoquinoline–triazine Conjugates, *Bioorg. Med. Chem. Lett.*, 112-116.

- Maurya, S.S., Khan, S.I., Bahuguna, A., Kumar, D., and Rawat, D.S., 2017, Synthesis, Antimalarial Activity, Heme Binding and Docking Studies of *N*-substituted 4-aminoquinoline-pyrimidine Molecular Hybrids, *Eur. J. Med. Chem.*, 129, 175-185.
- Niedek, D., Schuler, S.M.M., Eschmann, C., Seitz, A., Keul, F., and Schreiner, P.R., 2016, Synthesis of Enantioenriched Phthalide and Isoindolinone Derivatives from 2-Formylbenzoic Acid, *Synthesis*, 48, A–L.
- Pandey, S., Agarwal, P., Srivastava, K., Kumar, S., Puri, Sunil K., Verma, P., Saxena, J.K., Sharma, A., Lal, J., Chauhan, P., 2013, Synthesis and bioevaluation of novel 4-aminoquinoline-tetrazole derivatives as potent antimalarial agents, *Eur. J. Med. Chem.*, 66, 69-81.
- Pathak, S., Debnath, K., Hossain, S.T., Mukherjee, S.K., and Pramanik, A., 2013, Synthesis of Biologically Important Phthalazinones, 2,3-Benzoxazin-1-ones and Isoindolinones from Ninhydrin and Their Antimicrobial Activity, *Tetrahedron Lett.*, 54, 3137-3143.
- Rogers, W. O., Sem, R., Tero, T., Chim, P., Lim, P., Muth, S., Socheat, D., Ariey, F., and Wongsrichanalai, C., 2009, Failure of Artesunate-mefloquine Combination Therapy for Uncomplicated *Plasmodium falciparum* Malarial in Southern Cambodia, *Malar. J.*, 8, 10.
- Sharma, S., Kim, I.S., Park, E., and Park, J., 2012, Tandem Rh (III)-catalyzed Oxidative Acylation of Secondary Benzamides with Aldehydes and Intramolecular Cyclization: The Direct Synthesis of 3-Hydroxyisoindolin-1-ones, *Org. Lett.*, 14(3), 906–909.
- Sashidhara, K.V., Kumar, M., Modukuri, R.K., Srivastava, R.K., Soni, A., Srivastava, K., Singh, S.V., Saxena, J.K., Gauniyal, H.M., and Puri, S.K., 2012, Antiplasmodial Activity of Novel Keto-enamine Chalcone-chloroquine Based Hybrid Pharmacophores, *Bioorg. Med. Chem.*, 20, 2971-2981.
- Trager, W., and Jansen, J.B., 1976, Human Malaria Parasites in Continuous Culture, *Science*, 193, 673-675.
- Widyawaruyanti, A., Devi, A.P., Fatria, N., Tumewu, L., Tantular, I.S., and Hafid, A.F., 2014, In Vitro Antimalarial Activity Screening Of Several Indonesian Plants Using Hrp2 Assay, *Int. J. Pharm. Pharmc. Sci.*, 6(6), 125-128.
- Winstanley, P., Ward, S., Snow, R., and Breckenridge, A., 2004, Therapy of Falciparum in Sub-Saharan Africa: from Molecule to Policy, *Clin. Microbiol. Rev.*, 17(3), 612-631.
- Zhou, Y., Zhai, Y., Li, J., Ye, D., Jiang, H., and Liu, H., 2010, Metal-free Tandem Reaction in Water: An Efficient and Regioselective Synthesis of 3-hydroxyisoindolin-1-ones, *Green Chem.*, 12, 1397-1404.