



## DAFTAR PUSTAKA

- Alaqueel, S.I., 2017, Synthetic approaches to benzimidazoles from o-phenylenediamine: A literature review, *J. Saudi. Chem. Soc.*, 21, 229-237.
- Arumugam, N., Rahim, A.S.A., Hamid, S.A., dan Osman, H., 2012, Straightforward synthesis of novel 1-(2'- $\alpha$ -O-D-glucopyranosyl ethyl) 2-arylbenzimidazoles, *Molecules*, 17, 9887-9899.
- Asih P.B., Rogers, W.O., Susanti, A.L. Rahmat, A., Rozi, Kusumaningtyas, M.A., Krisin, K., Sekartuti, S., Dewi, R.M., Coutrier, F.N., Sutamihardja A., Ven, A.J., Sauerwein, R.W., Syafruddin, D., 2009. Seasonal Distribution of Anti-Malarial Drug Resistance Alleles on the Island of Sumba, *Indonesia Malar J.*, 8, 222-228.
- Baelmans, R., Deharo, E., Muoz, V., Sauvain, M., and Ginsburg, H., 2000, Experimental conditions for testing the inhibitory activity of chloroquine on the formation of  $\beta$ -hematin, *Exp. Parasitol.*, 96, 243-248.
- Basilico, N., Pagani, E., Monti, D., Olliaro, P., dan Taramelli. D. 1998. A microtitrebased method for measuring the hem polymerization inhibitory activity (HPIA) of antimalarial drugs, *J. Antimicrob. Chemother.*, 42, 55-60.
- Binka, F., Sciences, A., Graves, P.M., Leke, R.F.G., and Malik, E., 2015, Malaria Policy Advisory Committee to the WHO: Conclusions and recommendations of sixth biannual meeting (September 2014), *Malar. J.*, 14, .
- Camacho, J., Barazarte, A., Gamboa, N., Rodrigues, J., Rojas, R., Vaisberg, A., Gilman, R., Charris, J. (2011), Synthesis and biological evaluation of benzimidazole-5-carbohydrazide derivatives as antimalarial, cytotoxic and antitubercular agents, *Bioorg. Med. Chem.*, 19(6), 2023-2029.
- Cowman A.F., Galatis D., dan Thompson J.K., 1994, Selection for Mefloquine Resistance in Plasmodiumfalciparum is linked to Amplification of the PFMDR1 Gene and Cross-Resistance to Halofantrine and Quinine, *Proc. Nati. Acad. Sci. USA* , 91(3), 1143-1147.
- de Dios, A. C., Casabianca, L. B., Kosar, A., dan Roepe, P. D., 2004, Structure of the amodiaquine-FPIX  $\mu$  oxo dimer solution complex at atomic resolution, *Inorg. Chem.*, 43, 8078-8084.
- Elfita, Muharni, Munawar, Salni dan Oktasari A., 2011, Senyawa Antimalaria dari Jamur Endofitik Tumbuhan Sambiloto (*Andographis paniculata* Nees), *Jurnal Natur Indonesia*, 13(2), 123-129.
- Gomez, H.T., Nunez, E.H., Rivera, I.L., Alvarez, J.G., Rivera, R.C., Puc, R.M., Ramos, A.R., Gutierrez, M.D.R., Bacab, M.J.C. Vazquez, G.N., 2008, Design, synthesis and in vitro anti-protozoal activity of benzimidazole-pentamidine hybrids, *Bioorg. & Med. Chem.*, 18, 3147-3151.



- Greenwood, B., 2010, Anti-malarial drugs and the prevention of malaria in the population of malaria endemic areas, *Malar. J.*, 9.
- Hakim, L., 2011, Malaria: Epidemiologi dan Diagnosis, *Aspirator*, 3(2), 107-116.
- Haugwitz, R.D., Angel, R.G., Jacobs, G.A., Maurer, B.V., Narayanan, V.L., Cruthers, L.R., & Szanto, J. 1982, Antiparasitic agents. 5. Synthesis and anthelmintic activities of novel 2-heteroaromatic-substituted isothiocyanatobenzoxazoles and -benzothiazoles, *J. Med. Chem.*, 25(8), 969-974.
- Huy, N.T., Uyen, D.T., Maeda, A., Trang, D.T.X., Oida, T., Harada, S., Kamei, K., 2007, Simple colorimetric inhibition assay of heme crystallization for high-throughput screening of antimalarial compounds, *Antimicrob. Agents Chemother.*, 51(1), 350-353.
- Khalaji, A.D., Foroghnia, A., Khalilzadeh, M.A., Fejfarová, K., and Dušek, M., 2011, 2-(3,4-Dimethoxyphenyl)-1H-benzimidazole, *Acta Crystallogr. Sect. E Struct. Reports Online*, 67.
- Kalaria, P.N., Satasia, S.P. dan Raval, D.K., 2014, Synthesis, Identification and *in vitro* biological evaluation of some novel 5-imidazolpyrazole incorporated pyrazoline and isoxazolin derivatives, *New. J. Chem.*, 38, 2902-2910.
- Kamil, A., Akhter, S., Ahmed, M., Rizwani, G.H., Hassan, S., Naeem, S., Jahan, S., Khursheed, R., Zahid, H., 2015, Antimalarial and insecticidal activities of newly synthesized derivatives of Benzimidazole, *Pak. J. Pharm. Sci.*, 28(6), 2179-2184.
- Leed, A., DuBay, K., Ursos, L.M.B., Sears, D., De Dios, A.C., dan Roepe, P.D., 2002, Solution structures of antimalarial drug - Heme complexes, *Biochemistry*, 41, 10245-10255.
- Mavandadi, F. dan Lidstrom, P., 2005, Microwave - Assisted Chemistry in Drug Discovery, *Curr. Top. Med. Chem.*, 4, 773-792.
- Nannapaneni, D.T., Gupta, A., Reddy, M.I., Sarva RCh., 2018, Synthesis, Characterization and Biological Evaluation of Benzimidazole Derivatives as Potential Anxiolytics, *Res. J. Pharm. Technol.*, 11, 221.
- Navarrete-Vázquez, G., Moreno-Díaz, H., Aguirre-Crespo, F., León-Rivera, I., Villalobos-Molina, R., Muñoz-Muñiz, O., and Estrada-Soto, S., 2006, Design, microwave-assisted synthesis, and spasmolytic activity of 2-(alkyloxyaryl)-1H-benzimidazole derivatives as constrained stilbene bioisosteres, *Bioorganic Med. Chem. Lett.*, 16, 4169-4173.
- Ndakala, A.J., Gessner, R. K., Gitari, P. W., October, N., White, K. L., Hudson, A., Fakoredem F., Shackelford, D.M., Kaiser, M., Yeates, C., Charman, S.A., Chibale, K., 2011, Antimalarial Pyrido[1,2-a]benzimidazoles, *J. Med. Chem.*, 54(13), 4581-4589.



- Nurani, L.H., Utami, D., Widyaningsih, W., Narwanti, N., Nurwening, E. dan Jumina, J., 2014, Uji aktivitas penghambatan polimerisasi heme (1)-n-(2-nitrobenzil)-1,10- fenantrolinium iodida dan (1)-n-(4-nitrobenzil)-1,10-fenantrolinium iodida secara in vitro, *Pharmaciana*, 4(2), 171-176.
- Ridley, H.F., Spickett, R.G.W. dan Timmis, G.M., 1965, New Synthesis of Benzimidazoles and Aza-analogs, *J. Heterocyclic Chem.*, 1965, 453–456.
- Rekha, M., Hamza, A., Venugopal, B.R., dan Nagaraju, N., 2012, Synthesis of 2-substituted benzimidazoles and 1,5-disubstituted benzodiazepines on alumina and zirconia catalysts, *Cuihua Xuebao/Chinese J. Catal.*, 33, 439–446.
- Salahuddin, Shaharyar, M. dan Mazumder, A., 2012. Benzimidazoles: A biologically active compounds, *Arab. J. Chem.*, 10(1), 157-173.
- Singh, N., Pandurangan, A., Rana, K., Anand, P., Ahamad, A., Tiwari, A. K., 2012, Benzimidazole: A short review of their antimicrobial activities, *Int. Curr. Pharm. J.*, 1(5), 119-127.
- Sharma, K., Shrivastava, A., Mehra, R.N., Deora, G.S., Alam, M.M., Zaman, M.S., and Akhter, M., 2018, Synthesis of novel benzimidazole acrylonitriles for inhibition of Plasmodium falciparum growth by dual target inhibition, *Arch. Pharm. (Weinheim)*, 351, 1–13.
- Venkateswarlu, Y., Kumar, S., dan Leelavathi, P., 2013, Facile and efficient one-pot synthesis of benzimidazoles using lanthanum chloride, *Org. Med. Chem. Lett.*, 3, 7.
- Widyawaruyanti, A., Zaini, N.C. dan Syafruddin, 2011, Mekanisme dan Aktivitas Antimalaria dari Senyawa Flavonoid yang Diisolasi dari Cempedak (*Artocarpus Champeden*), *JBP*, 13(2), 67-77.
- Wilson, C.O., Gisvold, dan O. Doerge. R. F., 1982, *Wilson and Gisvold's Textbook of Organic Medicinal and Pharmaceutical Chemistry*, Lippincott, Philadelphia.
- World Health Organization (WHO), 2017, *World Malaria Report: 2016*, WHO Library Cataloguing-in-Publication Data, Geneva.
- Wright, J.B., 1961, The Chemistry of the Benzimidazoles, *Chem. Rev.*, 48(3), 397-541.