

DAFTAR PUSTAKA

- Achmad, H., 2001, Selektivitas Zeolit Alam Aktif pada Proses Katalitik Konversi Asap Cair Kayu Bangkarai, Krusing, dan Kamfer Menjadi Fraksi Bensin, *Skripsi*, Departemen Kimia FMIPA UGM, Yogyakarta.
- Amruddin, 2002, Preparasi dan Karakterisasi Katalis Logam Ni, Mo, Cr, dan Modifikasi Menggunakan Pengemban γ -Al₂O₃ untuk Hidrorengkah Fraksi Apalten dari Aspal Buton, *Tesis*, Universitas Gadjah Mada, Yogyakarta.
- Arun, N., Sharma, R.V., and Dalai, A.K., 2015, Green Diesel Synthesis by Hydrodeoxygenation of Bio-based Feedstocks: Strategies for Catalyst Design and Development, *Renew. Energy.*, 48, 240-255.
- Arwiyansyah, D., 2010, Preparasi CMWM-41, H-CMWM-41, dan Ni/CMWM-41 untuk Perengkahan Minyak Jagung menjadi Fraksi Biogasolin, *Skripsi*, Universitas Gadjah Mada, Yogyakarta.
- Augustine, R.L., 1996, *Heterogenous Catalysis for Synthetic Chemist*, Marcel Dekker Inc, New York.
- Bridgwater, A.V., 2004, Biomass fast pyrolysis (review paper), *J.Therm.Sci.*, 8(2), 21-49.
- Cheng, C.K., Foo, S.Y., Adesina, A.A., 2010, H₂-rich synthesis gas production over Co/Al₂O₃ catalyst via glycerol steam reforming, *catalysis communication*, 12, 292-298.
- Chorkendorff, I., and Niemantsverdriet, J.W., 2003, *Concepts of Modern Catalysis and Kinetics*, WILEY-VCH Verlag GmbH & Co, Mannheim.
- Clark, J., 2003, *Cracking Alkanes*, Chem Guide dalam Daryoso, K., Wahyuni, Sri, dan Saputro, H., 2012, Uji Aktivitas Katalis Ni-Mo/zeolit pada Reaksi Hidrorengkah, *Indo. J. Chem.*, 1(1), 1-5.
- Coughlan, B., dan Keane, M.A., 1991, The Hydrogenation of Benzene Over Nickel-Supported Y-Zeolites. Part 2. A Mechanistic Approach., *Zeolites*, 11(5), 483-490.
- Coulier, L., 2001, Hydrocracking Model Catalysts: From Characterization to Kinetics, *Dissertation*, Technische Universiteit Eindhoven, Eindhoven.
- Daryoso, K., Wahyuni, S., dan Saputro, H., 2012, Uji Aktivitas Katalis Ni-Mo/zeolit pada Reaksi Hidrorengkah, *Indo. J. Chem.*, 1(1), 1-5. *Dasar*, 3(2), 126-134.

- Dashtban, M., Schraft, H., Qin, W., 2009, Fungal Bioconversion of Lignocellulosic Residue: Opportunities & Perspective, *Int. J. Biol. Sci.*, 578-595.
- Dermibas, A., 2004, Current technologies for thermo-conversion of biomass into fuels and chemicals, *Energy Sources*, 26, 715-30.
- Dorre, E., and Hubner, H., 1994, *Alumina: Processing, Properties, and Applications*, Springer, New York.
- Falah, I.I., dan Triyono, 2010, Conversion of n-Pentanol and n-Butanol over Cu/AC Catalyst, *J Chem, Eng.*, 4(6).
- Fengel, D., dan Wegener, G., 1995, *Kayu: Kimia, Ultrastruktur, Reaksi-reaksi*, (Terjemahan), Gadjah Mada Univ Press, Yogyakarta.
- Ferdous, D., Dalai, A.K., and Adjaye, J., 2004, A Series of NiMo/Al₂O₃ Catalysts Containing Boron and Phosphorus Part II. Hydrodenitrogenation and Hydrodesulfurization Using Heavy Gas Oil Derived from Athabasca Bitumen, *Appl. Catal. A.*, 260, 63-153.
- Fernando, S., Adhikari, S., Chandrapa, C., dan Murali, N., 2006, Biorefineries: Current Status, Challenges, and Future Direction, *Energy Fuels*, 20(4), 1727-1737.
- Fessenden, R.J., and Fessenden, J.S., 1986, *Organic Chemistry*, 3rd Ed., Wadsworth, California
- Foger, K., 1984, *Dispersed Metal Catalyst*, dalam Anderson, J.R., and Boudart, M., *Catalyst, Science, and Technology*, Springer-verbg, New York.
- Fukuoka, A., and Dhepe, P., 2006, Catalytic Conversion of Cellulose into Sugar Alcohol, *Angew. Chem. Int. Ed.*, 45(31), 5161-5163.
- Gallezot, P., 2012, Conversion of Biomass to Selected Chemical Product, *Chem.Soc.Rev.*, 41, 1538-1558.
- Gates, B.C., Katzer, J.R., Schuit, G.C.A., 1989, *Chemistry of Catalytic Process*, 1st Edition, Mc.Graw-Hill Book Company., New York.
- Geboers, J., Vyer, S.V., Carpentier, K., Jacobs, P., and Sels, B., 2011, Hydrolytic hydrogenation of Cellulose with Hydrotreated Cesium Salts of Heteropoly Acid and Ru/C, *Green Chem*, 13, 2167-2174.
- Gesmanee, S., and Wanida, K.A., 2014, Catalytic Hydrogeneration of CO₂ for Methanol Production in Fixed-bed Reactor Using Zn and Cu-Zn Supported on Gamma-Al₂O₃, *Elsevier Science*, 45(1), 739-744.

- Ginting, R.V., 2017, Hidrorengkah α -selulosa Menggunakan Katalis Mordenit dan Co/MOR serta Studi Kinetika Pembentukan Produk Cair, Skripsi, Departemen Kimia, Fakultas Matematika dan Ilmu Pengetahuan Alam, Universitas Gadjah Mada, Yogyakarta.
- Guisnet, M., Gnep, N.S.M., and Morin, S., 2000, Mechanism of Xylene Isomerization over Acidic Solid Catalyst, *Micro. Meso. Mater.*, 35, 47-59.
- Hagen, J., 2006, *Industrial Catalysis*, WILEY-VCH Verlag GmbH & Co, Mannheim.
- Handoko, D.S..P., 2002, Pengaruh Perlakuan Asam, Hidrotemal dan Impregnasi Logam Kromium pada Zeolit Alam dalam Preparasi Katalis, *Jurnal Ilmu*
- Hegedus, L.L., 1989, *Catalyst Poisoning*, Marcel Dekker Inc, New York.
- Herman, M., Tjahyana, B.E., dan Dani, 2003, Prospek Pengembangan Tanaman Kemiri (*Reautealis trisperma* (Blanko) Airy Shaw) sebagai Sumber Energi Terbarukan, *Sirinov*, 1(1), 1-10.
- Hermawati, W., Mahmudi, Maulana, I., Rosaira, I., dan Alamsyah, 2013, *Daya Biomassa: Potensi Energi Indonesia yang Terabaikan*, IPB Press, Bogor.
- Hilgert, J., Meine, N., Rinaldi, R., and Schuth, F., 2003, Mechanocatalytic Depolymerization of Cellulose Combined with Hydrogenolysis as a Highly Efficient Pathway to Sugar Alcohols, *Energy Environ.Sci.*, 6, 92-99.
- Horiguchi, J., Kobayashi, Y., Kobayashi, S., Yamazhaki, Y., Omata, K., Nagao, D., Konno, M., and Yamada, M., 2011, Mesoporous NiO-Al₂O₃ Catalyst for High Pressure Partial Oxidation of Methane to Syngas, *Appl. Catal. A Gen.*, 57(2), 86-92.
- Huber, G.W., Cortright, R.D., and Dumesic, J.A., 2004, Renewable Alkanes by Aqueous-Phase Reforming of Biomass Derived Oxygenated, *Angew. Chem. Int. Ed.*, 43, 1549-1551.
- Huber, G.W., Li, N., and Tompsett, G.A., 2010, Renewable High Octane Gasoline by Aqueous Carbohydrate over Pt/Zr Phosphate Catalyst, *ChemSusChem*, 3, 1154-1157.
- Iftitah, E.D., One pot transformation of Citronellal to Menthol over Ni/ γ -Al₂O₃, *J. Appl. Sci. Res.*, 7(5), 680-689.
- Ji, N., Zhang, T., Zheng, M., Wang, A., Wang, H., Wang, X, and Jingguang, G.C., 2008, Direct Catalytic Conversion of Cellulose into Ethylene Glycol Using Nickel-Promoted Tungsten Carbide Catalyst, *Angew. Chem. Int.Ed.*, 47, 8510-8513.

- Jiang, Z., Zhang, Z., Song, J., Meng, Q., Zhou, H., He, Z., and Han, B., 2016, Metal Oxide Catalyzed Efficient Conversion of Cellulose to Oxalic Acid in Alkaline Solution Under Low Oxygen Pressure, *Chem.Eng.*, 4, 305-311.
- Kumar, H., and Froment, G.F., 2007, Mechanism Kinetic Modelling of The Hydrocracking of Complex Feedstock such as Vacuum Gas Oil, *Ind. Eng. Chem. Res.* 46, 5881-5897.
- Kusumastuti, H., 2017, Sintesis Silika Alumina Mesopori dari Lumpur Sidoarjo sebagai Pengemban Logam Ni, Mo, NiMo dan MoNi untuk Katalis Hidrorengkah Hasil Prolisis α -selulosa, Tesis, Departemen Kimia, Fakultas Matematika dan Ilmu Pengetahuan Alam, Universitas Gadjah Mada, Yogyakarta.
- Li, X., Han, D., Xu, Y., and Yan, Z., 2011, Bimodal mesoporous γ -Al₂O₃: A promising support for CoMo-based catalyst in hydrosulfurization of 4,6-DMDBT, *Mater.Lett.*, 65, 1765-1767.
- Liang, G., Wu, C., He, L., Ming, J., Cheng, H., Zhuo, L., and Zhao, F., 2011, Selective Conversion of Concentrated Microcrystalline Cellulose to Isosorbide over Ru/C Catalyst, *Green Chem.*, 13, 839-842.
- Liu, X., Wu, Y., Shumulsky, R., Luo, Y., Alice, W., Chu, I.W., Wan, H., 2016, "Developing a renewable hybrid resin system. Part I: Characterization of Co-polymers of isocyanate with different molecular weights of phenolic resins" dalam Shouyun Cheng., dkk, upgrading pyrolysis bio-oil through hydrodeoxygenation (HDO) using non-sulfided Fe-Co/SiO₂ catalyst, 41, 7-34.
- Liu, Y., Luo, C., and Liu, H., 2002, Tungsten Trioxide Promoted Selective Conversion of Cellulose into Propylene Glycol and Ethylene Glycol on Ruthenium Catalyst, *Angew. Chem. Int. Ed.*, 124, 3303-3307.
- Luo, C., Wang, S., and Liu, H., 2007, Cellulose Conversion into Polyols Catalyzed by Reversibly Formed Acid and Supported Ruthenium Clusters in Hot Water, *Angew. Chem. Int. Ed.*, 46, 7636-7639.
- Ma, I., Zhang, Q., Wang, T., Xu, Y., dan Zhang, Q., 2014, Production of Liquid Alkenes by Controlling Reactivity of Sorbitols Hydrogenation with a Ni/HZSM-5 Catalyst in Water, *Energy Convers. Manage.*, 77, 262-268.
- Marsh, H., and Rodriguez-Reinoso, F., 2006, *Activated Carbon*, Elsevier Science & Technology Books.
- Marsuki, M.F., 2017, Sintesis Katalis Co, Mo, CoMo dan MoCo dengan Pengemban silika alumina mesopori dari lumpur Lapindo Sidoarjo Menggunakan Cetakan Gelatin Tulang Ikan Lele untuk Hidrorengkah

Minyak Pirolisis α -selulosa, Tesis, Departemen Kimia, Fakultas Matematika dan Ilmu Pengetahuan Alam, Universitas Gadjah Mada, Yogyakarta.

Matthew, M.D., Gopal, M., and Benarjee, S.K., 1984, Preparation of Oxalic Acid from Jute Stick, an Agrowaste, *Agric. Wastes.*, 11(1), 47-59.

Mohan, D., Pittman, C.U., Jr., and Steele, P.H., 2006, pyrolysis of Wood/Biomass for Bio-oil: A Critical Review, *Energy Fuels*, 20(1), 848-889.

Moon, R.J., Martini, A., Nairn, J., Simonsen, J., and Youngblood, J., 2011, Cellulose Nanomaterials Review: Structure, Properties and Nanocomposites, *Chem. Soc. Rev.*, 3941-3994.

Nakamura, I., Sunada, K., Fujimoto, K., 1997, Low Temperature Hydrocracking of Paraffinic Hydrocarbon over Hybrid Catalysis, *Stud. Surf. Sci. Catal.*, 106, 361-370.

Niemantsverdriet, R.V., 1995, *Chemical Kinetics and Catalysis*, Plenum, New York.

Noda, Y., Wongsiriwan, U., Song, C., Prasassarakich, P., and Yeboah, Y., 2012, Sequential of Acid and Base for Conversion of Cellulose, *Energy Fuels*, 26, 2376-2385.

O'Sullivan, A., 1997, Cellulose: The Structure Slowly Unravels, *Cellulose*, 4, 173-207.

Oasmaa, A., and Gernik, S., 1999, Fuel Oil Quality of Biomass Pyrolysis Oils State of the Art for the End Users, *Energy % Fuels*, 13(4), 914-921.

Oktaviani, E., Syaiful, B., Yusnimar, 2014, Produksi Bio-oil dari Biomassa Pelepah Sawit menjadi Bio-oil Menggunakan Katalis Co/Lempung dengan Menggunakan Metode Pirolisis, *J.FTEKNIK.*, 1, 1-7.

Papageridis, K.N., Siakavelas, G., Charisiou, D.N., Avram, D.G., Tzounis, L., Kousi, K., dan Goula, M.A., 2016, Comparative Study of Ni, Co, Cu Supported on γ -Al₂O₃ Catalysts for Hydrogen Production Via The Glycerol Steam Reforming Reaction, *Fuel Processing Technology*, 152, 156-173.

Patwardhan, P.R., Satrio, J.A., Brown, R.C., Shanks, B.H., 2013, Influence of inorganic salt on the primary pyrolysis products of cellulose, *Bio-resource. Technology.*, 1010(2), 4640-4655.

Pines, H., 1981, *The Chemistry of Catalytic Hydrocarbon Conversions*, Academic Press Inc, New York.

- Qu, T., Guo, W., Shen, L., Xiao, J., dan Zhao, K., Experimental Study of Biomass Pyrolysis Based on Three Major Component: Hemicellulose, Cellulose, and Lignin, *Ind. Eng. Chem. Res.*, 50, 10424-10433.
- Rasyid, R., Prihartanty, A., Mahfud, M., dan Roesyadi, A., 2015, Hydrocracking of Calophyllum inophyllum Oil with non-Sulfided CoMo catalyst, *Bulletin of Chem. React. Eng % catal.*, 10(1), 61-69.
- Ristiana, D.D., 2017, Hidrorengkah Selulosa dengan Katalis Ni/Mordenit dan Kajian Kinetika Pembentukan Produk Cair, *Skripsi*, Departemen Kimia, Fakultas Matematika dan Ilmu Pengetahuan Alam, Universitas Gadjah Mada, Yogyakarta.
- Romero, Y., Richard, F., and Brunet, S., 2010, Hydrodeoxygenation of 2-Ethylphenol as A Model Compound of Bio-Crude Over Sulfided Mo-based Catalysts: Promoting Effect and Reaction Mechanism, *Appl. Catal B: Environ.*, 98, 213-223.
- Ross, A.B., Biller, P., Kubacki, M.L., Li, H., Lea-Langton, A., Jones, J.M., 2010, Hydrothermal processing of microalgae using alkali and organic acids, *Fuel*, 89(9), 2234-43.
- Saerodji, G.M., 2013, Preparasi, karakterisasi logam Ni, Co, NiMo dan CoMo yang diimbangkan pada zeolit alam aktif untuk *hydrotreating* plastik polietilena menjadi fraksi bensin dan diesel, *Skripsi*, Departemen Kimia FMIPA UGM, Yogyakarta.
- Satterfield, C.N., 1980, *Heterogeneous Catalysis in Practice*, Mc-Graw-Hill Book Company, New York.
- Selawati, D., 2016, n-Butanol menjadi 1,1-Dibutoksibutana Menggunakan Katalis Zn/Karbon Aktif (Zn/KA), *Skripsi*, Departemen Kimia Fakultas Matematika dan Ilmu Pengetahuan Alam Universitas Gadjah Mada, Yogyakarta.
- Septiawati, E., Falah, I.I., dan Alim, R.S., 2001, Pembuatan Katalis Ni/Karbon Aktif dan Pemanfaatannya untuk Hidrogenasi Benzena, *Ind. J. Chem.*, 105-111.
- Siahpoosh, H., Abbasi, A.R., Aliofkhaeaei, M., Khajavi, B., Majidi, H., 2015., Effect of Pulse Frequency on Tribiological Behavior of Functionally Graded Ni/ γ -Al₂O₃ Nanocomposite Coatings, *Procedia Material Science*, 11, 498-502.
- Sugiyono, A., Anindhita, Boedoyo, M.S., dan Adiarso, 2005, *Outlook Energi Indonesia 2015: Pengembangan Energi untuk Mendukung Pembangunan*

Berkelanjutan, Pusat Teknologi Pengembangan Sumber Daya Energi (PTPSE), Jakarta.

- Swatloski, R.D., Spear, S.K., Holbrey, J.D., and Rogers, R.D., 2002, Dissolution of Cellulose [Correction of Cellulose] with Ionic Liquids, *J. Am. Chem. Soc.*, 124(18), 4974-4979.
- Syamsudin, Purwati, S., Surachman, A., dan Bastari, R., 2016, Pirolisis Isotermal Sludge Cake dan Pulp Reject Pabrik Pulp Kraft, *J.Selulosa.*, 2(6), 71-82.
- Tai, Z., Zhang, J., Wang, A., Pang, J., and Zeng, M., 2013, Catalytic Conversion of Cellulose to Ethylene Glycol over a Low-Cost Binary Catalyst of Raney Ni and Tungstic Acid, *ChemSusChem*, 6, 652-658.
- Tanabe, K., 1970, *Solid Acid and Bases: their catalytic properties*, Kodansha Catalyst, Scientific Books, Japan.
- Trisunaryanti, W., 2015, *Material Katalis dan Karakterisasinya*, Universitas Gadjah Mada Press, Yogyakarta.
- Trisunaryanti, W., dan Emmanuel, I., 2009, Preparation, Characterization, Activity, Deactivation and Regeneration Test of CoO-MoO/ZnO and CoO-MoO/ZnO-Activated Zeolite Catalyst for the Hydrogen Production from Fusel Oil, *Indo. J. Chem.*, 9, 361-368.
- Trisunaryanti, W., Triwahyuni, E., dan Sudiono, S., 2005, Preparation, Characterizations and Modification of Ni-Pd/Natural Zeolite Catalyst, *Indo. J. Chem*, 5(1), 48-53.
- Triyono, 2002, *Kimia Katalis*, Jurusan Kimia FMIPA UGM, Yogyakarta.
- Ulfah, M., dan Subagjo, 2012, Pengaruh Perbedaan Sifat Peyangga Alumina terhadap Sifat Katalis Hydrotreating Berbasis Nikel/Molibdenum, *Reaktor*, 14, 151-157.
- Umar, S.T., 2011, Pemanfaatan Serat Rami untuk Pembuatan Selulosa, *Datinlitbang-BPP* Kemenham RI.
- Wang, F., Wang, Y., Jin, F., Yao, G., Hou, Z., Zeng, X., and Jing, Z., 2014, One Pot Hydrothermal Conversion of Cellulose into Organic Acid with CuO as An Oxidant, *Ind. Eng. Chem. Res.*, 53, 7939-7946.
- Westkamp, J., 2012, Catalytic Hydrocracking Mechanisms and Versatility of The Process, *ChemCatChem*, 4, 292-306.
- Widiyarti, G., 2010, Pengaruh Metode Preparasi dan Kandungan Logam Aktif terhadap Aktivasi Katalis. *Jurnal Material Sains Indonesia*, 11(2), 222-226.

- Widyia, I., dan Wathoni, N., 2014, Review Artikel Selulosa Mikrokrystal: Isolasi, Karakterisasi, dan Aplikasi dalam Bidang Farmasetik., *J. Farmaka.*, 2(15), 127-143.
- Wu, Z., Gu, Z., Evans, L., dan Guo, H., 2003, Effects of Organic Acids on Adsorption of Lead onto Montmorillonite, Goethite, Humic Acid, *Environ, Pollution*, 121(3), 469-475.
- Xiu, S., and Shahbazi, A., 2012, Bio-oil production and upgrading research: A review, *Renewable Sustainable Energy Rev*, 16, 4406-4414.
- Zeng, J.L., Huang, Y.H., Zhu, M., Chen, X.R., dan Mei, H., 2013, Preparation and Characterization of Cu and Ni on Alumina Supports and their Use in the Synthesis of Low- Temperature Metal-Phtalocyanine Using a Parallel-Plate Reactor, *Elsevier Science*, 46(1), 432-439.
- Zhang, J., Lui, T., Sun, M., Ma, X., and Han, Y., 2012, Direct Conversion of Phosphomolybdic Acid Catalyst in a Water Medium, *Catal*, 2, 1698-1702.
- Zhang, L., Ruan, D., and Gao, S., 2002, Dissolution and Regeneration of Cellulose in NaOH/Thiourea Aqueous Solution, *J. Polym.Sci Part B: Polym. Phys.*, 40(14), 1521-1529.
- Zhou, C., and Wu, Q., 2012, *Recent Development in Applications of Cellulose Nanocrystals for Advanced Polymer, Based Nano, Component by Novel Fabrication Strategies*, In Tech.