

DAFTAR PUSTAKA

- Aboosadi, A., dkk, 2011, "Optimization of tri-reformer reactor to produce synthesis gas for methanolproduction using differential evolution (DE) method", *Applied Energy* 88 (2011) 2691–2701,
- Alcañiz-Monge, J., Illán-Gómez, M,J, (2008) Modification of activated carbon porosity by pyrolysis under pressure of organic compounds, *Adsorption*, 14, 93-100,
- Arch Chemical, Inc, 1999, *Safety And Handling of Hydrazine Solution*, Washington DC,
- Aries, R, S., and Newton, R, D., 1955, *Chemical Engineering Cost Estimation*, McGraw-Hill, New York,
- Basu Prabir, (2013), *Biomass Gasification, Pyrolysis, and Torrefaction*, Elsevier, 158-161,
- BKP, (2016), Badan Ketahanan dan Pangan, Retrieved from <http://bkp.pelalawankab.go.id/home/page/profil-wilayah>
- Boudrahem, F., Aissani-Benissad, F., Aït-Amar, H, (2009) Batch sorption dynamics and equilibrium for the removal of lead ions from aqueous phase using activated carbon developed from coffee residue activated with zinc chloride, *Journal of Environmental Management* 90, 3031–3039,
- BPS, (2017), *Tingkat Pengangguran Terbuka di Provinsi Riau, 2016 - 2017*, Retrieved from <https://riau.bps.go.id/dynamictable/2018/02/20/58/tingkat-pengangguran-terbuka-di-provinsi-riau-2016---2017.html>
- Brown, G, G, (1950), *Unit Operations* (Modern Asi), New York,: John Wiley and Sons,, Inc,,
- Couper, J, R., Penney, W, R., Fair, J, R., & Walas, S, M, (2012), "Chemical Process Equipment Selection and Design Third Edition", Oxford: Elsevier Inc,
- Crowl, D,A, Louvar, J,F, 2002, *Chemical Process Safety*, Prentice Hall, New Jersey,
- Davidson, G, (2010), "Adsorbents for Process", 11,
- Ditejenbun, (2017), *Statistik Perkebunan Kelapa Sawit Indonesia, Kementerian Pertanian*,

- European Commission, 2006, "Emission from Storage", Best Available Techniques Document,
- Freedonia, (2016), Freedonia Market Report, Retrieved from <https://www.freedoniagroup.com>
- Gmaps, (2018), Pelalawan Regency Riau, Retrieved from <https://www.google.com/maps/place/Pelalawan+Regency,+Riau/@0,1638831,101,8751291,9z/data=!3m1!4b1!4m5!3m4!1s0x31d617f0ab37255b:0x3039d80b220d170!8m2!3d0,1460923!4d102,2547919>
- Icis.com, (2003), Chemical Profile Activated Carbon, Retrieved from <https://www.icis.com/explore/resources/news/2005/12/02/544570/chemical-profile-activated-carbon/>
- Kemenperin, (2012), Data Impor Karbon Aktif, Retrieved from http://www.kemenperin.go.id/statistik/query_komoditi.php,
- Kern, D.Q., 1965, "Process Heat Transfer", Int.ed., p, 102-160, New York, McGraw-Hill Book Company,
- Kimpraswil, (2014), Sungai Kampar, Retrieved from <https://www.scribd.com/document/343073607/Gambaran-Umum-Daerah-Aliran-Sungai>
- Li, W., Yang, K., Peng, J., Zhang, L., Guo, S., Xia, H, (2008) Effects of carbonization temperatures on characteristics of porosity in coconut shell chars and activated carbons derived from carbonized coconut shell chars, *Industrial Crops and Products* 28, 190–198,
- Material Safety Data Sheet,
- McKetta, J, J, (1985), *Encyclopedia of Chemical Processing and Design* (11th ed.), New York: Marcel Dekker, Inc,
- Meisrilestari, Y, (2016), Pembuatan Arang Aktif dari Cangkang Kelapa Sawit dengan Aktivasi secara Fisika, Kimia dan Fisika-Kimia, *Universitas Lambung Mangkurat*,
- Occupational Safety and Health Act, 2000, *Process Safety Management*, U.S, Department of Labor,
- Pambayun, G, S., Yulianto, R, Y, E., Rachimoellah, M., Putri, E, M, M., Kimia, J, T., & Industri, F, T, (2013), Pembuatan Karbon Aktif dari Arang Tempurung Kelapa dengan Aktivator $ZnCl_2$ dan Na_2CO_3 sebagai Adsorben untuk Mengurangi Kadar Fenol dalam Air Limbah, 2(1),

- Panahi, Pn., N., dkk, 2012, "Simulation of methanol synthesis from synthesis gas in fixed bed catalytic reactor using mathematical modeling and neural networks", International Journal of Scientific & Engineering Research Volume 3,
- Pelalawankab, (2014), Potensi Kabupaten Pelalawan, Retrieved from http://pelalawankab.go.id/demo/humaspde/index.php?action=generic_content,main&id_gc=254
- Peraturan Pemerintah Republik Indonesia No, 41 Tahun 1999 tentang Pengendalian Pencemaran Udara
- Peraturan Menteri Negara Lingkungan Hidup No, 03 Tahun 2010 tentang Baku Mutu Air Limbah bagi Kawasan Industri
- Perry, R.H., 1999, "Perry's Chemical Engineer's Handbook", 7 ed., p, 2,37-2,38, New York, McGraw-Hill Book Company,
- Peters, M, S., and Timmerhaus, K, D., 1991, Plant Design and Economics for Chemical Engineers, 4th ed., McGraw-Hill, Singapore,
- Powell, S,T., 1954, "Water Conditioning for Industry", 1st ed., Mc Graw Hill Book Co., Tokyo,
- Pratama, R, (2014), *Diktat Furnace*, Bandung: Teknik Kimia, ITB,
- Rase, H, F., and Barrow, M, H., 1977, "Chemical Reactor Design for Process Plant", 1st ed., Mc Graw Hill Book Company, Inc., New York,
- Ridjadi, B, P, (2015), *Alat Pemisah Debu (Pemisah padat-gas)*, Jakarta: Teknik Kimia, UI,
- Rostami, R,B., Ghavipour, M., Behbahani, R,M., Aghajafari, A.,2015, "Kinetic modelling of methanol conversion to light olefins process over silicoaluminophosphate(SAPO-34) catalyst", J, Nat,Gas Sci, Eng, 20, 312–318,
- Rumidatul, A, (2006), Effectivity of activated charcoal as adsorbent for wastewater treatment, *IPB (Bogor Agricultural University)*,
- S,C, Bhattacharya, P, A, S, (2006), A Review of Selected Biomass Energy Technologies Gasification Combustion Carbonization and Densification, *Asian Regional Research Programme in Energy, Environment and Climate (ARRPEEC)*,

- Sinnott, R, K., 1983, “Coulson & Richardson’s Chemical Engineering Series : Chemical Engineering Design”, Chemical Engineering vol, 6 4th ed., Elsevier Butterworth-Heinemann, Oxford,
- Sinnott, R,K., 2005, “Chemical Engineering Design”, 4 ed., p, 587-609, Oxford, Elsevier,
- Smith, J,M., Ness, H,C,V., Abbott, M,M., 2001, “Chemical Engineering Thermodynamics”, Volume 6, p,635-636, New York, Mc Graw Hill,
- Suprianova, C, (2016), Pembuatan Karbon Aktif dari Kulit Durian sebagai Adsorben Zat Warna dari Limbah Cair Tenun Songket dengan Aktivator KOH, *Politeknik Negeri Sriwijaya*,
- Susanto, J, P., Dwi, A., Dan, S., & Suwedi, N, (2017), Perhitungan Potensi Limbah Padat Kelapa Sawit untuk Sumber Energi Terbaharukan dengan Metode LCA Palm Solid Wastes Potential Calculation for Renewable Energy with LCA Method, 18(2), 165–172,
- Treybal, R,E., 1981, “Mass-Transfer Operations”, Int,ed., p, 139-210, Singapore, McGraw-Hill Book Company,
- Vaibhav, Dhyani., Thallada, B, (2017), A comprehensive review on the pyrolysis of lignocellulosic biomass, *Elsevier*,
- Vitidsant, T., Suravattanasakul, T., & Damronglerd, S, (1999), Production of Activated Carbon from Palm-oil Shell by Pyrolysis and Steam Activation in a Fixed Bed Reactor, 25, 211–222,
- Wahabi, S., 2003., “Conversion of Methanol to Light Olefins on SAPO-34 Kinetic Modeling and Reactor Design”, Graduate Studies ofTexas A&M University,
- Walas, S, (1990), *Chemical Process Equipment*, Boston: Reed Publishing,
- Welty, J,R., Wicks, C,E., Wilson, R,E., Rorrer, G., 2005, “Fundamentals of Momentum, Heat and Mass Transfer”, 4 ed., p, 421,451, John Willey & Sons, Inc., New York,
- Yaws, C,L., 1999, “The Yaws Handbook of Vapor Pressure : Antoine Coefficients”, p,80-534, Oxford, Elsevier,
- Young, E,H., and Brownell, L, E., 1979, *Process Equipment Design*, John Wiley and Sons, Inc., New York, Evans, F, L., 1980, “Equipment Design Handbook”, Gulf Publising Company, Tokyo,
- Yudha, M, (2015), Bahan Bakar Boiler, *Teknik Sistem Perkapalan, ITS*, 1–48,

Yunus, M, (2018), *Studi Daerah Tangkapan Air (DTA) Pembangkit Listrik Tenaga Air (PLTA) Koto Panjang* (Vol, 5),