

DAFTAR PUSTAKA

- Ahmed, A.A., Mhaed, M., Basha, M., Wollmann, M., dan Wagner, L., 2015, The effect of *shot peening* parameters and hydroxyapatite coating on surface properties and corrosion behavior of medical grade AISI 316 L *stainless steel*, *Surface & Coating Technology*, Vol. 280, pp. 160-167.
- Arifvianto, B., Suyitno, Mahardika, M., Dewo, P., Iswanto, P. T., & Salim, U. A. (2011). Effect of surface mechanical attrition treatment (SMAT) on microhardness, surface roughness and wettability of AISI 316L. *Materials Chemistry and Physics*, 125(3), 418–426.
- Arifvianto, B., Suyitno, & Mahardika, M. (2012). Effects of surface mechanical attrition treatment (SMAT) on a rough surface of AISI 316L *stainless steel*. *Applied Surface Science*, 258(10), 4538–4543.
- Arifvianto, B., Pohan, G.A., Suyitno, Mahardika, M., 2012, Effect of slag ballblasting treatment on surface structure, roughness and wettability of 316LVM *stainless steel*, *Procedia Engineering*, Vol. 50, pp. 142-151.
- Amin, M.A., El-Bagoury, N., Saracoglu, M., Ramadan, M., 2014, Electrochemical and Corrosion Behavior of cast Re-containing Inconel 718 Alloys in Sulphuric Acid Solutions and the Effect of Cl⁻, *International Journal of Electrochemical Science*, 2014, Vol. 9, pp. 5352-5374.
- Agrawal, C. M., 1998, *Reconstructing the Human Body Using Biomaterials*. ASM Handbook, 2003, Volume 23, *Material for Medical Devices*, ASM International, Unites States of America.
- ASM Metal Handbook, 1994, Volume 5, *Surface Engineering*, ASM International, Unites States of America.
- ASM Metal Handbook, 2002, Volume 11, *Failure Analysis and Prevention*, ASM International, Unites States of America.
- ASM Metal Handbook, 2000, Volume 8, *Mechanical Testing and Evaluation*, ASM International, Unites States of America.
- Bahri, A.S., 2016, Pengaruh Durasi dan Diameter Steel Ball pada Proses Shot Peening terhadap Sifat Fisis, Mekanis dan Pengaruh Media Korosif

terhadap Ketahanan Korosi Material AISI 316 L, Skripsi, Fakultas Teknik Universitas Gadjah Mada, Yogyakarta.

Bagherifard, S., Slawik, S., Pariente. I. F., and Puly, C., 2016, Nanoscale Surface Modification of AISI 316L *Stainless steel* by Severe *Shot peening*. JMADE 102, 68-77.

Callister, W.D., 2000, Fundamental of Materials Science and Engineering: An Interactive E-Text, 5th ed., John Wiley & Sons, New Jersey.

Chamberlain, J., 1991, KOROSI, untuk Mahasiswa Sains dan Rekayasa, PTGramedia Pustaka Utama, Jakarta.

Cho, K.T., Song, K., Oh, S.H., Lee, Y.K., Lim, K.M., Lee, W.B., 2012, Surface hardening of aluminum alloy with by *shot peening* treatment Zn based ball, Materials Science and Engineering A, Vol. 543, pp. 44-49.

Dai, K., Villegas, J., Stone, Z., Shaw, L. (2004). *Acta Material*. 52, 57771.e

Darmanto., 2010, Pengaruh implantasi ion nitrogen terhadap kekerasan permukaan *stainless steel* 316 L untuk aplikasi sendi lutut tiruan. Prosiding Seminar Nasional UNIMUS, 2010.

Deliormanli, A.S., Guden, M., 2006, Microhardness and fracture toughness of dental materials by indentation method, Journal of Biomedical Materials Research - Part B Applied Biomaterials, Vol.76, pp. 257-264.

Faqihudin, A., 2017, Pengaruh Durasi Dan Jarak Tembak Pada Proses *Shot peening* Terhadap Sifat Fisis, Mekanis, Wettability, Dan Ketahanan Korosi Sumuran Material *Stainless steel* 316L, Skripsi, Fakultas Teknik Universitas Gadjah Mada, Yogyakarta

Gaguk, J., Malau, V., Iلمان, M.N., Iswanto, P.T., 2011, Perbaikan Sifat Korosi Baja Tahan Karat AISI 410 Dengan Perlakuan Implantasi Ion TiN, Jurnal Ilmiah Teknik Mesin Cakra M, 5:14-19.

Gusrita, D., Ratnawulan, Gusnedi, 2014, Pengaruh Viskositas Fluida Terhadap Sifat Hydrophobic dari Berbagai Macam Daun, Pillar of Physics, Vol.1, pp. 09-16.

- Hongxi, L., Xu Q., Jiang, Y., Wang, C., Zhang, X., 2012, Corrosion Resistance and Mechanical Property of AZ31 Magnesium Alloy by N/Ti duplex ion implantation, *Journal Surface & Coatings Technology*, S538-S543.
- Huang, Z., Zhang, X., Wang, T., Liu, G., Shao, H., Wan, Y., and Qiao, G., 2018, Effect of PD ion implantation and addition on wettability of AL/SiC system, *Surface and Coating Technologi*, S198-204.
- Hashemi, B., Yazdi, M. R., and Azar, V., 2011, The Wear and Corrosion Resistance of Shot Peened-Nitrided 316L Austenitic *Stainless steel*, *Material and Desain* 32(6), 3287-3292.
- Hermawan, Y.H., 2017, Pengaruh Long Time *Shot peening* Terhadap Fatik Korosi Pada Material SS 316L, Skripsi, Fakultas Teknik Universitas Gadjah Mada, Yogyakarta
- Ikhsan, F. M., 2016, Pengaruh Implantasi Ion Berbasis Nitrogen Terhadap Karakteristik *Stainless steel* 316L untuk Material Implan, Skripsi, Fakultas Sains dan Tekhnologi, Universitas Airlangga.
- Indarwati, D.A., 2011, Pengaruh Implantasi Ion Titanium Terhadap Kekerasan dan Ketahanan Korosi *Stainless steel* 304, Tesis, Fakultas Teknik Universitas Gadjah Mada, Yogyakarta.
- Jack, H., 2013, Manufacturing Processes. ASEE Annual Meeting, Atlanta.
- Jones, D. A., (1991). Principles and Prevention of Corrosion, Mc. Milman ublishing Company, New York.
- Lee, H., Kim, D., Jung, J., Pyoun, Y., Shin, K., 2009, Influence of peening on the corrosion properties of AISI 304 *stainless steel*. *Journal Corrosion Science*, 51 (12) 2826 – 2830.
- Lippold, J.C., Kotecki, D.J., 2005, Welding Metallurgy and Weldability of *Stainless steels*, John Wiley & Sons, New Jersey.
- McGuire, M., 2008, *Stainless steels* for Design Engineers, ASM International Materials Park, USA.,
- Mudali, U. K., Sridhar, T.M., and Raj, B., 2003, Corrosion of Bioimplants. *Journal sadhana* 28. 601-637.

- Mulyaningsih, N. (2013). Pengaruh Waktu Electroplating Nikel-Chrom terhadap Kekerasan dan Laju Korosi dalam Media Cairan PBS *Stainless steel 304*, Teknik Mesin, UGM, Yogyakarta.
- Muthukumaran, V., Nandhakumar, S., Selladurai, V., Senthilkumar, Mouleeswar
Experimental Investigation on Corrosion and Hardness of Ion Implanted AISI 316L *Stainless steel*
- Nastasi, M., and Mayer, J.W., 2006, Ion Implantation and Synthesis of Materials, Springer, New York.
- Park, J.B., and Lakes, R.S., 2007, Biomaterials An Introduction : Third Edition, Springer, New York.
- Pradipta, Y. D., 2017, Pengaruh Short Time *Shot peening* Terhadap Fatik Korosi Pada Material SS 316 L., Skripsi, Fakultas Teknik Universitas Gadjah Mada, Yogyakarta
- Pribadi, B., Iswanto, P. T., Sujitno, T, 2011, Pengaruh Implantasi Ion Chrom Terhadap Kekerasan dan Laju Korosi Baja Tahan Karat AISI 316 L Dalam Larutan PBS, 2011: Prosiding Pertemuan dan Presentasi Ilmiah, 0216 – 3128.
- Pudjorahardjo, D.S., Salam, A., dan Susita, L.R.M., 2003, Kajian Teknologi Akselerator Ion Untuk Rekayasa Bahan, Jurnal Puslitbang Teknologi Maju-BATAN, 5:84-91.
- Respati, S.M.B., 2010, *Bahan Biomaterial Stainless steel dan Keramik, Momentum*, Vol. 6, No. 1, Hal.: 5-8.
- Sulaiman, A., 2016, Pengaruh Variasi Sudut Penembakan *Shot peening* terhadap Struktur Mikro, Kekerasan, Kekasaran Permukaan, dan Wettability pada *Stainless steel* AISI-304, Skripsi, Fakultas Teknik Universitas Muhammadiyah Yogyakarta, Yogyakarta.
- Sunardi, Iswanto, P. T., dan Mudjijana., 2015, Peningkatan Ketahanan Korosi pada Material Biomedik Plat Penyambung Tulang SS 304 Dengan Gabungan Metode *Shot peening* dan Elektroplating Ni-Cr, Jurnal Ilmiah Semesta Teknika, Vol.18, No.2, 160-167.
- Sunardi, 2014, Pengaruh Variasi Waktu *Shot peening* dan Electroplating Ni-Cr terhadap Kekasaran Permukaan, Kekerasan dan Laju Korosi dalam Media SBF

- pada *Stainless steel* 304, Tesis, Fakultas Teknik Universitas Gadjah Mada, Yogyakarta.
- Sunardi, Iswanto, P. T., dan Mudjijana, 2013, Pengaruh Waktu *Shot peening* terhadap Kekerasan dan Kekasaran Permukaan *Stainless steel* AISI 304, Seminar Nasional ke 8: Rekayasa Teknologi Industri dan Informasi Sekolah Tinggi Teknologi Nasional, pp. 142-145.
- Sujitno, T., 2006, Pemanfaatan Implantor Ion 150 keV/2mA Untuk Surface Treatment, Prosiding Pertemuan dan Presentasi Ilmiah Teknologi Akselerator dan Aplikasinya PTAPB-BATAN, 62-69.
- Susita, L.R.M., Sudjatmoko, Sujitno, T., Darsono, Sulamdari, S., Supardjono, 1996, Karakterisasi Struktur Mikro *Stainless steel* Hasil Implantasi Ion Nitrogen, Prosiding Pertemuan dan Presentasi Ilmiah PPNY-BATAN, 50- 56.
- Sudjatmoko, Susita, L.R.M., Wirjoadi, Siswanto, B., 2013, Corrosion Resistance Improvement of AISI 316L *Stainless steel* Using Nitrogen Ion Implantation, Ganendra Journal of Nuclear Science and Technology, 16:67-75.
- Sudjatmoko, Wirjoadi, Siswanto, B., Suharni, Sujitno, T., 2010, Analisis Struktur Mikro Lapisan Nitrida Besi Yang Ternitridasi Pada Permukaan Material Komponen Mesin, Ganendra Journal of Nuclear Science and Technology, 13:101-111.
- Shen, L.R., Wang, K., Tie, J., Tong, H.H., Chen, Q.C., Tang, D.L., Fu, R.K.Y., Chu, P.K., 2004, Modification of High-Chromium Cast Iron Alloy by N and Ti Ion Implantation, Journal Surface & Coatings Technology, 349- 352.
- Shen, L., Wang, L., Wang, Y., Wang C., 2010, Plasma Nitriding of AISI 304 Austenitic *Stainless steel* with Pre-*Shot peening*, Surface and Coatings Technology 204(20), 3222-3227.
- Surdia, T. & Saito, S., 1999, Pengetahuan Bahan Teknik, Cetakan I, Pradnya Paramita, Jakarta Pusat.
- Umardhani, Y. dan Suprihanto, A., 2013, Pengembangan Metode Peningkatan Kekerasan Baja Tahan Karat AISI 316L Lewat Proses Nitridasi Gas Temperature Tinggi. Jurnal Rotasi, 15, 7-10.

- Widodo, T. D., R. Raharjo, Haslinda K., Enggal R. R., 2015, *Modifikasi Kekerasan Baja Tahan Karat AISI 316 L Dengan Menggunakan Proses Stell Ball Peening*, Proceeding Seminar Nasional Tahunan Teknik Mesi n XIV, Banjarmasin.
- Wilson, C. J., Clegg, R. E., Leavesley, D. I., and Percy, M. J., 2005, Mediaton of Biomaterial-Cell Interactions by Adsorbed Proteins: A Review, *Tissue Engineering*, 11(1-2), 1-18.
- Yuliwati, E., Ismail, A.F., 2011, Effect of additives concentration on the surface properties and performance of PVDF ultrafiltration membranes for refinery produced wastewater treatment, *Desalination*, Vol. 273, pp. 226- 234.
- Zhang, J., Peng, S., Zhang, A., Wen, J., Zang, T., Xu, Y., Yan, S., and Ren, H., 2016, Nitrogen Ion Implantation on the Mevhanical Properties AISI 420 Martensitic *Stainless steel*, *Journal Surface & Coatings Technology*, S132-S178.