

DAFTAR PUSTAKA

- Anonim, 2000, *Using METHOCEL Cellulose Ethers for Controlled Release of Drugs in Hydrophilic Matrix Systems*, Colorcon Asia Pasific Pte Ltd., Singapore.
- Ansel, H. C., Popovich, N. G., & Allen, L. V., 2011, *Pharmaceutical Dosage Forms and Drug Delivery Systems*, 9th Ed, Lippinkott Williams dan Wilkins, Philadelphia.
- Asane, G.S., Aher, K.B., Jain, D.K., & Bidkar, S.G., 2007, Mucoadhesive Gastro Intestinal Drug Delivery System : An Overview, *Pharmaceutical Reviews*, 5 (6), 1-3.
- Asyarie, S., Rahmawati, H., & Sinambela, P., 2007, Formulasi Tablet Kaptopril Lepas Lambat dengan Matriks Pautan Silang Alginat, *Majalah Farmasi Indonesia*, 18 (1), 34-39.
- Bandelin, F.J., 1989, Compressed Tablet by Wet Granulation, dalam Lieberman, H.A., Lachman, L., & Joseph, B.S., (Eds.), *Pharmaceutical Dosage Forms: Tablets*, 2nd Edition, 131-179, Marcel Dekker, Inc., New York.
- Banker, G.S. & Anderson, N.R., 1986, Tablet, dalam Lachman, L., Lieberman, H. A., dan Kanig, J. L., (Eds.), *The Theory and Practice of Industrial Pharmacy*, Third Edition., 293-345, Lea and Febiger, Philadelphia.
- Bolton, S. & Bon, C., 2004, *Pharmaceutical Statistics Practical and Clinical Applications*, 4th Edition, Revised and Expanded, 523-526, Marcel Dekker, Inc., New York.
- British Pharmacopoeia Commission, 2013, *British Pharmacopoeia*, Vol. I & II, The Stationary Office, London.
- Chen ,Y-C., Ho H-O., Lee, T-Y., & Sheu M-T, 2013, Physical Characterizations and Sustained Release Profiling of Gastroretentive Drug Delivery Systems with Improved Floating and Swelling Capabilities, *International Journal of Pharmaceutics*, 441.p. 162–169.
- Collett, J. & Moreton, C, 2002, *Modified-release Peroral Dosage Form*, dalam Aulton, M.E., *Pharmaceutics: the Science of Dosage Form Design*, 2nd edition, Churchill Livingstone, New York.
- Dawoodbhai, S. & Rhodes, C.T., 1989, The Effect of Moisture on Powder Flow and on Compaction and Physical Stability of Tablets, *Drug Development and Industrial Pharmacy*, 15(10), 1577–1600.
- Departemen Kesehatan Republik Indonesia, 2014, *Farmakope Indonesia*, Edisi V, Departemen Kesehatan Republik Indonesia, Jakarta.

- Departemen Kesehatan Republik Indonesia, 2018, Potret Sehat Indonesia dari Riskesdas 2018, Pusat Data dan Informasi Kementerian Kesehatan RI, Departemen Kesehatan Republik Indonesia, Jakarta.
- Dharmesh, S., Maru B Sandip., Sameer A Agham., Nikunj Aghera, 2012, Gastro Retentive Drug Delivery System Based on Natural Mucoadhesive Polymers, *Pharmtechmedica I*. p. 1-10.
- European Pharmacopeia, 2007, Captopril Monograph, In *European Pharmacopeia 6.0* (pp. 1407–1408), United Kingdom.
- Fiese, E.F. & Hagen, T.A., 1986, Preformulation, dalam Lachman, L., Lieberman, H.A., & Kanig, J.L., (Eds.), *The Theory and Practice of Industrial Pharmacy*, Third Edition., 171-198, Lea and Febiger, Philadelphia.
- Food and Drug Administration, 2012, *Capoten*,
https://www.accessdata.fda.gov/drugsatfda_docs/label/2012/018343s0841bl.pdf, 12 Januari 2019
- Fudholi, A., 1983, Metodologi Formulasi Dalam Kompresi Direk, *Majalah Medika*, 7 (9), 586-593.
- Fudholi, A., 2013, *Disolusi dan Pelepasan Obat in vitro*, 45-50, 142, Pustaka Pelajar, Yogyakarta.
- Gandjar, I.G. & Rohman, A., 2007, *Kimia Farmasi Analisis*, Pustaka Pelajar, Yogyakarta.
- Gothoskar, A., Dias, V., & Rajabi-Siahboomi, A., 2006, Controlling the release of nifedipine (a practically insoluble drug) using hypromellose matrices, *Paper presented at the Controlled Release Society 33rd Annual Meeting and Exposition*, Vienna, Austria.
- Guy, A., 2009, Cellulose, Microcrystalline, dalam Rowe, R.C., Sheskey, P.J., & Quinn, M.E., (Eds.), *Handbook of Pharmaceutical Excipients*, 6th Edition, 129-133, Pharmaceutical Press, London.
- Hobbs, C. A., Saigo, K., Koyanagi, M., & Hayashi, S., 2017, Magnesium stearate, a widely-used food additive, exhibits a lack of in vitro and in vivo genotoxic potential, *Toxicology Reports*, 4(July), 554–559.
<https://doi.org/10.1016/j.toxrep.2017.10.003>.
- Kibbe, AH, 2009, Talc, dalam Rowe, R.C., Sheskey, P.J., & Quinn, M.E., (Eds.), *Handbook of Pharmaceutical Excipients*, 6th Edition, 728-731, Pharmaceutical Press, London.
- Lachman, L., 1994, *Teori dan Praktek Farmasi Industri II*, Edisi III, Terjemahan: Siti Suyatmi, Universitas Indonesia, Jakarta.

- Lee, S., Raw, A., & Yu, L., 2008. Dissolution Testing, dalam Krishna, R. & Yu, L., (Eds.), *Biopharmaceutics Applications in Drug Development*, 47-74, Springer, Boston, MA.
- Lordi, N. G., 1986, Sustained Release Dosage Form, dalam Lachman, L., Lieberman, H. A., & Kanig, J. L., (Eds.), *The Theory and Practice of Industrial Pharmacy*, Third Edition., 430-456, Lea and Febiger, Philadelphia.
- Marchaban, Fudholi, A., Sulaiman, T.N.S., Martien, R., Kuswahyuning, R., Bestari, A.N., 2016, *Formulasi dan Teknologi Sediaan Padat*, 101-102, Fakultas Farmasi Universitas Gadjah Mada, Yogyakarta.
- Murtini, G., 2016, *Farmasetika Dasar*, Kementerian Kesehatan Republik Indonesia, Jakarta.
- Parrott, E.L., 1971, *Pharmaceutical Technology Fundamental Pharmaceutics*, 3th Ed, 76-82, Burgess Publishing Company, Minneapolis.
- Patchett, A.A., Harris, E., & Tristram, E.Q., 1980, A New Class of Angiotensin Converting Enzyme Inhibitors, *Nature*, 288(5788):280-3
- Patil, S., Kulkarni, S.V., Rao B, S., Ammanage, A., Surpur, C., & Basavaraj, 2013, Gastroretentive mucoadhesive tablet of lafutidine for controlled release and enhanced bioavailability, *Journal Drug Delivery* ; 312-319.
- Phadtare, D., Phadtare, G., Nilesh, B., & Asawat, M., 2014, Hypromellose-A Choice of Polymer in Extended Release Tablet Formulation, Pacific Academy for Higher Education and Research, Faculty of Pharmacy, Udaipur, India, *World Journal of Pharmacy and Pharmaceutical Sciences*, 3:551-566.
- Rogers, T.L, 2009, Hypromellulose dalam Rowe, R.C., Sheskey, P.J., and Quinn, M.E., *Handbook of Pharmaceutical Excipients*, 6th edition, 326-329, Pharmaceutical Press, London.
- Saraswathi, B., Balaji, A., & Umashankar, M.S., 2013, Polymers In Mucoadhesive Drug Delivery System-Latest Updates, *International Journal of Pharmacy and Pharmaceutical Sciences*, 5 (3), 423-430.
- Shargel, L., Wu-Pong, S., & Yu, A.B.C., 2005, *Applied Biopharmaceutics and Pharmacokinetics*, 5th Ed, 97-113, 132, 735, Appleton dan Lange, United States.
- Shi, L., Feng, Y., & Sun, C.C., 2011, Initial Moisture Content in Raw Material Can Profoundly Influence High Shear Wet Granulation Process, *International Journal of Pharmaceutics*, 416(1), 43-48.

- Sinco, P. J., 2006, *Martin's Physical Pharmacy and Pharmaceutical Sciences: Physical Chemical and Biopharmaceutical Principles in The Pharmaceutical Sciences*, 5th Ed, 337-351, Williams dan Wilkins, Philadelphia.
- Siregar, Charles J.P., 2010, *Teknologi Farmasi Sediaan Tablet: Dasar-Dasar Praktis*, 34-36, 151-155, 256-259, EGC, Jakarta.
- Tayade, N., Rane, M., Parmar, J., dan Rajabi-Siahboomi, A., 2014, Application of Quality by Design Principles in Formulation of Hypromellose Hydrophilic Matrix Tablets, *Pharma Times*, Vol. 46, No. 8, p. 19-23.
- United States Pharmacopeia, 2014, *The Dissolution Procedure: Validation and Development. In United States Pharmacopoeia 437 National Formulary* (p. 735-763), Rockville, Maryland, USA.
- United States Pharmacopeia, 2017, The Dissolution Procedure: Development and Validation, dalam *United Stated Pharmacopoeia 40-National Formulary 35*, 1292-1316, 2608-2609, The United States Pharmacopeial Convention, Rockville, Maryland, USA.
- United States Pharmacopeia, 2018, Tablet Friability, dalam *United Stated Pharmacopoeia 41-National Formulary 36*, 7634-7635, The United States Pharmacopeial Convention, Rockville, Maryland, USA.
- Wise, D. L., 2000, *Handbook of Pharmaceutical Controlled Release Technology*, CRC Press, USA.