

DAFTAR PUSTAKA

- [1] Anonym, "Industry 4.0," wikipedia.org
- [2] A. Fazel, E. Selim, et al., "Rethinking Human-Machine Learning in Industry 4.0: How does the Paradigm Shift Treat the Role of Human Learning?," in 8th Conference on Learning Factories, 2018, pp. 117-122.
- [3] S. Seema, "Cousins of AI," 2018, towardsdatascience.com
- [4] Stone, J. Philip, et al., "The general inquirer: A computer approach to content analysis," MIT Press, Cambridge, MA, 1996.
- [5] A. Mohammed, "Sentiment Analysis Process," 2018, omicsonline.org
- [6] Y. Bengio, A. Courville, et al., "Representation Learning: A Review and New Perspectives," in IEEE Trans. PAMI, special issue Learning Deep Architectures, pp. 35: 1798–1828. doi:10.1109/tpami.2013.50.
- [7] Anonym, "Pipeline for text data," 2019, mlwhiz.com.
- [8] H. Emma, L. Xiaohui, et al., "The Role of Text Pre-processing in Sentiment Analysis," in Procedia Computer Science 17, pp. 26-32.
- [9] B. Tena, "Text preprocessing problems with non-English languages," 2018, medium.com.
- [10] K. Tomas, "Text pre-processing steps," researchgate.net
- [11] P. Alexander, P. Patrick, "Twitter as as Corpus for Sentiment Analysis and Opinion Mining," in LREC, pp. 1320-1326.
- [12] N. Mahmoud, A. Mohamed, et al., "ASTD : Arabic Sentiment Tweets Dataset," in Conference on Empirical Methods in Natural Language Processing, Libson, 2015, pp. 2515-2519.
- [13] Z. Jianqiang, G. Xiaolin, "Comparison Research on Text pre-processing Methods on Twitter Sentiment Analysis," in IEEEAccess Volume 5, 2017, pp. 2870-2879.
- [14] S. Pasarate, R. Shedge, "Comparative Study of Feature Extraction Techniques Used in Sentiment Analysis," in International Conference on Innovation and Challenges in Cyber Security (ICICCS-INBUSH), 2016. doi:10.1109/ICICCS.2016.7542328.
- [15] K. N. Arman, A. Saeed, et al., "Text mining of news-headlines for FOREX market prediction: A Multi-layer Dimension Reduction Algorithm with semantics and sentiment," in Expert System with Applications, Volume 42, Issue 1, 2015, pp. 306-324. doi:10.1016/j.eswa.2014.08.004.

- [16] T. Abinash, A. Ankit, et al., "Classification of sentiment reviews using n-gram machine learning approach," in Expert Systems with Applications, Volume 57, 2016, pp. 117-126.
doi:10.1016/j.eswa.2016.03.028
- [17] M. Mark, "N-gram text representation," 2013, researchgate.net
- [18] K. L. Syahfitri, S. S. Opim, et al. "Sentiment Analysis pada teks Bahasa Indonesia menggunakan Support Vector Machine (SVM) dan K-Nearest Neighbor (K-NN)," in SENTIKA, Yogyakarta, 2015.
- [19] B. H. Iswanto, V. Poerwoto, "Sentiment analysis on Bahasa Indonesia tweets using Unigram models and machine learning techniques," in IOP Conf. Ser.: Mater. Sci. Eng., 2018.
doi:10.1088/1757-899X/434/1/012255.
- [20] L. Hiu, "Machine Learning Algorithm Cheatsheet," 2017, blogs.sas.com
- [21] E. Cambria, S. Poria, et al., "Sentiment Analysis is a Big Suitcase," in Affective Computing and Sentiment Analysis. Pp 74-76.
- [22] G. Aurelien, "Hands-On Machine Learning with Scikit-Learn and TensorFlow 12th ed.," O'Reilly Media, inc., Sebastopol, CA, 2019.
- [23] K. Mariam, A. Arafat, et al., "The Effects of Natural Language Processing on Big Data Analysis: Sentiment Analysis Case Study," in International Arab Conference on Information Technology, Werdanye, 2018. doi: 10.1109/ACIT.2018.8672697
- [24] P. S. Foram, P. Vibha, "A review on feature selection and feature extraction for text classification," in International Conference on Wireless Communications, Signal Processing and Networking, Chennai, 2016. doi: 10.1109/WISPNET.2016.7566545.
- [25] Venkat, Naveen, "The Curse of Dimensionality: Inside Out," doi:10.13140/RG.2.2.29631.36006.
- [26] M. G. Diogo, "The Curse of Dimensionality", 2018, medium.com
- [27] L. J. Buturovic, "Toward Bayes-optimal linear dimension reduction," in IEEE Transactions on Pattern Analysis and Machine Intelligence, Volume 16, No. 4, 1994, pp. 420-424.
doi:10.1109/34.277596
- [28] Franky, M. Ruli, "Machine Learning-based Sentiment Analysis of Automatic Indonesian Translations of English Movie Reviews," 2018.
- [29] R. H. Mohammad, A. Ahmad, et al., "Sentiment Analysis on Twitter Data using KNN and SVM," in International Journal of Advanced Computer Science and Applications, Volume 8, No. 6, 2017, pp 19-25.

[30] M. Taboada, J. Brooke, et al., "Lexicon Based Method for Sentiment Analysis," in Computational Linguistic, 2011, pp 267-307. doi:10.1162/COLI_a_00049.

[31] Anonym, "Scikit-Learn Algorithm Cheatsheet," , scikit-learn.org.

[32] B. M. Felipe, "SemEval_2018_Task_1_Eval," in International Workshop on Semantic Evaluation, 2018.

[33] S. S Mei, M. Rahmad, et al., "Emotion Classification on Indonesian Twitter Dataset," in Proceeding of International Conference on Asian Language Processing, 2018.

[34] B. Jose, no title, 2018, towardsdatascience.com