

## DAFTAR PUSTAKA

- [1] American Cancer Society, "Global Cancer Facts & Figures," American Cancer Society, Atlanta, 2018.
- [2] WHO, "Latest global cancer data Cancer burden rises to 18.1 million new cases and 9.6 million cancer deaths in 2018," Geneva, 2018.
- [3] "Hari kanker sedunia," Kementerian Kesehatan Republik Indonesia, Januari 2019. [Online]. Available: <http://www.depkes.go.id/article/view/19020100003/hari-kanker-sedunia-2019.html>. [Accessed 2019].
- [4] Pusat Data dan Informasi Kementerian Kesehatan RI, "Situasi Penyakit Kanker," Kementerian Kesehatan RI, Jakarta Selatan, 2015.
- [5] "Learn About Cancer," American Cancer Society, December 2015. [Online]. Available: <https://www.cancer.org/cancer/cancer-basics/what-is-cancer.html>. [Accessed 2019].
- [6] NCI, "Mammograms Fact Sheet," National Cancer Institute, 2014. [Online]. Available: <http://www.cancer.gov/types/breast/mammograms-fact-sheet>. [Accessed 13 Feb 2019].
- [7] A. T. Stavros, D. Thickman, C. L. Rapp, M. A. Dennis, S. H. Parker and G. A. Sisney, "Solid Breast Nodules : Use of Sonography to Distinguish between Benign and Malignant Lesions," *Radiology*, vol. 196, no. 1, pp. 123-134, 1995.
- [8] L. Levy, M. Suissa, J. F. Chiche, G. Teman and B. Martin, "BIRADS Ultrasonography," *European journal of radiology*, vol. 61, no. 2, pp. 202-11, 2007.
- [9] J. A. Baker, M. S. Soo and E. L. Rosen, "Artifacts and Pitfalls in Sonographic Imaging of the Breast," *Am. J. Roentgenol*, vol. 176, no. 5, pp. 1261-1266, May 2001.
- [10] R. A. Castellino, "Computer aided detection (CAD): An overview," *Cancer Imaging*, vol. 5, no. 1, pp. 17-19, 2005.
- [11] K. H. Hwang, J. G. Lee, H. J. Lee, K. S. Om, M. Yoon and W. Choe, "Computer aided diagnosis (CAD) of breast mass on ultrasonography and scintimammography," in

- [12] K. Doi, "Computer-aided diagnosis in medical imaging: Historical review, current status and future potential," *Comput. Med. IMAGING Graph*, vol. 31, no. 4-5, pp. 198-211, 2007.
- [13] H. A. Nugroho, Y. Triyani, M. Rahmawaty, I. Ardiyanto and L. Choridah, "Kinerjance analysis of filtering techniques for speckle reduction on breast ultrasound images," in *International Electronics Symposium (IES)*, 2016.
- [14] D. A. Khusna, H. A. Nugroho and I. Soesanti, "Kinerjance analysis of edge and detailed preserved speckle noise reduction filters for breast ultrasound images," in *International Conference on Information Technology, Computer, and Electrical Engineering (ICITACEE)*, 2015.
- [15] M. Rahmawaty, "Segmentasi Otomatis Nodul Payudara Pada Citra Ultrasonografi Menggunakan Pendekatan Neutrosophic Berbasis Metode Watershed," Universitas Gadjah Mada, Yogyakarta, 2016.
- [16] M. Rahmawaty, H. A. Nugroho, Y. Triyani, I. Ardiyanto and I. Soesanti, "Classification of breast ultrasound images based on texture analysis," in *International Conference on Biomedical Engineering (IBIOMED)*, 2016.
- [17] Y. Triyani, H. A. Nugroho, M. Rahmawaty, I. Ardiyanto and L. Choridah, "Kinerjance Analysis of Image Segmentation for Breast Ultrasound Images," in *International Conference on Information Technology and Electrical Engineering (ICITEE)*, 2016.
- [18] H. K. Yusufiyah, "Klasifikasi nodul payudara berbasis ciri bentuk pada citra ultrasonografi," Universitas Gadjah Mada, Yogyakarta, 2016.
- [19] Y. Triyani, "Klasifikasi nodul payudara pada citra ultrasonografi berdasarkan ciri batas," Universitas Gadjah Mada, Yogyakarta, 2017.
- [20] Tianur, "Klasifikasi nodul payudara pada citra ultrasonografi berdasarkan fitur posterior," Universitas Gadjah Mada, Yogyakarta, 2017.

- [21] American Cancer Society, "What is breast cancer," August 2017. [Online]. Available: <https://www.cancer.org/cancer/breast-cancer.html>. [Accessed 2019].
- [22] H. Fadjari, "Pendekatan Diagnosis Benjolan di Payudara," *Cermin Dunia Kedokteran*, vol. 39, pp. 308 - 310, 2012.
- [23] J. J. R. F. and O. M. C., "Evaluating margin sharpness analysis on similar pulmonary nodule retrieval," in *IEEE International Symposium on Computer-Based Medical Systems*, 2015.
- [24] D. A. Khusna, "Klasifikasi Lesi Citra Ultrasonografi Payudara berdasarkan Karakteristik Tepi," Universitas Gadjah Mada, Yogyakarta, 2016.
- [25] F. A. Valea and V. L. Katz, "Diagnosis and Treatment of Benign and Malignant Disease," in *Comprehensive Gynecology*, Philadelphia, Mosby Elsevier, 2007, pp. 327-358.
- [26] G. Rahbar, A. C. Sie, G. C. Hansen, J. S. Prince, M. L. Melany, H. E. Reynolds, V. P. Jackson, J. W. Sayre and L. W. Bassett, "Benign versus Malignant Solid Breast Masses," *Radiology*, no. 13, pp. 889-894, 1999.
- [27] American College of Radiology, "ACR BI-RADS Atlas," American College of Radiology, Philadelphia, 2014.
- [28] J. Heinig, R. Witteler, R. Schmitz, L. Kiesel and J. Steinhard, "Accuracy of classification of breast ultrasound findings based on criteria used for BI-RADS," *Ultrasound in obstetrics & gynecology: the official journal of the International Society of Ultrasound in Obstetrics and Gynecology*, vol. 32, no. 4, pp. 573-578, 2008.
- [29] K. R. Spring, J. C. Russ and M. W. Davidson, "Basic Properties of Digital Images," Olympus Life Science, 2017.
- [30] H. D. Cheng, J. Shan, W. Ju, Y. Guo and L. Zhang, "Automated breast cancer detection and classification using ultrasound images: A survey," *Pattern Recognit.*, vol. 43, no. 1, pp. 299-317, 2010.
- [31] R. C. Gonzales, R. E. Woods and S. L. Eddins, *Digital Image Processing using Matlab*, New Jersey: Pearson Prentice-Hall, 2004.

- [32] C. P. Loizou and C. S. Pattichis, "Despeckle Filtering for Ultrasound Imaging and Video," Morgan and Claypool, California, 2015.
- [33] A. Balodi, M. L. Dewal and A. Rawat, "Comparison of despeckle filters for ultrasound images," in *International Conference on Computing for Sustainable Global Development (INDIAcom)*, 2015.
- [34] Y. Yu and S. T. Acton, "Speckle reducing anisotropic diffusion," *IEEE Transactions on Image Processing*, vol. 11, no. 11, pp. 1260-1270, 2002.
- [35] W. Jatmiko, *Teknik Biomedis : Teori dan Aplikasi*, Jakarta: UIP, 2013.
- [36] R. Munir, "Pendeteksian Tepi (Edge Detection)," in *Pengolahan citra digital dengan pendekatan algoritmik*, Bandung, Institut Teknologi Bandung, 2004, pp. 121-140.
- [37] A. Kadir and A. Susanto, "Segmentasi Citra," in *Pengolahan Citra: Teori dan Aplikasi*, Yogyakarta, Andi Offset, 2013, pp. 403-494.
- [38] A. Yekadria, "Perbandingan Beberapa Metode Active Contour: Snake, Region-based, dan Level Set dalam Proses Penentuan Tumor pada Citra Mammogram," Universitas Andalas, Padang, 2012.
- [39] M. Zhang, L. Zhang and H. D. Cheng, "A neutrosophic approach to segmentation based on watershed method," *Signal Processing*, vol. 90, no. 5, pp. 1510-1517, 2010.
- [40] A. Kadir and A. Susanto, "Morfologi untuk Pengolahan Citra," in *Pengolahan Citra: Teori dan Aplikasi*, Yogyakarta, Andi Offset, 2012, pp. 209-286.
- [41] S. Lankton, S. Member and A. Tannenbaum, "Localizing Region-Based Active Contours," *IEEE Transactions on Image Processing*, vol. 17, no. 11, pp. 2029-2039, 2008.
- [42] C. D. Laurent, "On active contour models and balloons," *CVGIP: Image Understanding*, no. 53, pp. 211-218, 2004.
- [43] K. Saini, M. L. Dewal and M. Rohit, "A Fast Region-Based Active Contour Model for Boundary Detection of Echocardiographic Images," *J Digit Imaging.*, vol. 25, no. 2, p. 271-278, 2012.

- [44] O. S and A. S. J, "Fronts propagating with curvature-dependent speed: Algorithms based on Hamilton–Jacobi Formulation," *J. Comput. Phys.*, vol. 9, pp. 12-49, 1988.
- [45] Y. Wijayanti, B. Amaliah and A. Yuniarti, "Implementasi Segmentasi Gambar Menggunakan Domain Neutrosophic dan Metode Watershed," Institut Teknologi Sepuluh Nopember, Surabaya, 2010.
- [46] F. Smarandache, "Neutrosophic Logic - A Unifying Field in Logics," in *A Unifying Field in Logics: Neutrosophic Logic. Neutrosophy, Neutrosophic Set, Neutrosophic Probability*, American Research Press, 1999, pp. 87-111.
- [47] A. Kadir and A. Susanto, "Ekstraksi Fitur Bentuk dan Kontur," in *Pengolahan Citra: Teori dan Aplikasi*, Yogyakarta, Andi Offset, 2012, pp. 620-630.
- [48] A. Kadir and A. Susanto, "Operasi pada Citra Biner," in *Pengolahan Citra: Teori dan Aplikasi*, Yogyakarta, Andi Offset, 2012, pp. 287-348.
- [49] A. Kadir and A. Susanto, "Operasi Pixel dan Histogram," in *Pengolahan Citra: Teori dan Aplikasi*, Yogyakarta, Andi Offset, 2012, pp. 44-70.
- [50] T. Qiuxia, C. Liu and X. Du, "Research on method of traffic signs recognition based on Hu invariant moments and Zernike invariant moment," *Journal of Zhejiang Institute of Science and Technology*, vol. 29, pp. 235-239, March 2012.
- [51] M.-K. Hu, "Visual pattern recognition by moment," *Information Theory, IRE Transactions*, vol. 8, pp. 179-187, 1962.
- [52] I. M. D. Maysanjaya, "Identifikasi Fase Parasit Plasmodium Vivax Pada Citra Mikroskopis Digital Sediaan Darah Tipis," Universitas Gadjah Mada, Yogyakarta, 2016.
- [53] T. F. Chan and L. A. Vese, "Active Contours Without Edges," *IEEE Transactions on Image Processing*, vol. 10, no. 2, pp. 266-277, 2001.
- [54] J. Shan, H. D. Cheng and Y. Wang, "A novel segmentation method for breast ultrasound images based on neutrosophic l-means clustering," *Med. Phys.*, vol. 39, no. 9, pp. 5669-5682, 2012.



UNIVERSITAS  
GADJAH MADA

**Perancangan Sistem Diagnosis dengan Bantuan Komputer dalam Menentukan Tingkat Keganasan Nodul**

**Payudara pada Citra Ultrasonografi.**

AMALINA NUR SHABRINA, Hanung Adi Nugroho S.T., M.E., Ph.D.; Dr. Eng. Igi Ardiyanto, S.T., M.Eng.

Universitas Gadjah Mada, 2019 | Diunduh dari <http://etd.repository.ugm.ac.id/>

[55] M. B. Mainiero, A. Lourenco, M. C. Mahoney, M. S. Newell, L. Bailey, L. D. Barke, C. D'Orsi, J. A. Harvey, M. K. Hayes, P. T. Huynh, P. M. Jokich, S. J. Lee, C. D. Lehman, D. A. Mankoff, J. A. Nepute, S. B. Patel, H. E. Reynolds, M. L. Sutherland and B. G. Haffty, "ACR Appropriateness Criteria Breast Cancer Screening," *J. Am. Coll. Radiol.*, vol. 10, no. 1, pp. 11-4, 2013.

[56] R. M. Kumar and S. K., "A survey on image segmentation," *Int. J. Comput. Sci. Inf. Technol.*, vol. 5, no. 6, 2014.