

## PUSTAKA ACUAN

- Andarwati, D. 2010. Uji Aktivitas Immunostimulan Sediaan Teh Kombinasi Kaliks Rosella (*Hibiscus sabdariffa*) dan Herba Pegagan (*Centella asiatica*) dengan Metode Uji Hipersensitivitas Tipe Lambat dan Hitung Jumlah Sel Limfosit pada Mencit. *Skripsi*. Fakultas Matematika dan Ilmu Pengetahuan Alam Program Studi Farmasi. Universitas Indonesia: Depok. P: 4.
- Ariviani, S., G. Fauza, C. Pawestri. 2017. Pengembangan rosella ungu (*Hibiscus sabdariffa*) sebagai minuman isotonik berpotensi antioksidan dan mampu meningkatkan kebugaran tubuh. *Agritech*. 37(4): 386-394.
- Arnett, R.H & D.C. Braungart. 1970. *An Introduction to Plant Biology*. Toppan Printing Company Limited: Tokyo. P: 152.
- Aryanti, N., D.H. Wardhani, A. Wasi, G. A. Ramadhan, A. Purbasari. 2017. Extraction characteristic of anthocyanin from roselle (*Hibiscus sabdariffa* L.) calyces by ultrasound-assisted extraction. *American Scientific Publishers*. 23(6): 5626-5628.
- Astuti, T. & S. Darmanti. 2010. Perkembangan serat batang rosella (*Hibiscus sabdariffa* var.Sabdariffa) dengan perlakuan naungan dan volume penyiraman yang berbeda. *Buletin Anatomi dan Fisiologi*. 8(2): 47-55.
- Biondi, S., S. Scaramagli, F. Capitani, M. M. Altamura, & P. Torrigiani. 2001. Methyl jasmonate upregulates biosynthetic gene expression, oxidation and conjugation of polyamines, and inhibits shoot formation in tobacco thin layers. *Journal of Experimental Botany*. 52(355): 231-242.
- Catling, D. M. & J.E. Grayson. 1982. *Identification of Vegetables Fibres*. Chapman and Hall: London. Pp: 47-48.
- Chalker-Scott, L. 1999. Environmental significance of anthocyanins in plant stress responses. *Photochemistry and Photobiology*. 70(1): 1-9.
- Corona, G., F. Tang, D. Vauzour, A. Rodriguez-Mateos, & Jeremy. P.E. Spencer. 2011. Assesment of the anthocyanidin content of common fruits and development of a test diet rich in a range of anthocyanins. *Journal of Berry Research*. 1: 209-216.
- Creelman, R.A. & J.E. Mullet. 1997. Biosynthesis and action of jasmonates in plants. *Annual Reviews Inc*. 48:355-81. Texas. Pp: 356-358.
- Da-Costa-Rocha, I., B. Bonnlaender, H. Sievers, I. Pischel, & M. Heinrich. 2014. *Hibiscus sabdariffa* L.-a phytochemical and pharmacological review. *Food Chemistry*. 165: 424-443.
- Degado-Vargas, F. & O. Paredes-Lopez. 2002. *Natural Colorants for Food and Nutraceutical Uses*. CRC Press: Boca Raton. Pp: 172-173.
- El Sayed, Z. I., Ateya, Abdel-Monem. M., & M. Fekry. 2012. Macro- and micromorphological study of the leaf, stem, flower, and root of *Hibiscus rosa-sinensis* L. *Journal of Applied Science Research*. 8(1): 34-56.

- Eltayeib, A.A. & A.A. Elaziz. 2014. Physicochemical properties of Roselle (*Hibiscus sabdariffa* L.) seeds oil (Elrahad-1) in North Kordofan, Sudan. *Journal of Scientific and Innovative Research*. 3(6): 578-582.
- Farooq, M.A., R. A. Gill, F. Islam, B. Ali, H. Liu, J. Xu, S. He, & W. Zhou. 2016. Methyl jasmonate regulates antioxidant defense and suppresses arsenic uptake in *Brassica napus* L.. *Frontiers in Plant Science*. 7(468): 1-16.
- Fasoyiro, S.B., O.A. Ashaye, A. Adeola & F.O. Samuel. 2005. Chemical and storability of fruit-flavoured (*Hibiscus sabdariffa*) drinks. *World Journal of Agricultural Sciences*. 1(2): 165-168.
- Fletcher, R. A., T. Venkatarayappa, & V. Kallidumbil. 1983. Comparative effects of abscisic acid and methyl jasmonate in greening cucumber cotyledons and its application to a bioassay for abscisic acid. *Plant and Cell Physiol*. 24(6): 1057-1064.
- Harborne, J. B. 1987. *Metode Fitokimia*. Penerbit ITB. Bandung. Pp: 259-264.
- Hasler, M. 2018. *Hibiscus sabdariffa* L.. <http://www.catalogueoflife.org/col/details/species/id/a38b148d21e11abbaf6d854fe48a6725>. Diakses pada 24 Desember 2018 09:37.
- He, Y., H. Fukushige, D. F. Hildebrand, & S. Gan. 2002. Evidence supporting a role of jasmonic acid in Arabidopsis leaf senescence. *Plant Physiology*. 128: 876-884.
- Horbowicz, M., W. Wiczowski, D. Koczkodaj, & M. Saniewski. 2011. Effects of methyl jasmonate on accumulation of flavonoids in seedlings of common buckwheat (*Fagopyrum esculentum* Moench). *Acta Biologica Hungarica*. 62(3): 265-278.
- Irwan, A.W. & P.Y. Wicaksono. 2017. Perbandingan pengukuran luas daun kedelai dengan metode gravimetri, regresi dan scanner. *Jurnal Kultivasi*. 16(3): 425-429.
- Jing, P. 2006. Purple corn anthocyanins : chemical structure, chemoprotective activity and structure/function relationships. *Disertation*. P: 10.
- Li, C., P. Wang, N.W. Menzies, E. Lombi, & P.M. Kopittke. 2018. Effects of methyl jasmonate on plant growth and leaf properties. *Journal Plant Nutrition Soil Science*. 000: 1-10.
- Lim, P.O., & H.G. Nam. 2005. The molecular and genetic control of leaf senescence and longevity in Arabidopsis. *Current Topics in Developmental Biology*. 67: 49-83.
- Locato, V., S. Cimini, & L. De Gara. 2013. Strategies to increase vitamin C in plants: from plant defense perspective to food biofortification. *Frontiers in Plant Science*. 4(162): 1-12.

- Lopes da Silva, F., M. T. Escribano-Bailon, J. J. P. Alonso, J. C. Rivas-Gonzalo, & C. Santos-Buelga. 2005. Anthocyanin pigments in strawberry. *Lebensmittel-Wissenschaft & Technology*. 40: 347-382.
- McClintock, N.C. & I.M. El Tahir. 2004. *Hibiscus sabdariffa* L. In: Grubben, G.J.H. & Denton, O.A. (Editors). PROTA 2: Vegetables/Legumes. [CD-Rom]. PROTA, Wageningen, Netherlands.
- Miranshahi, B. & M. Sayyari. 2016. Methyl jasmonate mitigates drought stress Injuries and affects essential oil of summer savory. *Journal Agriculture and Science Techologi*. 18: 1635-1645.
- Muryanti, Solichatun & E. Anggarwulan. 2005. Pertumbuhan dan produksi reserpin kalus pule pandak [*Rauwolfia serpentina* (L.) Bentham ex. Kurz.] pada pemberian Metil Jasmonat secara *in vitro*. *Bioteknologi* 2(2): 58-62.
- Muslihatin, W., R. Daesusi, & E.P. Kuncoro. 2015. Influence of photoperiod to red roselle (*Hibiscus sabdariffa* L.) calyx phytochemical content. *Journal of Chemical and Pharmaceutical Research*. 7(11): 154-157.
- Mwasiagi, J.I., C.W. Yu, T. Phologolo, A. Waithaka, E. Kamalha, & J.R. Ochola. 2014. Characterization of the Kenyan *Hibiscus sabdariffa* L. (roselle) bast fibre. *Fibres and Textile in Eastern Europe*. 22(3): 31-34.
- Nazarli, H., A. Ahmadi, & J. Hadian. 2014. Salicylic acid and methyl jasmonate enhance drought tolerance in chamomile plants. *Journal of HerbMed Pharmacology*. 3(2): 87-92.
- NCBI. 2005. Methyl Jasmonate. Open Chemistry Database. <https://pubchem.ncbi.nlm.nih.gov/compound/5319693#section=Top>. Diakses pada 7 Januari 2018 10:33.
- NCBI. 2011. Ascorbic Acid. Open Chemistry Database. [https://pubchem.ncbi.nlm.nih.gov/compound/ascorbic\\_acid#section=2D-Structure](https://pubchem.ncbi.nlm.nih.gov/compound/ascorbic_acid#section=2D-Structure). Diakses pada 7 Januari 2018 11:37.
- Noir, S., M. Bomer, N. Takahashi, T. Ishida, Tjir-Li Tsui, V. Balbi, H. Shanahan, K. Sugimoto, & A. Devoto. 2013. Jasmonate controls leaf growth by repressing cell proliferation and the onset of endoreduplication while maintaining a potential stand-by mode. *Plant Physiology*. 161: 1930-1951.
- Nurnasari, E. & A.D. Khuluq. 2017. Potensi diversifikasi rosela herbal (*Hibiscus Sabdariffa* L.) untuk pangan dan kesehatan. *Buletin Tanaman Tembakau, Serat & Minyak Industri*. 9(2): 82-92.
- Ochiai, M., S. Matsumoto, & K. Yamada. 2013. Methyl jasmonate treatment promotes flower opening of cut Eustoma by inducing cell wall loosening proteins in petals. *Postharvest Biology and Technology*. 82: 1-5.
- Orwa C., A. Mutua, R. Kindt, R. Jamnadass, & S. Anthony. 2009. Agroforestry Database: a tree reference and selection guide version 4.0. <http://www.worldagroforestry.org/sites/treedbs/treedatabases.asp>. Diakses pada 20 Desember 2018 14:56.

- Pak, H., Y. Guo, M. Chen, K. Chen, Y. Li, S. Hua, I. Shamsi, H. Meng, C. Shi, & L. Jiang. 2009. The effect of exogenous methyl jasmonate on the flowering time, floral organ morphology, and transcript levels of a group of genes implicated in the development of oilseed rape flowers (*Brassica napus* L.). *Planta*. 231: 79-91.
- Pakaya, D. 2014. Peranan vitamin C pada kulit. *Jurnal Ilmiah Kedokteran*. 1(2): 45-54.
- Qin, C., Y. Li, W. Niu, Y. Ding, R. Zhang, & X. Shang. 2010. Analysis and characterisation of anthocyanins in mulberry fruit. *Journal of Food Science*. 28(2): 117-126.
- Qin, J., M. Wu, H. Liu, Y. Gao, & A. Ren. Endophyte infection and methyl jasmonate treatment increased the resistance of *Achnatherum sibiricum* to insect herbivores independently. *Toxins*. 11(7): 1-13.
- Reque, P.M., R.S. Steffens, A.Jablonski, S.H. Flores, A. O. Rios, & E.V. de Jong. 2014. Cold storage of blueberry (*Vaccinium* spp.) fruits and juice: anthocyanin stability and antioxidant activity. *Journal of Food Composition and Analysis*. 33: 111-116.
- Rudell, D. R. & J. P. Mattheis. 2002. Methyl jasmonate enhances anthocyanin accumulation and modifies production of phenolics and pigments in 'Fuji' apples. *Journal of the American Society for Horticultural Science*. 127(2): 435-441.
- Safaryani, N., S. Haryanti & E. D. Hastuti. 2007. Pengaruh suhu dan lama penyimpanan terhadap penurunan kadar vitamin C brokoli (*Brassica oleracea* L.) *Buletin Anatomi dan Fisiologi*. 15 (2):41-42.
- Salisbury, F.B. & C.W. Ross. 1995. *Fisiologi Tumbuhan Jilid 3*. Penerjemah: D.R Lukman & Sumaryono. Penerbit ITB: Bandung.
- Saniewski, M., J. Ueda, K. Miyamoto, H. Okubo, & J. Puchalski. 2005. Methyl jasmonate induces gum and inhibits stem growth promoted by auxin in uncooled tulip bulbs. *Journal Faculty of Agriculture Kyushu University*. 50(1): 41-47.
- Saniewski, M., M. Horbowicz, J. Puchalski, & J. Ueda. 2003. Methyl jasmonate stimulates the formation and the accumulation of anthocyanin in *Kalanchoe blossfeldiana*. *Acta Physiologiae Plantarum*. 25(2): 143-149.
- Sari, F., Nurkhasanah, & M.S. Bachri. 2016. Acute toxicity test of rosella (*Hibiscus sabdariffa* L.) calyx ethanolic extract on *Sprague Dawley* rats. *Traditional Medicine*. 21(1): 12-18.
- Smirnoff, N. 1996. The function and metabolism of ascorbic acid in plants. *Annals of Botany*. 78: 661-669.
- Srivastava, H.S. 1999. *Nitrogen Nutrition During Seed Germination and Seedling Formation in Nitrogen Nutrition and Plant Growth*. Science Publisher Inc: Enfield. P: 16.

- Suzery, M., S.Lestari, & B. Cahyono. 2010. Penentuan Total Antosianin dari Kelopak Bunga Rosela (*Hibiscus sabdariffa* L.) dengan Metode Maserasi dan Sohkletasi. *Jurnal Sains&Matematika*. 18(1): 1-6.
- Tamari, G., A. Borochoy, R. Atzorn, & D. Weiss. 1995. Methyl jasmonate induces pigmentation and flavonoid gene expression in petunia corollas: a possible role in wound response. *Physiologia Plantarum*. 94: 45-50.
- Ueda, J., & M. Saniewski. 2006. Methyl jasmonate-induced stimulation of chlorophyll formation in the basal part of tulip bulbs kept under natural light conditions. *Journal of Fruit and Ornamental Plant Research*. 14: 199-210.
- Wasternack, C. 2007. Jasmonates: an update on biosynthesis, signal transduction and action in plant stress response, growth and development. *Annals of Botany*. 100: 681-697.
- Wolucka, B. A., A. Goossens & D. Inze. 2005. Methyl jasmonate stimulates the de novo biosynthesis of vitamin C in plant cell suspensions. *Journal of Experimental Botany*. 56( 419): 2527-2538.
- Wong, Peng-Kong, S. Yusof, H.M. Ghazali, & Y.B. Che Man. 2002. *Nutrition & Food Science*. 32(2): 66-73.
- Yan, Y., E. Borrego, & M. V. Kolomiests. 2013. Jasmonate biosynthesis, perception and function in plant development and stress responses. *In Tech*.
- Yuan, Z. & D. Zhang. 2015. Roles of jasmonate signalling in plant inflorescence and flower development. *Current Opinion in Plant Biology*. 27: 44-51.
- Yuariski, O. & S. Suherman. 2012. Pengeringan bunga rosella (*Hibiscus sabdariffa*) menggunakan pengering rak udara resirkulasi. *Jurnal Teknologi Kimia dan Industri*. 1(1): 1-6.