

REFERENCES

- Adsul, M.G., Ghule, J.E., Shaikh, H., Singh, R., Bastawde, K.B., and Gokhale D.V. 2005. Enzymatic hydrolysis of delignified bagasse polysaccharides. *Carbohydrate Polymers*, 62:6–10.
- Agnihotri, S., Dutt, D., Tyagi, C.H., Kumar, A., and Upadhyaya, J.S. 2010. Production and biochemical characterization of a novel cellulase-poor alkali-thermo-tolerant xylanase from *Coprinellus disseminatus* SW-1 NTCC 1165. *World Journal of Microbiology and Biotechnology*, 26: 1349–1359.
- Akiba, T. and Horikoshi, K. 1988. Xylanases of alkalophilic thermophilic *Bacillus*. *Methods Enzymol*, 160: 648-654.
- Akpinar, O., A.k, O., Kavas, A., Bakir, U., and Yılmaz, L. 2007. Enzymatic production of xylooligosaccharides from cottonstalks. *Journal of Agricultural Food Chemistry*, 5544–5551.
- Akpinar, O., Erdogan, K., and Bostanci, S. 2009a. Production of xylooligosaccharides by controlled acid hydrolysis of lignocellulosic materials. *Carbohydrate Research*, 344: 660–666.
- Akpinar, O., Erdogan, K., and Bostanc, S. 2009b. Enzymatic production of Xylooligosaccharide from selected agricultural wastes. *Food and Bioproducts Processing*, 87: 145–151.
- Álvarez-Cervantes, J., Hernández-Domínguez, E.M., Arana-Cuenca, A., Díaz-Godínez, G., and Mercado- Flores, Y. 2013. Purification and characterization of xylanase SRXL1 from *Sporisorium reilianum* grown in submerged and solid-state fermentation. *BioResources*, 8: 5309-5318.
- Aro, N., Pakula, T., and Penttilä, M. 2005. Transcriptional regulation of plant cell degradation by filamentous fungi. *FEMS Microbiology Reviews*, 29: 719–739.

- Bajpai, P. 1999. Application of enzymes in the pulp and paper industry. *Biotechnology Progress*, 15: 147–157.
- Bajpai, P. 2009. Xylanases. In: Encyclopedia of Microbiology, Third ed. p. 600-612. Academic Press. San Diego.
- Bakri, Y., Al-Jazairi, M., and Al-Kayat, G. 2008. Xylanase production by a newly isolated *Aspergillus niger* SS7 in submerged culture. *Polish Journal of Microbiology*, 57: 249-251.
- Beg, Q.K., Kapoor, M., Mahajan, L., and Hoondal, G.S. 2001. Microbial xylanases and their industrial applications: a review. *Applied Microbiology and Biotechnology*, 56: 326–338.
- Belancic, A., Scarpa, J., Peirano, A., Diaz, R., Steiner, J., and Eyzaguirre, J. 1995. *Penicillium purpurogenum* produces several xylanases: purification and properties of two of the enzymes. *Journal of Biotechnology*, 41: 71-79.
- Butt, M.S., Tahir-Nadeem, M., and Ahmad, Z. 2008. Xylanases and their applications in baking industry. *Food Technology and Biotechnology*, 46: 22-31.
- Carvalho, F., Duarte, L.C., and Girio, F.M. 2008. Hemicellulose biorefineries: a review on biomass pretreatments. *Journal of Scientific and Industrial Research*, 67: 849-864.
- Chang, S.H. 2014. An overview of empty fruit bunch from oil palm as feedstock for bio-oil production. *Biomass and Bioenergy*, 62 : 174-181.
- Chapla, D., Patel, H., Singh, A., Madamwar, D., and Shah, A. 2011. Production, purification and properties of a cellulase-free thermostable endoxylanase from newly isolated *Paenibacillus* sp.ASCD2. *Annals of Microbiology*.
- Collins, T., Gerday, C., and Feller, G. 2005. Xylanases, xylanase families and extremophilic xylanases. *FEMS Microbiology Reviews*, 29: 3–23.

- Considine P.J. and Coughlan M.P. 1989. Enzyme System for Lignocellulose Degradation. In: M.P. Coughlan (Ed.), Enzyme System for Lignocellulose Degradation, Elsevier Applied Science, London.
- Corral, O.L. and Villaseñor-Ortega, F. 2006. Xylanases. *Advances in Agricultural and Food Biotechnology*, 305-322.
- Elegir G., Szakács, G., and Jeffries, T.W. 1994. Purification, Characterization, and Substrate Specificities of Multiple Xylanases from *Streptomyces sp.* Strain B-12-2. *Applied and Environmental Microbiology*, 60: 2609–2615.
- Fujimoto, H., Ooi, T., Wang, S.L., Takizawa, T., Hidaka, H., Murao, S., and Arai, M. 1995. Purification and properties of three xylanases from *Aspergillus aculeatus*. *Bioscience Biotechnology Biochemistry*, 59: 538–540.
- Garcia-Kirchner, O., Muñoz-Aguilar, M., Pérez-Villalva, R., and Huitrón-Vargas, C. 2002. Mixed submerged fermentation with two filamentous fungi for cellulolytic and xylanolytic enzyme production. *Applied Biochemistry and Biotechnology*, 1105–1114.
- Garg, S. 2016. Xylanase: Applications in Biofuel Production. *Current Metabolomics*, 4: 23-37.
- Gessesse, A. and Mamo, G. 1999. High level xylanase production by an alkaliphilic *Bacillus spp.* using solid state fermentation. *Enzyme and Microbial Technology*, 25: 68-72.
- Ghosh, M. and Nanda, G. 1994. Physiological studies on xylose induction and glucose repression of xylanolytic enzymes in *Aspergillus sydowii* MG49. *FEBS Microbiology Letters*, 117:151–156.
- Gilbert, H.J. and Hazlewood, G.P. 1999. Bacterial cellulases and xylanase. *Journal of General Microbiology*, 139 : 187–194.

- Goyal, M., Kalra, K.L., Sareen, V.K., and Soni, G. 2008. Xylanase production with xylan rich lignocellulosic wastes by a local soil isolate of *Trichoderma viride*. *Brazilian Journal of Microbiology*, 39: 535-541.
- Goswami, G K. and Pathak, R.R. 2013. Microbial xylanases and their biomedical applications: a review. *International Journal of Basic and Clinical. Pharmacology*, 2: 237-46.
- Gupta, N., Vohra, RM., and Hoondal GS. 1992. A thermostable extracellular xylanase from alkalophilic *Bacillus* sp. NG-27. *Biotechnology Letters*. 14:1045-1046.
- Gupta, M.N., Guoqiang, D., Kaul, R., Mattiasson, B., 1994. Purification of xylanase from *Trichoderma viride* by precipitation with an anionic polymer Eudragit S 100. *Biotechnology Techniques*, 8: 117-122.
- Gupta, S., Bhusan, B. And Hoondal GS. 2000. Isolation, purification and characterization of xylanase from *Staphylococcus* sp. SG-13 and its application in biobleaching of kraft pulp. *Journal of Applied Microbiology*. 88:325-334.
- Harris, A.D. and Ramalingam, C. 2010. Xylanases and its application in food industry: a review. *Journal of Experimental Science*, 1: 1–11.
- Iberahim, N.I., Jahim, J.M., Abdul, P.M., and Wahab, N.A. 2012. Production of xylooligosaccharides from oil palm empty fruit bunch fiber via xylanase enzyme. International conference on engineering and Built Environment.
- Jiang, L.Q., Fang, Z., Guo, F., and Yang, L.B. 2012. Production of 2,3-butanediol from acid hydrolysates of *Jatropha* hulls with *Klebsiella Oxytoca*. *Bioresource Technology*, 107: 405–410.
- Kallel, F., Driss, D., Bouaziz, F., Neifer, M., Ghorbel, R., and Chaobouni, S.E. 2015. Production of xylooligosaccharides from garlic straw xylan by purified xylanase

- from *Bacillus mojavensis* UEB-FK and their in vitro evaluation as prebiotics. *Food and Bioproducts Processing*, 94: 536-546.
- Kapilan, R. and Arasaratnam, V. 2011. Paddy husk as support for solid state fermentation to produce xylanase from *Bacillus pumilus*. *Rice Science*, 18: 36-45.
- Kaur, H., Dutt, D., and Tyagi, C.H. 2011. Production of novel alkali-thermotolerant cellulose-poor xylanases from *Coprinopsis cinerea* HK-1 NFCCI-2032. *Bioresources*, 6: 1376-1391.
- Khasin, A., Alchanati, I., and Shoham, Y. 1993. Purification and characterization of a thermostable xylanase from *Bacillus stearothermophilus* T-6. *Applied and Environmental Microbiology*, 59: 1725–1730.
- Kiddinamoorthy, J., Anceno, A.J., Haki, G.D., Rakshit, S.K. 2008. Production, purification and characterization of *Bacillus* sp. GRE7 xylanase and its application in eucalyptus kraft pulp biobleaching. *World Journal of Microbiology and Biotechnology*, 24: 605-612.
- Kimura, I., Sasahara, H., and Tajima, S. 1995. Purification and characterization of two xylanases and an arabinofuranosidase from *Aspergillus sojae*. *Journal of Fermentation and Bioengineering*, 804: 334–339.
- Kiran, E.U., Akpınar, O.A., and Bakir, U. 2013. Improvement of enzymatic xylooligosaccharides production by the co-utilization of xylans from different origins. *Food and Bioproducts Processing*, 91: 565-574.
- Kubata, K.B., H. Horitsu, K. Kawai, K. Takamizawa, and T. Suzuki. 1992. Xylanase I of *Aeromonas caviae* ME-1 Isolated from the intestine of a herbivorous Insect (*Samia cyrithia pryeri*) *Bioscience, Biotechnology and Biochemistry*, 56 : 1463-1464.

- Kuhad, R.C. and Singh, A. 1993. Lignocellulose biotechnology: current and future prospects. *Critical Review in Biotechnology*, 13: 151-172.
- Kulkarni, N., Shendye, A., and Rao, M. 1999. Molecular and biotechnological aspects of xylanases. *FEMS Microbiology Reviews*, 23: 411–456.
- Laothanachareon, T., Khonzue, P., Rattanaphan, N., Tinnasulanon, P., and Apawasin, S. 2011. Production of multi-fiber modifying enzyme from *Mamillisphaeria* sp. for refining of recycled paper pulp. *Bioscience Biotechnology Biochemistry*, 75: 2297-2303.
- Lee, C.C., Wong, D.W.S. and Robertson, G.H. 2005. Cloning and characterization of the Xyn11A gene from *Lentinula edodes*. *The Protein Journal*, 24: 21–26.
- Leora C.O. and Villaseñor-Ortega F. 2006. Xylanases In Advances in agricultural and food biotechnology. *CAB Direct Pp*, 305–322.
- Mander, P., Choia, Y.H., Pradeep, G.C., Choia, Y.S., Honga, J.H., Chob, S.S. and Yoo, J.C. 2014. Biochemical characterization of xylanase produced from *Streptomyces* sp, CS624 using an agro-residue substrate. *Process Biochemistry*, 49: 451-456.
- McIntosh, S. and Vancov, T. 2011. Optimization of dilute alkaline pretreatment for enzymatic scarification of wheat straw. *Biomass Bioenergy*, 35:3094–3103.
- Miller, G.L. (1959) Use of dinitrosalicylic acid reagent for determination of reducing sugar. *Analytical Chemistry*, 31, 426-428.
- Montane, D., Nabarlantz, D., Martorell, A., Torne-Fernandez, V., and Fierro, V. 2006. Removal of lignin and associated impurities from xylooligosaccharides by activated carbon adsorption. *Industrial Engineering Chemistry Research*, 45: 2294–302.

- Moure, A., Gullon, P., Dominguez, H., and Parajo, J.C. 2006. Advances in the manufacture, purification and applications of xylo-oligosaccharides as food additives and nutraceuticals: review. *Process Biochemistry*, 41: 1913–1923.
- Mullai, P. and Rene, E.R. 2008. A simple multi layered neural network model for predicting bacterial xylanase production by *Bacillus sp.* using *Avena sativa* as substrate. *Biotechnology*, 7: 499-504.
- Murugan, S., Arnold, D., Pongiya, U.D., and Narayanan, P.M. 2011. Production of Xylanase from *Arthrobacter sp.* MTCC 6915 Using Saw Dust As Substrate under Solid State Fermentation. *Enzyme Research*.
- Nagar, S., Garg, N., Sanghi, A., Kuhad, R.C., and Gupta, V.K. 2010. Enhancement of xylanase production by *Bacillus subtilis* ASH in submerged fermentation using response surface methodology. *International Journal of Microbes and Environmental management*, 1: 1-9.
- Nakamura, S., Wakabayashi, K., Nakai, R., Aono, R., and Horikoshi, K. 1993. Purification and some properties of an alkaline xylanase from alkaliphilic *Bacillus sp.*, strain 41M-1. *Applied Environmental Microbiology*, 59: 2311-2316.
- Nakanishi, K., Marui, M. And Yasui, T. 1992. Comparison of xylan and methyl β -xyloside-induced xylanases from *Streptomyces sp.* *Journal of Fermentation and Bioengineering*, 74: 392-394.
- Nascimento, R.P., Coelho, R.R.R., Marques, S., Alves, L., and Girio, F.M. 2002. Production and partial characterization of xylanase from *Streptomyces sp.* strain AMT-3 isolated from Brazilian cerrado soil. *Enzyme and Microbial Technology*, 31: 549-555.
- Ninawe, S., Kapoor, M., and Kuhad, R.C. 2008. Purification and characterization of extracellular xylanase from *Streptomyces cyaneus* SN32. *Bioresource Technology*, 99: 1252-1258.

- Ogi, T., Nakanishi, M., Fukuda, Y. and Matsumoto, K. 2010. Gasification of oil palm residues (empty fruit bunch) in an entrained-flow gasifier. *Fuel*, In Press, Corrected Proof.
- Palamae, S., Dechatiwongse, P., Choorit, W., Chisti, Y. and Prasertsan, P. 2017. Cellulose and hemicellulose recovery from oil palm empty fruit bunch (EFB) fibers and production of sugars from the fibers. *Carbohydrate Polymers*, 155, 491–497.
- Pandey, A., Selvakumar, P., Soccol, C.R., and Nigam, P. 1999. Solid state fermentation for the production of industrial enzymes. *Current Science*, 77: 149–162.
- Pang, P.K. and Ibrahim, C.O. 2004. Xylanase production by a local fungal isolate, *Aspergillus niger* USM11 via solid state fermentation using palm kernel cake (PKC) as substrate. *Songklanakarin Journal of Science and Technology*, 27: 326-336.
- Pedersen, M.B., Dalsgaard, S., Arent, S., Lorentsen, R., Knudsen, K.E.B., Yu, S., and Laerke, H.N. 2015).Xylanase and protease increase solubilization of non-starch polysaccharides and nutrient release of corn and wheat distillers dried grains with soluble. *Biochemistry Engineering Journal*, 98: 99-106
- Polizeli, M.L.T.M., Rizzatti, C.S., Monti, R., Terenzi, H.F., Jorge, J., and Amorim, D.S. 2005. Xylanases from fungi: properties and industrial applications. *Applied Microbiology and Biotechnology*, 67: 577–91.
- Saha, B., and Bothast, R. 1999. Pretreatment and enzymatic saccharification of corn fiber. *Applied Biochemistry and Biotechnology*, 76: 65-76.
- Sanghi, A., Garg, N., Kuhar, K., Kuhad, R.C., and Gupta, V.K. 2009. Enhanced production of cellulase-free xylanase by alkalophilic *Bacillus subtilis* ash and its application in biobleaching of kraft pulp. *BioResources*, 4: 1109-1129.

- Samanta, A.K., Senani, S., Kolte, A.P., Sridhar, M., Sampath, K.T., and Jayapal, N. 2012. Production and in vitro evaluation of xylooligosaccharides generated from corncobs. *Food and Bioproducts Processing*, 90: 466–474.
- Samanta, A.K., Jayapal, N., Jayaram, C., Ror, S., Kolte, A.P., Serani, S., and Sridhar, M. 2015. Xylooligosaccharides as prebiotics from agricultural by-products: Production and applications. *Bioactive Carbohydrates and Dietary Fiber*, 5: 62-71.
- Shao, W., DeBlois, S., and Wiegel, J. 1995. A High-Molecular-Weight, Cell-Associated Xylanase Isolated from Exponentially Growing *Thermoanaerobacterium* sp. Strain JW/SL-YS485. *Applied and Environmental Microbiology*, 61: 937-940.
- Sharma, P., Sood, C., Singh, G. and Capalash, N. 2015. An eco-friendly process for biobleaching of eucalyptus kraft pulp with xylanase producing *Bacillus halodurans*. *Journal of Cleaner Productio*, 87: 966-970.
- Stalin ,T., Priya, B.S., and Selvam, K. 2012. Ecofriendly application of cellulase and xylanase producing marine *Streptomyces clavuligerus* as enhancer in biogas production from waste. *African Journal of Environmental Science. Technoogy*, 6: 258-262.
- Subramaniyan, S. and Prema, P. 2000. Cellulase-free xylanases from *Bacillus* and other microorganisms. *FEMS Microbiology Letters*, 183: 1–7.
- Subramaniyan, S. and Prema, P. 2002. Biotechnology of microbial xylanases: enzymology, molecular biology, and application. *Critical Reviews in Biotechnology*, 22: 33–64.
- Sun, R. C., Lawther, J. M. and Banks, W. B. 1995. Influence of alkaline pretreatments on the cell-wall components of wheat-straw. *Industrial Crops Production*, 4: 127-145.

- Sunna, A. and Antranikian, G. 1997. Xylanolytic enzymes from fungi and bacteria. *Critical Reviews in Biotechnology*, 17: 39–67.
- Tan, L.U.L., Wong, K.K.Y., Yu, E.K.C. and Saddler, J.N. 1985. Purification and characterization of two D-Xylanases from *Trichoderma harzianum*. *Enzyme and Microbial Technology*, 7: 425–430.
- Tan, S.S., Li, D.Y., Jiang, Z.Q., Zhu, Y.P., Shi, B., and Li, L.T. 2008. Production of xylobiose from the autohydrolysis explosion liquor of corncob using *Thermotoga maritima* xylanase B (Xyn B) immobilized on nickel-chelated Eupergit C. *Bioresource Technology*, 99 :200-204.
- Twomey, L.N., Pluske, J.R., Rowe, J.B., Choct, M., Brown, W., McConnell, M.F., and Pethick, D.W. 2003. The effects of increasing levels of soluble non-starch polysaccharides and inclusion of feed enzymes in dog diets on faecal quality and digestibility. *Animal Feed Science and Technology*, 108: 71–82
- Vazquez M.J., JL. Alonso, H. Dominguez and J.C. Parajo. 2002. Xylooligosaccharides: manufacture and applications. *Trends in Food Scence and Technology*, 11: 387-393.
- Verma, D. and Satyanarayana, T. 2012. Molecular approaches for ameliorating microbial xylanases. *Bioresource Technology*, 17: 360–367.
- Visvanathan, C., Setiadi, T., Herarth, G. and Shi, H. 2009. Eco-Industrial Clusters in Urban-Rural Fringe Areas, Asian Institute of Technology, Thailand.
- Whitehead, T. R. and Cotta, M.A. 2001. Characterisation and comparison of microbial populations in swine faeces and manure storage pits by 16S rDNA gene sequence analysis. *Anaerobe*, 7: 181–187.

- Yang, R., Xu, S., Wang, Z., and Yang, W. 2005. Aqueous extraction of corncob xylan and production of xylooligosaccharides. *LWT-Food Science Technology*, 38: 677-682.
- Yoon, H., Han, N.S., and Kim, C.H. 2004. Expression of *Thermotoga maritima* Endo- β -1,4-xylanase Gene in *E. coli* and Characterization of the Recombinant Enzyme. *Agricultural Chemistry and Biotechnology*, 47: 157–160.
- Yoon, K. Y., Woodams, E. E., and Hang, Y. D. 2006. Enzymatic production of pentoses from the hemicellulose fraction of corn residues. *LWT - Food Science and Technology*, 39: 388–392.
- Zhu, S., Wu, Y., Yu, Z., Zhang, X., Li, H. and Gao, M. 2006. The effect of microwave irradiation on enzymatic hydrolysis of rice straw. *Bioresource Technology*, 97: 1964–1968.