

DAFTAR PUSTAKA

- Afrian, D.S. 2013. *Pengembangan Transmission Blocking Vaccine (TBV) terhadap Malaria Berbasis Saliva Vektor: Spesifikasi Profil Protein Kelenjar Saliva Vektor*. Universitas Jember
- Ai, N.S., dan Yunia, B. 2011. Konsentrasi Klorofil Daun Sebagai Indikator Kekurangan Air Pada Tanaman. *Jurnal Ilmiah Sains*. 11 (2): 160-170
- Amara, I., Odena, A., Oliveira, E., Moreno, A., Masmoudi, K., Pagès, M. and Goday, A. 2012. "Insights into Maize LEA Proteins: From Proteomics to Functional Approaches". *Plant Cell Physiology*, 53:312-329
- Arumingtyas, E.L., Evika, S.S., and Runik, D.P. 2013. Protein Profiles and Dehydrin Accumulation in Some Soybean Varieties (*Glycine max* L. Merr) in Drought Stress Conditions. *American Journal of Plant Sciences*. 4:134-141
- Badan Pusat Statistika. 2018. *Luas Panen dan Produksi Padi di Indonesia 2018*. Berita Resmi Statistik. No.83/10/Th.XXI. hal.1
- Baker, J., Steele, C., Dure, L. 1988. "Sequence and Characterization of 6 LEA Proteins and Their Genes from Cotton". *Plant Molecular Biology*, 11: 277-291
- Battaglia, M., Olvera-Carrillo, Y., Garcarrubio, A., Campos, F., and Covarrubias, A.A. 2008. "The Enigmatic LEA Proteins and Other Hydrophilins". *Plant Physiology*, 148:6-24
- Bollag, D.M., dan Edelstein, S.J. 1991. *Protein Methods*. Willey-Liss Inc. New York
- Bray, E. 1993. "Molecular Responses to Water Deficit. *Plant Physiology*. 103: 1035-1040
- Bray, E.A. 1997. Plant Responses to Water Deficit. *Trends in Plant Sciences*. 2 (21): 48-54
- Campbell, S.A., Close, T.J. 1997. "Dehydrins: Genes, Proteins, and Associations with Phenotypic Traits". *New Phytologist*, 137: 61-74

- Chang, T., and Bardenas, E.A. 1965. *The Morphology and Varietal Characteristics of The Rice Plant*. The International Rice Research Institute. Manila, Pp.5-15
- Chang, T.T., Loresto, G.C., and Tagumpay, O. 1974. "Screening of Rice Germplasm for Drought Resistant". *SABRAO Journal*, 6(1):9-16
- Close, T.J., Kortt, A.A., Chandler, P.M. 1989. "A cDNA-based Comparison of Dehydration-induced Proteins (Dehydrins) in Barley and Corn". *Plant Molecular Biology*, 13: 95–108
- Close, T.J. 1996. "Dehydrins: Emergence of A Biochemical Role of A Family of Plant Dehydration Proteins". *Physiol Plant*, 97: 795–803
- Cohen, A., Plant, A.L., Moses, M.S., Bray, E.A. 1991. "Organ-specific and Environmentally Regulated Expression of Two Abscissic Acid-induced Genes of Tomato: Nucleotide Sequence and Analysis of the Corresponding cDNAs". *Plant Physiology*, 97: 1367–1374
- Colmenero-Flores, J.M., Campos, F., Garcarrubio, A., Covarrubias, A.A. 1997. "Characterization of *Phaseolus vulgaris* cDNA Clones Responsive to Water Deficit: Identification of A Novel Late Embryogenesis Abundant-Like Protein". *Plant Molecular Biology*, 35: 393–405
- Colmenero-Flores, J.M., Moreno, L.P., Smith, C., Covarrubias, A.A. 1999. "PvLEA-18, A Member of A New Late-embryogenesis-abundant Protein Family that Accumulates During Water Stress and in the Growing Regions of Well-irrigated Bean Seedlings". *Plant Physiology*, 120: 93–103
- De Datta, S.K. 1981. *Principle and Practice of Rice Production*. John Willey and Sons. New York. Pp. 618
- Dure, L., Crouch, M., Harada, J., Ho, T.H., Mundy, J., Quatrano, R., Thomas, T., and Sung, Z. 1989. "Common Amino Acid Sequence Domains among the LEA Proteins of Higher Plants. *Plant Molecular Biology*, 12:475-486
- Dure, L. 1993. *Structural motifs in LEA proteins*. In TJ Close, EA Bray, eds, *Plant Responses to Cellular Dehydration during Environmental Stress*. American Society of Plant Physiologists. Rockville, pp 91–103
- Dure, L. 2001. "Occurrence of A Repeating 11-mer Amino Acid Sequence Motif in Diverse Organisms". *Protein and Peptide Letter*, 8: 115–122

- Dwidjoseputro, D. 1985. *Pengantar Fisiologi Tumbuhan*. PT Gedia. Jakarta, hal. 231
- Ekowati, N.Y., dan Purwestri, Y.A. 2016. “Analisis Kandungan Gamma Aminobutyric Acid (GABA) Fenol Total dan Aktivitas Antioksidan “Beras Kecambah” Kultivar Lokal (*Oryza sativa* L.)”. *Agricola*. 6 (2):117-127
- Eom, J., Baker, W., Kintanar, A., Wurtele, E.S. 1996. “The embryo-specific EMB-1 Protein of *Daucus carota* is Flexible and Unstructured”. *Plant Science*, 115: 17–24
- Fathi, A., and Tari, D.B. 2016. “Review: Effect of Drought Stress and Its Mechanism in Plants”. *International Journal of Life Sciences*. 10(1):1-6
- Felania, Chairida. 2017. Pengaruh Ketersediaan Air Terhadap Pertumbuhan Kacang Hijau (*Phaceolus radiatus*). *Prosiding Seminar Nasional Pendidikan Biologi dan Biologi*. Yogyakarta:2017. Hal.131-138
- Galau, G.A., Hughes, D.W., and Dure, L. 1986. “Absciscic Acid Induction of Cloned Cotton Late Embryogenesis Abundant (Lea) mRNA”. *Plant Molecular Biology*. 7(3):155-170
- Galau, G.A., Wang, H.Y., Hughes, D.W. 1992. “Cotton Lea4 (D19) and LeaA2 (D132) Group 1 Lea Genes Encoding Water Stress-related Proteins Containing A 20-Amino Acid Motif. *Plant Physiology*, 99: 783–788
- Garay-Arroyo, A., Colmenero-Flores, J.M., Garcarrubio, A., Covarrubias, A.A. 2000. “Highly Hydrophilic Proteins in Prokaryotes and Eukaryotes are Common during Conditions of Water Deficit”. *Journal of Biological Chemistry*, 275: 5668–5674
- Goyal, K., Tisi, L., Basran, A., Browne, J., Burnell, A., Zurdo, J., and Tunnacliffe, A. 2003. “Transition from Natively Unfolded to Folded State Induced by Dessication in an Anhydrobiotic Nematode Protein”. *The Journal of Biological Chemistry*, 278:12977-12984
- Grabski, A., and Burgess, R.R. 2000. “Preparation of Sample for SDS-PAGE Polyacrylamide Gel Electrophoresis: Procedure and Tips”. *Novations*, 13:10-12

- Haque, S., Roy, P., Anandan, A., Samantaray, S., Pradhan, S.K., and Singh, O.N. 2015. Genetic Diversity Study of Seed Proteins in Rice Drought Tolerant Donor Accessions. *Rice Genomics and Genetics*. 6 (2):1-5
- Heidaiy, Y., and Moaveni, P. 2009. "Study of Drought Stress on Accumulation and Proline Among ABA in Different Genotypes Forage Corn". *Research Journal of Biological Sciences*. 4:1121-1124
- Hsiao, T.C. 1973. "Plant Responses to Water Stress". *Annual Review of Plant Physiology*, 24:519-570
- Ing, J., and Bartels, D. 1996. "The Molecular Basis of Dehydration Tolerance in Plants". *Annual Review of Plant Physiology and Plant Molecular Biology*, 47:377-403
- Ismail, A.M., Hall, A.E., Close, T.J. 1999. "Allelic Variation of A Dehydrin Gene Cosegregates with Chilling Tolerance during Seedling Emergence". *Proceeding of the National Academy of Sciences of the USA*, 96: 13566–13570
- Jaleel, C.A., Manivannan, P., Wahid, A., Farooq, M., Al-Juburi, H.J., Somasundaram, R., and Pannarsel Van, R. 2009. "Drought Stress in Plants: A Review on Morphological Characteristic and Pigmen Composition". *International Journal of Agriculture and Biology*. 11(1):100-105
- Janson, J.C., and Ryden, L. 1998. *Protein Purification: Principles, High Resolution Methods, and Applications, 2nd Edition*. A John Willey & Sons Inc. Publication. New Jersey, Pp.464-484
- Kang, M.Y., Rico, C.W., Bae, H.J., and Lee, S.C. 2013. "Antioxidant Capacity of Newly Developed Pigmented Rice Rice Cultivars in Korea". *Cereal Chemistry*, 90(5):497-501
- Kiyosue, T., Yamaguchi-Shinozaki, K., Shinozaki, K., Higashi, K., Satoh, S., Kamada, H., Harada, H. 1992. "Isolation and Characterization of A cDNA that Encodes ECP31, An Embryogenic-cell Protein from Carrot". *Plant Molecular Biology*, 19: 239–249
- Kramer, P.J. 1969. *Plant and Soil Water Relationship*. McGraw-Hill. New Delhi, Pp.360

- Kurniawan M., Izzati M. dan Nurchayati Y. 2010. Kandungan Klorofil, Karotenoid, dan Vitamin C pada Beberapa Spesies Tumbuhan Akuatik. *Buletin Anatomi dan Fisiologi*. 18 (1) : 28 – 40
- Kushwaha, R., Downie, A.B., and Payne, C.M. 2013. “Uses of Phage Display in Agriculture: Sequence Analysis and Comparative Modelling of Late Embryogenesis Abundant Client Proteins Suggest Protein-Nucleic Acid Binding Functionality”. *Computational and Mathematical Methods in Medicine*, 2013:1-11
- Lambers, H., Chapin III, F.S., and Thijs, L.P. 2008. *Plant Physiological Ecology: Second Edition*. Springer. New York, Pp.163
- Levitt, J. 1980. *Responses of Plants to Environmental Stresses: Water, Radiation, Salt, and Other Stresses*. Academic Press. New York
- Lichtenthaler, K. and Welburn, A.R. 1983. “Determination of Total Carotenoids and Chlorophylls A and B of Leaf Extracts in Different Solvents”. *Biochemical Society Transactions*, 11: 591-592
- Lin, D.G., and Wang, C.S. 2014. Extraction of Total Proteins from Rice Plant. *Bioprotocol*. 4(21):1-8
- Moons, A., Bauw, G., Prinsen, E., Van-Montagu, M., Van der Straeten, D. 1995. “Molecular and Physiological Responses to Absciscic Acid and Salts in Roots of Salt-sensitive and Salt-tolerant *indica* Rice Varieties”. *Plant Physiology*, 107: 177–186
- Nowakowski, A.B., Wobig, W.J., and Petering, D.H. 2014. Native SDS-PAGE: High Resolution Electrophoretic Separation of Proteins With Retention of Native Properties Including Bound Metal Ions. *Metallomics*. 6 (5):1068-1078
- Nylander, M., Svensson, J., Palva, E.T., Welin, B.V. 2001. “Stress-induced Accumulation and Tissue-specific Localization of Dehydrins in *Arabidopsis thaliana*”. *Plant Molecular Biology*, 45: 263–279
- Raab, A., Pioselli, B., Munro, C., Thomas-Oates, J., and Feldmann, J. 2009. “Evaluation of Gel Electrophoresis Conditions for the Separation of Metal-Tagged Proteins with Subsequent Laser Ablation ICP-MS Detection”. *Journal of Electrophoresis*. 30(2):303-314

- Roberts, J.K., DeSimone, N.A., Lingle, W.L., Dure, L. 1993. "Cellular Concentrations and Uniformity of Cell Type Accumulation of Two LEA Proteins in Cotton Embryos". *Plant Cell*, 5: 769–780
- Rorat, T., Grygorowicz, W.J., Irzykowski, W., Rey, P. 2004. "Expression of KS Type Dehydrins is Primarily Regulated by Factors Related to Organ Type and Leaf Developmental Stage during Vegetative Growth". *Planta*, 218: 878–885
- Ryum, S.N., Park, S.Z., and Ho, C.T. 1998. "High Performance Liquid Chromatographic Determination of Anthocyanin Pigments in Some Varieties of Black Rice". *Journal of Food and Drug Analysis*, 6(4):729–736
- Segrest, J.P., Jones, M.K., De Loof, H., Brouillette, C.G., Venkatachalapathi, Y.V., Anantharamaiah, G.M. 1992. "The Amphipathic Helix in the Exchangeable Apolipoproteins: A Review of Secondary Structure and Function". *Journal of Lipid Research*, 33: 141–166
- Shinta, Indriyani, S., and Arisoesilaningsih, E. 2014. "Morphological Variations of Six Pigmented Rice Local Varieties Grown in Organic Rice Field in Sengguruh Village, Kepanjen District, Malang Regency". *The Journal of Tropical Life Science*, 4(2):149–160
- Siddiqui, N.U., Chung, H.J., Thomas, T.L., Drew, M.C. 1998. "Absciscic Acid Dependent and Independent Expression of the Carrot Late Embryogenesis Abundant Class Gene Dc3 in Transgenic Tobacco Seedlings". *Plant Physiology*, 118: 1181–1190
- Silhavy, D., Hutvagner, G., Barta, E., Banfalvi, Z. 1995. "Isolation and Characterization of A Water Stress Inducible cDNA Clone from *Solanum chacoense*". *Plant Molecular Biology*, 27: 587–595
- Singh, C.M., Kumar, B., Mehandi, S., and Chandra, K. 2012. "Effect of Drought Stress in Rice: A Review on Morphological and Physiological Characteristics". *Trends in Biosciences*, 5(4):261–265
- Siregar, H. 1987. *Budidaya Tanaman Padi di Indonesia*. Sastra Hudaya. Jakarta, hal. 319 Hanum. 2008. *Teknik Budidaya Tanaman Padi*. Direktorat Pembinaan Sekolah Menengah Kejuruan. Departemen Pendidikan Nasional, Hal. 330

- Soulages, J.L., Kim, K., Walters, C., and Cushman, J.C. 2002. "Temperature Induced Extended Helix/Random Coil Transitions in a Group 1 Late Embryogenesis Abundant Protein from Soybean". *Plant Physiology*, 128: 822–832
- Tunnacliffe, A., and Wise, M. 2007. "The Continuing Conundrum of the LEA Protein". *Naturwissenschaften*, 94(10):791-812
- Vaseva, I.I., Grigorova, B.S., Simova-Stoilova, L.P., Demirevska, K.N., and Feller, U. 2009. Absisic Acid and Late Embryogenesis Abundant Protein Profile Changes in Winter Wheat Under Progressive Drought Stress. *Plant Biology*. 12 (5):698-707
- Vaughan, D.A. 1994. The wild relatives of rice: a genetic resources handbook. Los Baños (Philippines): International Rice Research Institute
- Walker, J.M. 2002. *The Protein Protocols Handbook Second Edition*. Humana Press. Hatfield, Herfordshire. P:15-20
- Weistermeier, R., Naven, T., and Hopker, H. 2008. *Proteomics in Practice: A Guide to Successful Experimental Design*. WILEY-VCH Verlag GmbH & co. KGaA. Weinheim, Pp.108
- Widnyana, I.M.G., Sumiyati, dan I Wayan, T. 2017. Kajian Pola Titik Layu Tanaman Paprika (*Capsicum annuum* L.) dan Kapasitas Lapang pada Beberapa Media Tanam (Studi Kasus di Br. Pemuteran Baturiti, Desa Candi Kuning, Kecamatan Baturiti, Kabupaten Tabanan). *Jurnal BETA (Biosistem dan Teknik Pertanian)*. 5 (1):146-151
- Widyarti, S. 2001. *Prinsip Dasar Analisis Biologi Molekuler*. Penerbit Erlangga. Jakarta
- Xu, Z., Guangsheng, Z., and Hideyuki, S. 2010. Plant Responses to Drought and Rewatering. *Plant Signaling and Behavior*. 5 (6):649-654
- Yang, L., Zheng, B., Mao, C., Qi, X., Liu, F., and Wu, P. 2004. "Analysis of Transcripts that are Differentially Expressed in Three Sectors of The Rice Root System Under Water Deficit". *Molecular Genetics and Genomics*, 272: 433–442
- Yawadio, R., Tanimori, S., and Morita, N. 2007. "Identification of Phenolic Compounds Isolated from Pigmented Rices and Their Aldose Reductase Inhibitory Activities". *Food Chemistry*, 101(4):1616-1625