

## DAFTAR PUSTAKA

- Abdelmigid HM. 2012. Efficiency of random amplified polymorphic DNA (RAPD) and inter-simple sequence repeats (ISSR) markers for genotype fingerprinting and genetisk diversity studies in canola (*Brassica napus*). *Afri. J. Biotech.*, 11(24): 6409-6419.
- Alansi S, Mohamed T, Fahad A, Salim K & Mohammad N. 2016. Use of ISSR Markers to Assess The Genetik Diversity in Wild Medicinal *Ziziphusspina-christi* (L.) Willd. Collected from Different Regions of Saudi Arabia. *Biotechnology & Biotechnological Equipment*, 30(5): 942-947. DOI: 10.1080/13102818.2016.1199287.
- Alghamdi SS, Al-Faifi SA, Migdadi HM, Khan MA, El-Harty EH, & Ammar MH. 2012. Molecular Diversity Assessment Using Sequence Related Amplified Polymorphism (SRAP) Markers in *Vicia faba* L. *Int. J. Mol. Sci.*, 13: 16457-16471.
- Allaby RG, Fuller DG & Brown TA. 2008. The genetisk expectations of a protracted model for the origins of domesticated crops. *Proc Natl Acad Sci USA* 105: 13982–13986.
- Anonim 1. Jumlah Curah Hujan dan Jumlah Hari Hujan di Stasiun Pengamatan BMKG, 2011-2015. <https://www.bps.go.id/statictable/2017/02/08/1959/jumlah-curah-hujan-dan-jumlah-hari-hujan-di-stasiun-pengamatan-bmkg-2011-2015.html>. Diakses pada tanggal 3 Juli 2019. Badan Pusat Statistik
- Anonim 2. Jumlah Curah Hujan dan Jumlah Hari Hujan menurut Bulan di Stasiun Meteorologi Mutiara Palu, 2016. <https://sulteng.bps.go.id/statictable/2017/12/21/692/jumlah-curah-hujan-dan-jumlah-hari-hujan-menurut-bulan-di-stasiun-meteorologi-mutiara-palu-2016-.html>. Diakses pada tanggal 3 Juli 2019. Badan Statistik Provinsi Sulawesi Tengah.
- Araújo F, Pacheco MV, de Almeida Vieira F, dos Santos Ferrari C, Félix FC, & Chagas KP. 2016. ISSR molecular markers for the study of the genetisk diversity of *Mimosa caesalpiniaefolia* Benth. *Idesia*. 34(3):47-52.
- Aspelmeier S & Leuschner CH. 2006. Genotypic variation indrought response of Silver birch (*Betula pendula* Roth): leafand root morphology and carbon partitioning. *Trees Struct. Funct.*, 20:42–52.
- Blair MW, Panaud O & McCouch SR. 1999. Inter-simple sequence repeat (ISSR) amplification for analysis of microsatellite motif frequency and fingerprinting in rice (*Oryza sativa* L.). *Theor. Appl. Genet.*, 98: 780–792.
- Blatt MR, François C & Graham F. 2014. Focus on Water. *Plant Physiology*. 164 (4) 1553-1555; DOI: 10.1104/pp.114.900484.
- Brown JH & Gibson AC. 1983. *Biogeography*. The C.V. Mosby Company. London. 163-183.
- Chahal GS, Gosal SS. 2002. *Principles and Procedures of Plant Breeding: Biotechnological and Conventional Approaches*. Alpha science international. 604.

- Clement WL & Donoghue MJ. 2012. Barcoding success as a function of phylogenetic relatedness in *Viburnum*, a clade of woody angiosperms. *BMC Evol. Biol.* 12:73 doi:186/1471-2148-12-73.
- Crawford D, Tago-Nakazawa M, Stuessy TF, Anderson GJ, Bernardello G, Ruiz E. 2001. Intersimple sequence repeat (ISSR) variation in *Lactoris fernandeziana* (Lactoridaceae), a rare endemic of the Juan Fernandez Archipelago, Chile. *Plant Species Biology* 16: 185–192.
- Daunay MC. 2008. *Eggplant*. In Prohens J & Nuez F. editors. 2008. *Handbook of Plant Breeding - Vegetables II*. New York: Springer. 163–220.
- Doganlar S, Frary A, Daunay MC, Lester RN & Tanksley SD. 2002. Conservation of gene function in the Solanaceae as revealed by comparative mapping of domestication traits in eggplant. *Genetics*, 161: 1713–1726.
- eFloras. 2010. Published on the Internet <http://www.efloras.org> [accessed 22 February 2019] Missouri Botanical Garden. Cambridge. MA.
- Ejobi F, Mosha RD, Ndeje S & Kamoga D. 2007. Ethnoveterinary plants of the Lake Victoria: A bioprospection. *Journal of Animal and Veterinary Advances*, 6: 257-261.
- Ellstrand, Norman, Elam & Diane. 2003. Population Genetik Consequences of Small Population Size: Implications for Plant Conservation. *Annual Review of Ecology and Systematics*, 24: 217-242. 10.1146/annurev.es.24.110193.001245.
- Ekasari W, Aty W & Suhintam P. 2002. Daya Skinzontosida Ekstrak Etanol, Ekstrak Kloroform dan Fraksi Yang Positif Alkaloid Daun *C. siamea* pada biakan in vitro *P. falciparum*. Penelitian BBI. Lemlit Unair. Surabaya.
- Ekasari W, Aty W & Suhintam P. 2004. Uji Antimalaria Senyawa Hasil Isolasi Fraksi Positif Alkaloid Daun *C. siamea* pada Biakan In Vitro *P. falciparum*. Penelitian Dosen Muda /BBI. Lemlit Unair Surabaya.
- Ekasari W, Waljo D & Yoes PD. 2001. Uji Antimalaria In Vitro Dari Ekstrak Etanol, Kloroform Daun *Cassia siamea*. *Majalah Kedokteran Tropis Indonesia*. 12(12): 22-29.
- Etkin NL & Ross PJ. Malaria, Medicine, and Meals: Plant Use among The Hausa and Its Impact On Disease. In Romanucci RL, Moerman DE & Tancredi LR. ed. 1983. *The Anthropology of Medicine: From Culture to Method*. New York: Praeger. pp: 231-259.
- Fahmi AI & Al-Otaibi SA. 2011. Genetic Variation in Captive Herd of Arabian Oryx Using RAPD and ISSR Markers. *Afr. Jour. of. Biotech.* 10(27): 5251-5262.
- Farooq M, Wahid A, & Kobayashi N. 2009. Plant Drought Stress: Effects, Mechanisms and Management. *Agron. Sustain. Dev.*, 29: 185. <https://doi.org/10.1051/agro:2008021>.
- Gu J .ed. 1995. *In Situ PCR and Related Technology*. Birkhauser Boston. p 132.

- Harrington RA, Fownes JH & Vitousek PM. 2001. Production Andresource Use Efficiencies in N- And P-Limited Tropical Forests: Acomparision of Responses to Long-Term Fertilization. *Ecosystems* 4: 646–57.
- Hatfield JL & Prueger JH. 2015. Temperature Extremes: Effect on Plant Growth and Development. *Weather and Climate Extremes*. 10(A): 4-10. <https://doi.org/10.1016/j.wace.2015.08.001>.
- Hebert PDN, Cywinska A, Shelley LB, Jeremy R & de Waard JR. 2003. Biological identifications through DNA barcodes. *P Roy. Soc. Lond. B Bi.*, 270: 313-321.
- Hebert PDN, Penton EH, Burns JM, Janzen DH & Hallwachs W. 2004. Ten species in one: DNA bar coding reveals cryptic species in the neotropical skipper butterfly *Astraptes fulgerator*. *Proc. Natl. Acad. Sci.*, 101(41):14812- 14817.
- Indriyanto. 2006. *Ekologi Hutan*. Penerbit Bumi Aksara. Jakarta.
- ITIS, Retrieved [2/15/2019], from the Integrated Taxonomic Information System (ITIS) (<http://www.itis.gov>).
- John De Britto A, Prabha G, Leon T, Stephan R & Kumar P. 2009. Genetic Diversity Analysis in Five Cassia Species Using RAPD Markers. *Journal of Basic and Applied Biology*. 4(1&2): 162-167
- Joshi SP, Gupta VS, Aggarwal RK, Ranjekar PK & Brar DS. 2000. Genetic diversity and phylogenetic relationship as revealed by inter-simple sequence repeat (ISSR) polymorphism in the genus *Oryza*. *Theor Appl Genet*. 100: 1311–1320.
- Kaur G, Anurabh J, Devendra J, Ravish C & Divya V. 2016. Diversity Analysis of Green Gram (*Vigna radiata* (L.) Wilczek) Through Morphological and Molecular Markers. *Turkish Journal of Agriculture and Forestry*, 40: 229-240
- Kariyam. 2010. Kesamaan Data Biner Berdasarkan Kategori Nilai Entropy dan Pola Struktur. *Jurnal ILMU DASAR*. 11(2): 177-182
- Kayva SR. 2015. PCR Technique WITH Its Application. *Journal of Microbiology and Biotechnology*, 4(1): 1-12. 2320-3528.
- Keshavarzi M, Mahnaz K, Mahvash S & Parinaz G. 2011. Numerical Taxonomy of Phalaris (Poaceae) Species Based on Morphological Characteristics. *Environmental Sciences*, 8(2): 29-36.
- Kiebre Z, Kando P, Nanema KR, Swadogo B, Kiebre M, Traone RE, Swadogo M & Zongo JD. 2017. Genetic Diversity of Spider Plant (*Cleoma gynandra* L.) of Burkina Faso using ISSR Markers. *Int. Jour. of. Curr. Research. In. Biotech. PlantBiol*. 4(10): 4-51.
- Koudouvo K, Karou DS, Kokou K, Essien K, Aklikokou K, Glitho IA, Simpure J, Sanogo R, Souza C & Gbeassor M. 2011. An Ethnobotanical Study of Antimalarial Plants in Togo Maritime Region. *Journal of Ethnopharmacology*, 134: 183–190.

- Knapp S. 2001. Is morphology dead in the *Solanum* taxonomy? In: van den Berg RG, Barendse GWM, van der Weerden GM & Mariani C (eds.) *Solanaceae V: Advances in Taxonomy and Utilization*. University Press, Nijmegen
- Kryndushkin DS, IM Alexandrov, MD Ter-Avanesyan & Kushnirov VV. 2003. Yeast Prion Aggregates are Formed by Small Sup35 Polymers Banded by Hsp10. *Journal of Biological Chemistry*, 278 (49): 49636.
- Luciewatie S. 1988. Pemeriksaan pendahuluan dan identifikasi daun Johar (*Cassia siamea* Lamk). Universitas Pancasila. Jakarta. p 45
- Maurya R & Dongarwar N. 2012. Studies on The Medicinal Uses of Wild Trees of Nagpur District. *International Journal of Life Science and Pharma Research*, 2: 21-24.
- Martuscello & Janaina A. 2012. Genetik Diversity Based on Morphological Data in *Panicum maximum* hybrids. *R. Bras. Zootec.*, 41(9). pp 1975-1982.
- Meloni M, Perini D, Filigheddu R & Binelli G. 2005. Genetic variation in five Mediterranean populations of *Juniperus phoenicea* as revealed by inter-simple sequence repeat (ISSR) markers. *Annals of Botany*. 97(2):299-304.
- Minarti, Puspa DNL, Kardono, LBS, & Bambang, W. 2002. Penapisan Kimia Senyawa Alkaloid dalam Ekstrak Daun Johar (*Cassia siamea* Lmk.). *Prosiding Seminar Tantangan Penelitian Kimia*, 44: 199-205.
- Mishra P, Kumar LD, Kumar A, Gokul S, Ravikumar K, Shukla AK, & Sundaresan V. 2015. Population dynamics and conservation implications of *Decalepis arayalpathra* (J. Joseph and V. Chandras.) Venter., a steno endemic species of Western Ghats, India. *Applied biochemistry and biotechnology*. 176(5):1413-30.
- Monkheang, Pansa, Runglawan, Sudmoon, Tanee, Tawatchai, Noikotr, Kowit, Bletter & Arunrat Chaveerach. 2011. Species Diversity, Usages, Molecular Markers and Barcode of Medicinal *Senna* Species (Fabaceae, Caesalpinioideae) in Thailand. *Journal of Medicinal Plants*. 5: 6173–6181. 10.5897/JMPR11.1075.
- Mohammadi SA & Prasanna BM. 2003. Analysis of Genetik Diversity in Crop Plants - Salient Statistical Tools and Considerations. *Crop Science.*, 43 :1235-1248.
- Mohanty S, Das AB, Ghosh N, Panda BB & Smith DW. 2010. Genetic diversity of 28 wild species of fodder legume *Cassia* using RAPD, ISSR and SSR markers: a novel breeding strategy. *Journal of Biotech Research*. 2:44.
- Nagaoka T & Ogihara Y. 1997. Applicability of Inter-Simple Sequence Repeat Polymorphisms in Wheat for Use as DNA Markers in Comparison to RFLP and RAPD Markers. *Theor. Appl. Genet.*, 94: 597–602.
- Nan P, Shi S, Peng S, Tian C & Zhong Y. 2003. Genetic diversity in *Primula obconica* (Primulaceae) from Central and South-west China as revealed by ISSR markers. *Annals of Botany*. 91: 329–333.

- Nasir M. 2001. Keragaman Genetik Tanaman. dalam: Makmur A (Ed). *Pengantar Pemuliaan Tanaman*. Direktorat Jenderal Pendidikan Tinggi Departemen Pendidikan Nasional. Jakarta. p 230.
- Ng WL & Tan SG. 2015. Inter Simple Sequence Repeat (ISSR) Markers: Are We Doing It Right? *ASM Sci. J.*, 9(1): 30-39.
- Orwa C, Mutua A, Kindt R, Jamnadass R & Simons A. 2009. *Agroforestry Database: a tree reference and selection guide version 4.0*. World Agroforestry Centre, Kenya.
- Otimenyin SO, Kolawole JA & Nwosu M. 2010. Pharmacological Basis for The Continual Use of The Root of *Senna siamea* in Traditional Medicine. *International Journal of Pharmaceutical and Biological Sciences.*, 1: 975-6299.
- Oyedunmade EE & Olabiyi TI. 2006. Carbofuran and Golden Shower (*Cassia siamea* L.) as Controls of Meloidogyne Incognita Infection on Soybean (*Glycine max* L.). *Crop Research*, 32: 507-511.
- Pant G, Sudhakar M & Ugam KC. 2014. Comparative Analysis of Heat Treatments on Morphology of Selected *Cassia* Species. *Asian Journal of Pharmaceutical and Clinical Research*, 7(2): 62-67.
- Poerba YS & Martanti D. 2008. Keragaman Genetik Berdasarkan Marka Random Amplified Polymorphic DNA pada *Amorphophallus muelleri* Blume di Jawa. *Biodiversitas* 9(4): 245-249. 10.13057/biodiv/d09040.
- Pons J, Barraclough TG, Gomez-Zurita J, Cardos A, Duran DP, Hazzel S. Kamoun S, Sumlin WD & Vogler AP. 2006. Sequence-Based Species Delimitation for the DNA Taxonomy of Undescribed Insects. *Syst. Biol.*, 55:595–609.
- Purnomo, Daryono BS, Rugayah I, Sumardi H & Shiwachi. 2016. Genetic Variability and Classification of Indonesian Yams (*Dioscorea* Spp.) Based on RAPD Analysis. *SABRAO Journal of Breeding and Genetics*. 48(4): 377-390.
- Purnomo P, Daryono BS & Shiwachi H. 2017. Phylogenetic relationship of Indonesian Water Yam (*Dioscorea alata* L.) Cultivars based on DNA marker using ITS-rDNA analysis. *J. Agric. Sci.* 9:154-61.
- Reddy MP, Sarla N & Siddiq EA. 2002. Inter Simple Sequence Repeat (ISSR) Polymorphism and Its Application in Plant Breeding. *Euphytica*. 128: 9–17.
- Sabarno MY. 2002. Savana Taman Nasional Baluran. *Biodiversitas*, 3(1): 207-212.
- Saheed A, Chukwuma I & Herbert. 2011. Important Morphological Characters in Several Species of Cassiinae (Leguminosae) in South-Western Nigeria. *Notulae Scientia Biologicae*, 3(2): 47-56. 10.15835/nsb.3.2.5883.
- Sambrook J & Russel DW. 2001. *Molecular Cloning : A Laboratory Manual*. 3rd Ed. Cold Spring Harbor Laboratory Press. Cold Spring Harbor, NY.



- Sanon S, Ollivier E, Azas NC, Mahiou BV, Gasquet M, Ouattara CT, Nebie DI, Traoré AS, Esposito F, Balansard G, Timon-David CP & Fumoux F. 2003. Ethnobotanical Survey and In Vitro Antiplasmodial Activity of Plants Used in Traditional Medicine In Burkina Faso. *Journal of Ethnopharmacology*, 86: 143–147.
- Sanyal S. 2015. Evaluation of Exomorphic Characters of Some Indian Species of *Cassia* Occuring in and Around Kolkata, West Bengal With An Overview on Cytotaxonomy. *International Journal of Innovative Science, Engineering & Technology*. 2(2): 414-430.
- Sari N, Purnomo, Daryono BS, Suryadiantina & Setyowati M. 2016. Variation and intraspecies classification of edible canna (*Canna indica* L.) based on morphological characters. In AIP Conference Proceedings 2016 Jun 14 (Vol. 1744, No. 1, p. 020041). AIP Publishing.
- Sharma JR. 1998. Statistical and biometrical techniques in plant breeding. New Age International. New Delhi. 432.
- Sharp PA, Sugden B, & Sambrook J. 1973. Detection of Two Restriction Endonuclease Activities in *Haemophilus parainfluenzae* using Analytical Agarose-Ethidium Bromide Electrophoresis. *Biochemistry*, 12 : 3055-3063.
- Singh G. 1999. *Plant Systematics*. Science Publisher Inc. United States of America. pp. 202–206.
- Slatkin M. 1985. Gene flow in natural populations. *Ann. Rev. Ecol. Syst.*, 16: 393–430.
- Sokal RH & Sneath. 1973. *Principles of Numerical Taxonomy*. W. H. Freeman and Co. San Francisco. pp. 291-303.
- Son JH, Park KC, Lee S, Kim JH & Kim MS. 2012. Species Relationship among *Allium* Species by ISSR Analysis. *Hort. Environ. Biotechnol.*, 53(3): 256-262.
- Suharnantono H. 2011. Monitoring dan Evaluasi Jenis Tanaman Rimba Eksotik di KPH Kendal.
- Sulassih, Sobir & Santosa E. 2013. Phylogenetic Analysis of Mangosteen (*Garcina mangostana* L.) and Its Relevatives Based on Morphological and Inter Simple Sequences Repeat (ISSR) markers. *SABRAO J.* 45(3): 478-490.
- Stansfield WD. 1991. *Genetika*. Edisi Kedua. Erlangga. Jakarta. 417 hlm.
- Soladoye M O, Monsurat A, Onakoya, Emmanuel C, Chukwuma & Mubo A S. 2010. Morphometric study of the genus *Senna* Mill. in South-western Nigeria. *African Journal of Plant Science*, 4(3): 044-052.
- Syahrudin K. 2012. Analisis keragaman genetik beberapa genotipe durian (*Durio zibenthinus* Murr.) menggunakan penanda morfologi dan molekuler (ISSR). *Tesis*. Institut Pertanian Bogor.

- Tardieu F, Parent B, Caldeira CF & Welcker C. 2014. Genetik and Physiological Controls of Growth Under Water Deficit. *Plant. Physiol.*, 164: 1628–1635
- Anonymous. 2010. Version 1. Published on the Internet; <http://www.theplantlist.org/> (accessed 15<sup>th</sup> July 2019).
- Tsumura Y, Ohba K & Strauss SH. 1996. Diversity and Inheritance of Inter-Simple Sequence Repeat Polymorphisms in Douglasfir (*Pseudotsuga menziesii*) and Sugi (*Cryptomeria japonica*). *Theor. Appl. Genet.*, 92: 40–45.
- Valonez MAA, Guimaraes RL, Brandao LAC, Eleuterio de Souza PR, Carvalho AT, & Crovela S. 2009. Principles and Applications of Polymerase Chain Reaction in Medical Diagnostic Fields : A Review. *Brazilian Journal of Microbiology*, 40(1): 1-11.
- Wahjoedi B & Chozin A. 1997. *Laporan Penelitian Dalam Berbagai Aspek Pengembangan Tanaman Johar (Cassia siamea Lamk) Sebagai Antimalaria (Tahap II)*. Puslitbang Farmasi. Badan Litbang Kesehatan Depkes R. Jakarta. p 34
- Wolfe AD, Xiang Q-Y & Kephart SR. 1998. Assessing hybridization in natural populations of Penstemon (Scrophulariaceae) using hypervariable intersimple sequence repeat (ISSR) bands. *Molecular Ecology*. 7: 1107–1125.
- Wu W, Faxing C, Kaiwun Y & Jianjun C. 2018. ISSR Analysis of Genetik Diversity and Structure of Plum Varieties Cultivated in Southern China. *Biology*, 8(1): 2; <https://doi.org/10.3390/biology8010002>.
- Yuwono T. 2006. *Teori dan Aplikasi Polymerase Chain Reaction*. Penerbit Andi. Yogyakarta.