

## DAFTAR PUSTAKA

- Al-Qahtani, M. F., Mahalli, A. A. E., Al Dossary, N., Al Muhaish, A., Al Otaibi, S., & Al Baker, F., 2014, Health-related Quality of Life of Tuberculosis Patients in The Eastern Province, Saudi Arabia, *Journal of Taibah University Medical Sciences*, **9**(4), 311-317.
- Awan, M. S., Waqas, M., & Aslam, M. A., 2012, Factors Influencing Quality of Life in Patients with Active Tuberculosis in Pakistan, *World Applied Sciences Journal*, **18**(3), 328-331.
- Azizi, F. H., Husin, U. A., & Rusmartini, T., 2014, Gambaran Karakteristik Tuberkulosis Paru Dan Ekstra Paru Di BBKPM Bandung Tahun 2014, *Skripsi*, Universitas Islam Bandung, Bandung.
- Camirero, J. A., 2004, A Tuberculosis Guide for Specialist Physician, *International Union Against Tuberculosis and Lung Disease (IUATLD)*, Paris-France.
- Chadha, V. K., 2006, Sample Size Determination in Health Studies, *NTI bulletin*, **42**(3&4), 55-62.
- Costa, T. L. D., Oliveira, D. C. D., Gomes, A. M. T., & Formozo, G. A., 2014, Quality of Life and People Living with AIDS: Relationship with Sociodemographic and Health Aspects, *Revista Latino-americana de Enfermagem*, **22**(4), 582-590.
- Cramer, J. A., & Spilker, B., 1998, Quality of Life and Pharmacoeconomics: An Introduction, *Lippincott Williams & Wilkins*.
- Darvishpoor, Kakhki A., & Masjedi, M. R., 2015, Factors Associated with Health-related Quality of Life in Tuberculosis Patients Referred to The National Research Institute of Tuberculosis and Lung Disease in Tehran, *Tuberculosis and Respiratory Diseases*, **78**(4), 309-314.
- Dhingra, V. K., & Rajpal, S., 2003, Health Related Quality of Life (HRQL) Scoring in Tuberculosis, *Parameters*, **1**(2), 3.
- Dhuria, M., Sharma, N., & Ingle, G. K., 2008, Impact of Tuberculosis on The Quality of Life, *Indian Journal of Community Medicine: Official Publication of Indian Association of Preventive & Social Medicine*, **33**(1), 58.
- Dipiro, J.T., Talbert, R.L., Yee, G.C., Matzke, G.R., Wells, B.G., dan Posey, L.M., 2008, *Pharmacotherapy A Pathophysiologic Approach*, The McGraw-Hill Companies, New York.
- Dujaili, J. A., Sulaiman, S. A. S., Hassali, M. A., Awaisu, A., Blebil, A. Q., & Bredle, J. M., 2015, Health-related Quality of Life As a Predictor of Tuberculosis Treatment Outcomes in Iraq, *International Journal of Infectious Diseases*, **31**, 4-8.

- Duyan, V., Kurt, B., Aktas, Z., Duyan, G. C., & Kulkul, D. O., 2005, Relationship Between Quality of Life and Characteristics of Patients Hospitalised with Tuberculosis, *The International Journal of Tuberculosis and Lung Disease*, **9**(12), 1361-1366.
- Endarti, D., Riewpaiboon, A., Thavorncharoensap, M., Praditsitthikorn, N., Hutubessy, R., & Kristina, S. A., 2015, Evaluation of Health-related Quality of Life Among Patients with Cervical Cancer in Indonesia, *Asian Pacific Journal Cancer Prevention*, **16**(8), 3345-50.
- Etikan, I., Musa, S. A., & Alkassim, R. S., 2016, Comparison of Convenience Sampling and Purposive Sampling, *American Journal of Theoretical and Applied Statistics*, **5**(1), 1-4.
- Feng, Y., Devlin, N., & Herdman, M., 2015, Assessing the Health of the General Population in England: How Do The Three-and Five-level Versions of EQ-5D Compare?, *Health and Quality of Life Outcomes*, **13**(1), 171.
- Gajalakshmi, V., Peto, R., Kanaka, T. S., & Jha, P., 2003, Smoking and Mortality from Tuberculosis and Other Diseases in India: Retrospective Study of 43000 Adult Male Deaths and 35000 Controls. *Lancet*, **362**(9383), 507-515.
- Ginting, T. T., Wibisono, S., Kusumadewi, I., Damayanti, R., Wiyono, W. H., & Susanto, M., 2008, Faktor-faktor yang Berpengaruh Terhadap Timbulnya Gangguan Jiwa pada Penderita Tuberkulosis Paru Dewasa di RS Persahabatan (Kualitatif), *Jurnal Respirologi Indonesia*, **28**(1), 20-26.
- Guyatt GH, Feeny DH, Patrich DL, 1993, Measuring Health-related Quality of Life, *Annals of Internal Medicine*, **118**, 622-629.
- Hendrik, H., Perwitasari, D. A., Mulyani, U. A., & Thobari, J. A., 2015, Pengukuran Kualitas Hidup Pasien Tuberkulosis Menggunakan Instrumen ST George Respiratory Questionnaire (SGRQ) di Yogyakarta, *e-Publikasi Fakultas Farmasi*, 28-34.
- Irawan, H., 2017, Pengaruh Konseling Kesehatan Terhadap Penurunan Tingkat Kecemasan Pasien TBC Paru Di Puskesmas Campurejo Kota Kediri. *Jurnal Ilmu Kesehatan*, **4**(1), 87-94.
- Janssen, M.F., dkk., 2012, Measurement Properties of the EQ-5D-5L Compared to the EQ\_5D-3L Across Eight Patient Groups: A Multi Country Study , *Quality of Life Research*, **22**(7), 1717-1727.
- Kementerian Kesehatan Republik Indonesia, 2011, *Pedoman Nasional Penanggulangan Tuberkulosis*, Depkes RI, Jakarta.
- Kementerian Kesehatan Republik Indonesia, 2017, *Profil Kesehatan Indonesia Tahun 2017*, Depkes RI, Jakarta.

- Kementerian Kesehatan Republik Indonesia, 2017, *Profil Kesehatan DI Yogyakarta Tahun 2017*, Depkes RI, Jakarta.
- Khumsaen, N., Aoup-por, W., & Thammachak, P., 2012, Factors Influencing Quality of Life Among People Living with HIV (PLWH) in Suphanburi Province, Thailand, *Journal of the Association of Nurses in AIDS Care*, **23**(1), 63-72.
- Kittikraisak, W., Kingkaew, P., Teerawattananon, Y., Yothasamut, J., Natesuwan, S., Manosuthi, W., & Whitehead, S. J., 2012, Health Related Quality of Life Among Patients with Tuberculosis and HIV in Thailand, *PloS one*, **7**(1), e29775.
- Konig, H. H., dkk., 2009, Comparison of Population Health Status in Six European Countries: Results of a Representative Survey Using the EQ-5D Questionnaire, *Medical Care*, 255-261.
- Kruijshaar, M. E., Lipman, M., Essink-Bot, M. L., Lozewicz, S., Creer, D., Dart, S., & Abubakar, I., 2010, Health Status of UK Patients with Active Tuberculosis, *The International Journal of Tuberculosis and Lung Disease*, **14**(3), 296-302.
- Lin, F. J., dkk., 2014, Measuring Health-related Quality of Life in Chronic Obstructive Pulmonary Disease: Properties of the EQ-5D-5L and PROMIS-43 Short Form, *BMC Medical Research Methodology*, **14**(1), 78.
- Lahariya, C., Khandekar, J., & Pradhan, S. K., 2012, A Community Based Study of Health Related Quality of Life of The Elderly in Urban India, *Journal of the Indian Medical Association*, **110**(8), 548-50.
- Lemeshow, S., Hosmer Jr, D.W., dkk, *Adequency of Sample Size in Health Studies*, John Wiley and Sons, WHO, Newyork.
- Louw, J., Peltzer, K., Naidoo, P., Matseke, G., Mchunu, G., & Tutshana, B., 2012, Quality of Life Among Tuberculosis (TB), TB Retreatment and/or TB-HIV Co-infected Primary Public Health Care Patients in Three Districts in South Africa, *Health and quality of life outcomes*, **10**(1), 77.
- Masumoto, S., Yamamoto, T., Ohkado, A., Yoshimatsu, S., Querri, A. G., & Kamiya, Y., 2014, Factors Associated with Health-related Quality of Life Among Pulmonary Tuberculosis Patients in Manila, the Philippines, *Quality of life research*, **23**(5), 1523-1533.
- Nirmal, B., Divya, K., Dorairaj, V., & Venkateswaran, K., 2008, Quality of Life in HIV/AIDS Patients: A Cross-sectional Study in South India, *Indian Journal of Sexually Transmitted Diseases and AIDS*, **29**(1), 15-15.
- Nurjana, M. A., 2015, Faktor Risiko Terjadinya Tuberculosis Paru Usia Produktif (15-49 tahun) di Indonesia, *Media Penelitian dan Pengembangan Kesehatan*, **25**(3).

- Othman, G. Q., Ibrahim, M. I. M., & Rajarsquo, Y. A., 2011, Health Related Quality of Life of Pulmonary and Extrapulmonary Tuberculosis Patients in Yemen. *African Journal of Pharmacy and Pharmacology*, **5**(4), 547-553.
- Pramono, A., Sumariyono, S., & Isbagio, H., 2018, Reliability and Validity of European Quality of Life 5 Dimension (EQ-5D) for Measuring Health-related Quality of Life in Knee Osteoarthritis Patients at Cipto Mangunkusumo General Hospital, *Indonesian Journal of Rheumatology*, **2**(3).
- Purba, F. D., dkk., 2017, The Indonesian EQ-5D-5L Value Set, *Pharmacoeconomics*, **35**(11), 1153-1165.
- Saleem, S., Malik, A. A., Ghulam, A., Ahmed, J., & Hussain, H., 2018, Health-related Quality of Life Among Pulmonary Tuberculosis Patients in Pakistan, *Quality of Life Research*, **27**(12), 3137-3143.
- Testa, M. A., & Simonson, D. C., 1996, Assessment of Quality-of-life Outcomes, *New England journal of medicine*, **334**(13), 835-840.
- Thomas, A., Gopi, P. G., Santha, T., Chandrasekaran, V., Subramani, R., Selvakumar, N., dkk., 2005, Predictors of Relapse Among Pulmonary Tuberculosis Patients Treated in a DOTS Programme in South India, *International Journal of Tuberculosis and Lung Disease*, **9**(5), 556-561.
- Tinartayu, Seshy., 2016, Kualitas Hidup Penderita Tuberkulosis (TB) Paru Pre dan Pasca Pengobatan Anti Tuberkulosis dengan Menggunakan Instrumen SF-36, *Skripsi*, Universitas Gadjah Mada, Yogyakarta.
- Torrance, G. W., 1996, Designing and Conducting Cost-utility Analyses, *Quality of Life and Pharmacoeconomics in Clinical Trials*, **2**.
- Unalan, D., Soyuer, F., Ceyhan, O., Basturk, M., & Ozturk, A., 2008, Is The Quality of Life Different in Patients with Active and Inactive Tuberculosis. *Indian Journal Tuberculosis*, **55**(3), 127-137.
- van Reenen, M., & Janssen, B., 2015, EQ-5D-5L User Guide: Basic Information on How to Use the EQ-5D-5L Instrument, *Rotterdam: EuroQol Research Foundation*.
- Walker, R., 2011, *Clinical Pharmacy and Therapeutics E-Book*. Elsevier Health Sciences.
- WHOQoL Group, 2014, *Measuring quality of life: the development of the WHOQOL instrument*, WHO, Geneva.
- World Health Organization, 2018, *Global tuberculosis report 2018*, World Health Organization.
- World Health Organization, 2017, *Indonesia Tuberculosis Situation Update*, Global Tuberculosis Report.