

BIBLIOGRAPHY

- Abdollah, G.P., Ebrahim,R., Sayed, A.M. (2010). Antimicrobial activity of essential oils of three herbs against *Listeria monocytogenes* on chicken frankfurters. *Agriculture*, 1: 01.
- Ana,G., Marcio, A.,Jose,M.M.M.de Almeida, Filipe, M. Gerardo,G.A., Jose,,A.S., Cristina, S. (2016). The antimicrobial effect of essential oils against *Listeria monocytogenes* in *Sous vide* cook-chill beef during storage. *Food Processing and Preservation*. ISSN 1745-4599.
- Anonymous. (2018). Meat Consumption (Indicator). Available online: <https://data.oecd.org/agroutput/meat-consumption.htm> (19 October 2018)
- Astawan, M. (2009). Sehat Dengan Hidangan Kacang dan Biji-bijian. Penebar Swadaya. Jakarta.
- Bakkali, F., Averbeck, S., Averbeck, D., & Idaomar, M. (2008). Biological effects of essential oils - a review. *Food and Chemical Toxicology*, 46(2), 446-475.
- Bali, A., Sudip, K.D., Anupam, K. ,Dipanwita, P., Biswas,S., Bhattacharyya,D. (2011). A Comparative Study on the Antioxidant and Antimicrobial Properties of Garlic and Coriander on Chicken Sausage. *International Journal of Meat Science*. 1(2): 108-116.
- Barba F.J., Criado M.N., Belda-Galbis C.M., Esteve M.J., Rodrigo D. (2014). *Stevia rebaudiana Bertonii* as a natural antioxidant/ antimicrobial for high pressure processed fruit essential oil: Processing paramater optimization. *Food Chemistry*, 148: 261-267.
- BD. (2014). BD Tryptic Soy Broth (TSB). D-69126 Heidelberg Germany.
- Bhagavathy, S., Sumathi, P., & Bell, I. J. S. (2011). Green algae *Chlorococcum humicola* a new source of bioactive compounds with antimicrobial activity. *Asian Pacific Journal of Tropical Biomedicine*, 1(1): S1-S7.
- Bourtoom,T. And M.S. Chinnan. (2008). Preparation and properties of rice starch-chitosan blend biodegradable film. *LWT-Food Science Technology*. 41 : 1633-1641.
- Burt, S. (2004). Essential oils: Their antibacterial properties and potential applications in foods — A review. *International Journal of Food Microbiology*, 94, 223–253.
- CABI Crop Protection Compendium. (2008). *Coriandrum sativum* datasheet. Available at: <http://www.cabi.org/cpc/datasheet/15300>. (16 October 2018).
- CLSI (Clinical and Laboratory Standars Institute). (2012). Approved Standard: M2-A 11. Performance standars for antimicrobial disk susceptibility tests, 9th ed. Clinical and Laboratory Standars Institute, Wayne, Pa.
- Cowan, M. M. (1999). Plant products as antimicrobial agents. *Clinical Microbiology Reviews*, 12(4), 564-582.
- da Rosa, C. G., Borges, C. D., Zambiasi, R. C., Rutz, J.K., da Luz, S R., Krumreich, F. D., ... & Nunes, M. R. (2014). Encapsulation of the phenolic compounds of the blackberry (*Rubus fruticosus*). *LWT - Food Science and Technology*, 58(2), 527-533.

- Delaquis, P. J., Stanich, K., Girard, B., & Mazza, G. (2002). Antimicrobial activity of individual and mixed fractions of dill, cilantro, coriander and eucalyptus essential oils. *International Journal of Food Microbiology*, 74(1-2), 101-109.
- De Oliveira, T.L.C., de Araujo, R.S., Piccoli, R.H. (2012). A weibull model to describe antimicrobial kinetics of oregano and lemongrass essential oils against *Salmonella enteritidis* in ground beef during refrigerated storage. *Meat Science*. 93, 645-651.
- Dorman, H. J. D., & Deans, S. G. (2000). Antimicrobial agents from plants: antibacterial activity of plant volatile oils. *Journal of Applied Microbiology*, 88(2), 308-316.
- Dorđević, S.M., Radulović, T.S., Čekić, N.D., Ranđelović, D.V., Savić, M.M., Krajišnik, D.R., Milić, J.R., Savić, S.D. (2013). Experimental design in formulation of diazepam nanoemulsions: physicochemical and pharmacokinetic performances. *Journal of Pharmacy Science*. 102, 4159–4172.
- EFSA, & ECDC (European Food Safety Authority and European Centre for Disease Prevention and Control). (2015). The European Union summary report on trends and sources of zoonoses and zoonotic agents and food-borne outbreaks in 2013. *EFSA Journal*, 13(1), 3991.
- Fairchild T.M., & Foegeding P. M. (1993). A proposed nonpathogenic biological indicator for thermal inactivation of *Listeria monocytogenes*. *Applied and Environmental Microbiology*, 59, 1247-1250.
- Faridz, R., Hafiluddin, Anshari M. (2007). Analisis Jumlah Bakteri dan Keberadaan *Escherichia coli* pada Pengolahan Ikan Teri Nasi di PT. Kelola Mina Laut Unit Sumenep. Embryo Vol 4 No.2. ISSN 0216-0188
- FDA (Food and Drug Administration). (2017). Detection and Enumeration of *Listeria monocytogenes* in Foods – FDA BAM Chapter 10: 2016–2017.
- Fernandez-Pan, I., Carrión-Granda, X., & Mateo, J. I. (2014). Antimicrobial efficiency of edible coatings on the preservation of chicken breast fillets. *Food Control*, 36,69-75.
- Fisher, K., & Phillips, C. A. (2006). The effect of lemon, orange and bergamot essential oils and their components on the survival of *Campylobacter jejuni*, *Escherichia coli* O157, *Listeria monocytogenes*, *Bacillus cereus* and *Staphylococcus aureus* in vitro and in food systems. *Journal of Applied Microbiology*, 101(6),1232-1240.
- Forsythe, S. J. (2002). Food safety microbiology. Artmed.
- Forzza, R. C., Leitman, P. M., Costa, A. F., Carvalho, Jr. A. A, Peixoto, A. L. (2010). Lista de espécies Flora do Brasil website. <http://floradobrasil.jbrj.gov.br/2010/> (10 October 2018)
- Ghosh, V., Mukherjee, A., & Chandrasekaran, N. (2013). Ultrasonic emulsification of food-grade nanoemulsion formulation and evaluation of its bactericidal activity. *Ultrasonics Sonochemistry*. 20, 338-344.
- Guo, C., Hoekstra, R. M., Schroeder, C.M., Pires, S. M., Ong, K. L., Hartnett, E., ... & Scallan, E. (2011). Application of Bayesian techniques to model the burden of human salmonellosis attributed to U.S. food commodities at the point



- of processing: adaptation of a Danish model. *Foodborne Pathogens and Disease*, 8(4), 509-516.
- Hussein, M., Roby, H., Atef, M., Selim, K. A., & Ibrahim, K. (2013). Antioxidant and antimicrobial activities of essential oil and essential oils of fennel (*Foeniculum vulgare*) and chamomile (*Matricaria chamomilla* L.). *Industrial Crops & Products*, 44, 437–445.
- Iqbal, M. J., & Butt, M. S. (2017). Bioactive Molecules in Food. <https://doi.org/10.1007/978-3-319-54528-8>
- Koehn, F. E., Carter, G. T. (2005). The evolving role of natural products in drug discovery. *Nature Reviews Drug Discovery*, 4(3), 206.
- Kotta, S., Khan, A.W., Pramod, K., Ansari, S.H., Sharma, R.K., Ali, J. (2012). Exploring oral nanoemulsions for bioavailability enhancement of poorly water-soluble drugs. *Expert. Opinion Drug Delivery*. 9, 585–598.
- Kristo, E., Koutsoumanis, K., & Biliaderis, C. G. (2008). Thermal, mechanical and water vapor barrier properties of sodium caseinate films containing antimicrobials and their inhibitory action on *Listeria monocytogenes*. *Food Hydrocolloids*, 22, 373-386.
- Laribi, B., Kouki, K., M'Hamdi, M., & Bettaieb, T. (2015). Coriander (*Coriandrum sativum*) and its bioactive constituents. *Fitoterapia*, 103, 9–26.
- Lay, W. B, dan S. Hastowo. (1994). Analisis Mikroba di Laboratorium. PT Raja Grafindo Persada. Jakarta. pp 61-71.
- Li, J., Kim, S. Y., Chen, X., & Park, H. J. (2016). Calcium-alginate beads loaded with gallic acid: Preparation and characterization. *LWT - Food Science and Technology*, 68, 667-673.
- Liu, D. C., Tsau, R. T., Lin, Y. C., Jan, S. S., & Tan, F. J. (2009). Effect of various levels of rosemary or Chinese mahogany on the quality of fresh chicken sausage during refrigerated storage. *Food Chemistry*, 117(1), 106–113.
- Lo Cantore, P., Iacobellis, N.S., De Marco, A., Capasso, F. and Senatore, F. (2004). Antibacterial activity of *Coriandrum sativum* L. and *Foeniculum vulgare* Miller Var. *vulgare* (Miller) essential oils. *J Agric Food Chem*. 52: 7862-7866.
- Loewenfeld, C., & Back P. (1978). The complete book of herbs and spices. Newton Abbot.p.319. David & Charles. UK.
- MacFaddin, J. F. (1985). Media for Isolation-Cultivation-Identification-Maintenance of Medical Bacteria. vol. 1. Baltimore: Williams and Wilkins.
- Ma, Q., Zhang, Y., Critzer, F., Michael Davidson, P., Zivanovic, S., & Zhong, Q. (2016). Physical, mechanical, and antimicrobial properties of chitosan films with microemulsions of cinnamon bark oil and soybean oil. *Food Hydrocolloids*, 52,533-542.
- McClements, D. J. (2005). Principles, practices and techniques. Food Emulsions. CRC Press. Boca Raton.
- McClements, D. J., & Rao, J. (2011). Food-grade nanoemulsions: Formulation, fabrication, properties, performance, biological fate, and potential toxicity. *Critical Reviews in Food Science and Nutrition*, 51(4), 285-330
- McHugh, T. H., & Krochta, J. M. (1994). Milk-protein based edible films and coatings. *Food Technology*, 48(1), 97-103.



- Mostafa, A. A., Al-Askar, A. A., Almaary, K. S., Dawoud, T. M., Sholkamy, E. N., & Bakri, M. M. (2018). Antimicrobial activity of some plant essential oils against bacterial strains causing food poisoning diseases. *Saudi Journal of Biological Sciences*, 25(2), 253–258.
- Msaada, K., Hosni, K., Ben Taarit, M., Chahed, T., Hammami, M., & Marzouk, B. (2009). Changes in fatty acid composition of coriander (*Coriandrum sativum* L.) fruit during maturation. *Industrial Crops and Products*, 29(2–3): 269–274.
- Murphy, D. J. (1991). Designer oilseed crops: genetic engineering of new oilseed crops for edible and non-edible applications. *Agro-Industry Hi-Tech*, 2, 5–9.
- Nasr, M. (2015). Development of an optimized hyaluronic acid-based lipidic nanoemulsion co-encapsulating two polyphenols for nose to brain delivery. *Drug Delivery*, 24, 1–9.
- Neffati, M., Marzouk, B. (2008). Roots volatiles and fatty acids of coriander (*Coriandrum sativum*) grown in saline medium. *Acta Physiologiae Plantarum*, 31(3), 455-461.
- Ngwoke, K. G., Odimegwu, D. C., Estimone, C. O. (2011). Science against microbial pathogens: communicating current research and technology advances. Spain: FORMATEX. 1011.
- Noori, S., Zeynali, F., & Almasi, H. (2018). Antimicrobial and antioxidant efficiency of nanoemulsion-based edible coating containing ginger (*Zingiber officinale*) essential oil and its effect on safety and quality attributes of chicken breast fillets. *Food Control*, 84, 312–320.
- Nugboon, K., Intarapichet, K. (2015). Antioxidant and antibacterial activities of Thai culinary herb and spice extracts, and application in pork meatballs. *International Food Research Journal*. 22(5): 1788-1800.
- Nural, K. Bulent, E. Dilek, O. (2011). Determination of antimicrobial effect of mint and basil essential oils on survival of *E.coli* O157:H7 and *S. typhimurium* in fresh-cut lettuce and purslane.
- Oudah, I. M., Sc, M., Ali, Y. H., & Sc, M. (2010). Evaluation of Aqueous and Ethanolic Extraction for Coriander Seeds, Leaves and Stems and Studying their Antibacterial Activity. *Iraqi National Journal of Nursing Science*, 23(2): 1–7.
- Oviedo Prieto, R., Herrera Oliver, P., & Caluff, M. G. (2012). National list of invasive and potentially invasive plants in the Republic of Cuba-2011. *Lista nacional de especies de plantas invasoras y potencialmente invasoras en la República de Cuba-2011*. Bissea: Boletín sobre Conservación de Plantas del Jardín Botánico Nacional de Cuba, 6, 22-96.
- Pandit, V. A., & Shelef, L. A. (1994). Sensitivity of *Listeria monocytogenes* to rosemary (*Rosmarinus officinalis* L.). *Food Microbiology*, 11, 57–63.
- Pasukamonset, P., Kwon, O., & Adisakwattana, S. (2016). Alginate-based encapsulation of polyphenols from *Clitoria ternatea* petal flower essential oil enhances stability and biological activity under simulated gastrointestinal conditions. *Food Hydrocolloids*, 61, 772–779.
- Pennington TH. (2010). The role of the media in public health crises: perspectives from the UK and Europe. In: Bennett P, Calman K, Curtis S, Fischbacher-Smith D, eds. Risk Communication and Public Health. Oxford: Oxford University Press: 81–96.



- Pongsak, R. , Parichat, P. (2010). Antimicrobial Acitivity of Basil (*Ocimum basilicum*) Oil against *Salmonella enteritidis* in vitro and in food. *Bioscience, Biotechnology, Biochemical*. 74(6), 1200-1204.
- Quattrocchi, U. (2012). CRC world dictionary of medicinal and poisonous plants: Common names, scientific names, eponyms, synonyms, and etymology. Boca Raton, FL, USA: CRC Press.
- Rangel, J. M., Sparling, P.H., Crowe, C., Griffi, P. M., Swerdlow, D. L. (2015). Epidemiology of *Escherichia coli* O157:H7 outbreaks, United States, 1982–2002. *Emerging Infection Disease*, 11, 603–09.
- Rattanachaikunsopon, P. & Phumkachorn, P. (2010). Potential of Coriander (*Coriandrum sativum*) Oil as a Natural Antimicrobial Compound in Controlling *Campylobacter jejuni* in Raw Meat. *Bioscience, Biotechnology, and Biochemistry*, 74(1), 31–35.
- Rayaguru, K., & Routray, W. (2010). Effect of drying conditions on drying kinetics and quality of aromatic *Pandanus amaryllifolius* leaves. *Journal of Food Science and Technology*, 47(6), 668–673.
- Reza, K.H. (2011). Nanoemulsion as a novel transdermal drug delivery system. *International Journal of Pharmacy Science Research*. 2 (8), 1938–1946.
- Romans, J. R., Costello, W. J., Carlson, C. W., Greaser, M. L., & Jones, K. W. (1994). The meat we eat. Danville, IL: Interstate Publishers, Inc.
- Russell, A. D. (2003). Similarities and differences in the responses of microorganisms to biocides. *Journal of Antimicrobial Chemotherapy*. 52(5), 750-763.
- Samojlik, I., Lakic, N., Mimica-Dukic, N., Dakovic-Svajcer, k. And Bozin, B. (2010). Antioxidant and hepatoprotective potential of essential oils of coriander (*Coriandrum sativum* L.) and caraway (*Carum carvi* L.) (Apiaceae). *Journal of Agricultur Food Chemistry*. 58: 8848-8853.
- Selim, S. (2011). Antimicrobial activity of essential oils against vancomycin-resistant *enterococci* (VRE) and *Escherichia coli* O157:H7 in feta soft cheese and minced beef meat. *Journal of Microbiology*. 42 :187-196.
- Silva, F., & Domingues, F. C. (2015). Antimicrobial Activity of Coriander Oil and Its Effectiveness as Food Preservative. *Critical reviews in food science and nutrition*, 57(1), 35-47.
- Silva , V.A., Sousa ,J.P., Guerra ,F.Q.S., Pessoa , H.L.F., Freitas, A.F.R., Coutinho, Alves, L.B.N., and Lima, E.O. (2015). Antibacterial Activity of the Monoterpene Linalool : Alone and in Association with Antibiotics Against Bacteria of Clinical Importance. *International Journal of Pharmacognosy and Phytochemical Research* .7 (5), 1022-1026.
- Sylvia, K. (2018). National Reference Laboratory for *Listeria monocytogenes* (NRLLM).https://www.bfr.bund.de/en/national_reference_laboratory_for_listeria_monocytogenes_nrl_lm_-10500.html (16 October 2018).
- Tajkarimi, M., Ibrahim, S., & Cliver, D. (2010). Antimicrobial herb and spice compounds in food. *Food Control*, 21(9), 1199-1218.
- Sriti, J., Wannes, W. A., Talou, T., Vilarem, G., & Marzouk, B. (2011). Chemical composition and antioxidant activities of Tunisian and Canadian coriander



- (*Coriandrum sativum* L.) fruit. *Journal of Essential Oil Research*, 23(4), 7-15. Tomb J.F., White O., et al. "The complete genome sequence of the gastric pathogen *Helicobacter pylori*." *Nature* 1997. 388(6642): 515-6.
- Van Netten P., Peroles I., Van de Mosdik A., Curtis G.D. W., Mossel D.A.A. (1988). *International Journal of Food Microbiology*. 6:87.
- Yildiz, H. (2016). Chemical Composition, Antimicrobial, and Antioxidant Activities of Essential Oil and Ethanol Extraction of *Coriandrum sativum* L. Leaves from Turkey. *International Journal of Food Properties*, 19(7), 1593–1603.
- Zuidam, N. J., & Shimoni, E. (2010). Overview of Microencapsulates for Use in Food Products or Processes and Methods to Make Them. In *Encapsulation technologies for active food ingredients and food processing* (pp. 3-29). Springer, New York, NY.
- Meat Consumption (Indicator). Available online:
<https://data.oecd.org/agroutput/meat-consumption.htm> (20 October 2018).