

BIBLIOGRAPHY

- Adam, I.K., Adam, A.A., Bello, B.A. 2016. Effect poliphenol oxidase on browning of apple and garden egg. *Dutse Journal of Pure and Applied Sciences*. 2: 177-184.
- Adam, J.B. 2010. Effects of enzymatic reaction on color of fruits and vegetables. *In: Enzyme in Fruit and Vegetable Processing Chemistry and Engineering Applications*. (Bayindirli, A, ed). p: 19-38. CRC Press. Boca Raton.
- Aralas, S. Mohamed, M. and Bakar, M.F.A. 2009. Antioxidant properties of selected salak (*Salacca zalacca*) varieties in Sabah, Malaysia. *Nutritional of Food Science*. 39: 243–250.
- Artés, F., Gómez, P. A., and Artés-Hernandéz, F. 2007. Physical, physiological and microbial deterioration of minimally fresh processed fruits and vegetables. *International Food Science and Technology*. 13:177–188.
- Baldwin, A. and Bai, J. 2011. Physiology of fresh-cut fruit and vegetables. *In: Advances in Fresh-cut Fruits and Vegetables Processing*. Martin-Belloso, O. and Soliva-Fortuny, R., eds.). p. 87-114. CRC Press. New York.
- Cai, C., Xu, C.J., Shan, L.L., Li , X., Zhou, C.H., Zhang, W.S., Ferguson, I. and Chen, K.S. 2006. Low temperature conditioning reduces postharvest chilling injury in loquat fruit. *Postharvest Biology and Technology*. 41: 252-259.
- Cavalcanti, J. H., Esteves-Ferreira, A. A., Quinhones, C. G., Pereira-Lima, I. A., Nunes-Nesi, A., Fernie, A. R., & Araújo, W. L. 2014. Evolution and functional implications of the tricarboxylic acid cycle as revealed by phylogenetic analysis. *Genome biology and evolution*. 6: 2830–2848.
- Cantwell, M. And Suslow, T. 2002. Fresh-cut fruits and vegetables: aspect of physiology, prearation, and handling taht affect quality. *Postharvest Technology Holticultural Products*. (Kader, A. A., ed.). p. 445-464. University of California Agriculture and Natural Resources.
- Crumiere, F. 2000. Inhibition of enzymatic browning in food products using bio-ingredients. Thesis. McGill University.
- Ding, P. and Ling Y. S. 2014. Browning assestment and polyphenol oxidase in UV-C irradiated Berangan banana fruit. *International Food Research Journal*. 21 : 1667-1674.
- Deng, J., Yang, H., Capanoglu, E. Cao, H. and Xiao, J. 2018. 9-Technologies aspects and stability of polyphenols. *Polyphenols:Properties, Recovery and Applications*. p. 295-323.
- El-shimi, N. M. 1993. Control f enzymatic browning in apple slices by using ascorbic acid under different condition. *Plant Food and Human Nutrition*. 43: 71-76.

- Ergun, M., Jeong, J., Huber D.J., and Cantliffe, D.J. 2007. Physiology of fresh-cut 'Galia' (*Cucumis melo* var. *reticulatus*) from ripe fruit treated with 1-methylcyclopropene. *Postharvest of Biology Technology*. 44: 286–292.
- Erkan, M. and Yildirim, I. 2017. Postharvest quality and safety of fresh-cut vegetables. In: *Minimally Processed Refrigerated Fruits and Vegetables*. (Yildiz, F. and Wiley, R.C., eds.). p. 271-326. Springer.
- Fan, X., Niemera B.A., Mattheis J.P., Zhuang H. and Olson D.W. 2005. Quality of fresh-cut apple slices as affected by low-dose ionizing radiation and calcium ascorbate treatment. *Journal of Food Science*. 70: 143-148.
- Feinberg, B., Oison, R.L. and Mullins, W.R. 1987. Pre-peeled potatoes. In: *Potato Processing*. 4th ed. (Talbur, W.F. and Smith, O., eds.). p. 697-726. AVT-Van Nostrand Reinhold. New York.
- Garcia, E and Barrett D. 2002. Preservatives Treatments for Fresh-Cut Fruits and Vegetables. In: *Fresh-Cut Fruit and Vegetable*. (Lamikanra, O., ed.) p: 37-45. Boca raton: CRC Press.
- Gilbert, L.C. 2000. The functional food trend: what's next and what Americans think about eggs. *Journal of the American College of Nutrition*. 19: 507–512.
- Gonzalez-Aguilar, G.A., Ruiz-Cruz, S., Varquez-ortiz, F., Pacheco-Aguilar, R. and Wang, C.Y. 2005. Biochemical changes of fresh-cut pineapple treated with anti-browning agents. *Interntional Journal of Food Science and Technology*. 40: 377-383.
- Gorinstein, S., Haruenkit, R., Poovarodom, S., Park, Y., Vearasilp, S., *et al.* 2009. The comparative characteristics of snake and kiwi fruits. *Food Chem Toxicol*. 47: 1884-1891 .
- Guillén F., Sayyari M., Zapata P., Zapata P. J., Valero D ., Serrano M. 2012. Effect of oxalic acid treatment on maintaining pomegranate fruit quality and antioxidant potential . In : *International Symposium on the Pomegranate*. (Malgarejo P. and Valero D., eds.). p. 211-223. Zaragoza. Ciheam.
- Harel, E., Mayer, A.M. and Shain, Y. 1964. *Plant Physiology*. 17: 921.
- He, Q. and Luo, Y. 2007. Enzymatic browning and its control in fresh-cut produce. *Steward Postharvest Review*. 6:3.
- Jeong, H.L., Jin, w.J., Kwang, D.M. and Kee, J.P. 2008. Effects of anti-browning agents on polihenoloxidase activity and total phenolics as related to browning of fresh-cut 'Fuji' apple. *ASEAN Food Journal* 15: 79-87.
- Lattanzio, V. and Linsalata, V. 1989. The beneficial effect of citric acid and ascorbic acid on the phenolic browning reaction in stored artichoke (*Cynara scolymus* L.) heads. *Food Chemistry*. 33: 93-106.
- Leong, L. P. and Shui, G. 2002. An investigation of antioxidant capacity of fruit in Singapore markets. *Food Chemistry*. 76: 69–75.
- Lestari, R., Ebert, G. and Huyskens-Keil, S. 2013. Fruit quality changes of salak "pondoh" fruits (*Salacca zalacca* (Gaertn.) Voss) during maturation and ripening. *Journal of Food Research*. 2: 204-216.
- Li-qin, Z., Jie, Z., Shu hua, Z. and Lai hui, G. 2009. Inhibition of browning on the surface of peach slices by short-term exposure to nitric oxide and ascorbic acid. *Food Chemistry*. 114: 174–117.

- López-Nicolas, J.M., Pérez-López, A.J., Carbonell-Barrachina, A., García-Carmona, F. 2007. Use of natural and modified cyclodextrins as inhibiting agents of peach juice enzymatic browning. *Journal of Agriculture Food Chemistry*. 55:5312-5319.
- Maehly, A.C.1954. *In: Methods of Biochemical Analysis*. (Glick, ed). p. 358. Intersciences Publishers. New York.
- Mahendra, M. S. and Janes, J. 1993. Incidence of chilling injury in *Salacca zalacca*. In proceedings of Postharvest Handling of Tropical Fruit – an International Conference. Chiang Mai. 19–23 July 1993. p. 402–404.
- Marquès, L., Fleuriet, A. and Macheix, J.J. 1995. Fruit polyphenol oxidases: New data on an old problem. *In: Enzymatic Browning and its Prevention*. (Lee, C.Y. and Whitaker, J.R., eds.). p. 90-102. ACS Symposium Series. Washington DC.
- Martinez, M.V. and Whitaker, J.R. 1995. The biochemistry and control of enzymatic browning. *Trends in Food Science and Technology*. 6: 195-200.
- Mayer, A.M. 2006. Polyphenol oxidases in plants and fungi: Going places? A review. *Phytochemistry*. 67: 2318–2331.
- McEvily, A.J, Iyengar, R., and Otwell, W.S. 1992. Inhibitory of enzymatic browning in foods and beverages. *Critical Review in Food Science Nutrition*. 32: 253-273.
- Molnar-Perl, I. and Friedman, M. 1990. Inhibition of bowning by sulfur amino acids in apples and potatoes. *Journal of Agricultural and Food Chemistry*. 38: 1652-2656.
- Murata, M., Tsurutani, M., Hagiwara, S., and Homma, S. 1997. Subcellular Location of Polyphenol Oxidase in Apples. *Bioscience, Biotechnology, and Biochemistry*. 61:1495-1499.
- Murata, M., Sugiura, M., Sonokawa, Y., Shimamura, T. and Homma, S. 2002. Properties of chlorogenic acid quinone: relationship between browning and the formation of hydrogen peroxide from a quinone solution. *Bioscience, Biotechnology and Biochemistry*. 66: 2525–2530.
- Navindra, B., Arvind, R., and Hassina, B. 2009. Effects of anti-browning agents on the shelf life of fresh-cut green jackfruit (*Artocarpus heterophyllus* Lam.). *Journal of Applied Horticulture*. 11:41-45.
- Oms-Oliu, G., Aguilo-Aguayo, I., and Martin-Belosso, O. 2006. Inhibition browning on fresh-cut pear wedges by natural compounds. *Journal of Food Science*. 71: 216-224.
- Oms-Oliu, G., Rojas-Grau, A., Gonzalez, L.A., Varela, P., Soliva-Fortuny, R., Hernanado, I.H., Munuera, I.P., Fiszman, S. and Martin-Belloso, O. 2010. Recent approaches using chemical treatments to preserve quality of fresh-cut: A review. *Postharvest Biology and Technology*. 57: 139-148.

- Osmianski, J. and Lee, C.Y. 1990. Enzymatic Oxidative reaction of catechin and chlorogenic acid in a model system. *Journal of Agricultural and Food Chemistry*. 38: 1202-1204.
- Putra, B. S. 2011. Study the coating and storage temperature for prevention fruit rot on salak pondoh (*Salacca edulis Reinw.*) in Indonesian. Thesis. Institut Pertanian Bogor, Indonesia.
- Ragaert, P., Verbeke, W., Devlieghere, F. and Debevere, J. 2004. Consumer perception and choice of minimally processed vegetables and packaged fruits. *Food Quality and Preference*. 15: 259–270.
- Ranganna, S. 1967. *Handbook of Analysis and Quality Control for Fruits and Vegetables Products*. Tata Mc-Grow Hill Publishing Company. India.
- Reyes, L.F., Villareal, J.E., Cisneros-Zevallos, L. 2007. The increase in antioxidant capacity after wounding depends on the type of fruit or vegetable tissue. *Food Chemistry*. 101:1254–1262.
- Richard-Forget, F.C. and Gaillard, F.A. 1997. Oxidation of chlorogenic acid, catechins, and 4-methylcatechol in model solutions by combinations of pear (*Pyrus communis* Cv. Williams) polyphenol oxidase and peroxidase: A possible involvement of peroxidase in enzymatic browning. *Journal of Agricultural and Food Chemistry*. 45: 2472–2476.
- Richardson, T. and Hyslop, D.B. 1985. Enzymes. In: *Food Chemistry*. 2nd Ed. p. 371-476. Marcell Dekker Inc. New York.
- Rodríguez N., Jeimmy Marcela, and Restrepo S., Luz Patricia. 2011. Activity of pectic enzymes involved in the ripening process of lulo (*Solanum quitoense* Lam.). *Agronomía Colombiana*, 29:63-71.
- Rojas-Grau, M., Soliva-Fortuny, R. and Martin-Belloso, O. 2008. Effect of natural antibrowning agents on color and related enzymes in fresh-cut Fuji apples as an alternative to the use of ascorbic acid. *Journal of Food Science*. 73: 267-272.
- Saengnil, K., Lueang, P. and Uthaibutra, J. 2006. Control of enzymatic browning of harvested ‘Hong Huay’ litchi fruit with hot water and oxalic acid dips. *Science Asia*. 32: 345-350.
- Sodchit, C., Kongbangkerd, T. and Phun, W.N. 2008. Prevention of enzymatic browning of postharvest longan fruit by N-acetylcysteine and 4-hexylresorcinol. *Songklanakarin Journal of Science and Technology*. 30: 31-35.
- Soyler, U.B. 2012. Characterization and analysis of the antioxidant capacity of functional phenolics oxidized by *Scytalidium thermophilum* catalase phenol oxidase. Thesis. Middle East Technical University.
- Sun, D., Liang, G., Xie, J., Lei, X. and Mo, Y. 2010. Improved preservation effects of litchi fruit by combining chitosan coating with ascorbic acid treatment during postharvest storage. *African Journal of Biotechnology*. 9: 3272-3279.
- Supapvanich, S., Megia, R. and Ding, P. 2011. Salak (*Salacca zalacca* (Gaertner) Voss). In: *Postharvest Biology and Technology of Tropical and Subtropical Fruits*. Vol. IV. (Yahia, E. M., ed.). p. 334-350. Woodhead Publishing Limited. UK.

- Taeufel, K. and Voight, J. 1964. Sodium chloride as inhibitor in enzymic browning of apples. *Nahrung*. 8: 80.
- Takahama, U. 2004. Oxidation of vacuolar and apoplastic phenolic substrates by peroxidase: Physiological significance of the oxidation reactions. *Phytochemistry Reviews*. 3: 207–219.
- Taranto, F., Pasqualone, A., Mangini, G., Tripodi, P., Miazzi, M.M., Pavan, S., Montemurro, C. 2017. Polyphenol Oxidases in Crops: Biochemical, Physiological and Genetic Aspects. *International Journal of Molecule Sciences*. 18: 377.
- Techavuthiporn, C. and Boonyaritthonghai, P. 2016. Effects of anti-browning agents on wound responses of fresh-cut mangoes. *International Food Research Journal*. 23: 1879-1886.
- Thangjatuporn, S. 2000. *Sala and Sweet Rakam*. Naka Press. Bangkok.
- Toor, R.K. and Savage, G.P. 2006. Changes in major antioxidant components of tomatoes during post-harvest storage. *Food Chemistry*. 99: 724-727.
- Tucker, G.A. 1993. Introduction: Respiration and energy. In: *Biochemistry of Fruit Ripening* (Seymour G.B., Taylor J.E., and Tucker G.A., eds.). p. 1–51. Chapman and Hall. London.
- U.S. Dept. of Agriculture, Human Nutrition Information Service (USDA/HNIS). 1984. Composition of foods: vegetables and vegetable products. In: *U.S. Dept. Of Agriculture Handbook*. p. 8-11. Washington D.C.
- Wang, C. Y. and S. Y. Wang. 2009. Effect of storage temperature on fruit quality of various cranberry cultivars. *Acta Horticulturae*. 810: 853–861.
- Wrasiati, L.P., Sutardi and Darmadji, P. 2001. Beeswax coating to maintain quality of Snake fruit of Bali. *Mediagama*. 3:54-66.
- Yoruk, R. and Marshall M.R. 2003. A survey on the potential mode of inhibition for oxalic acid on polyphenol oxidase. *Journal of Food Science*. 68:479–485.
- Zaini N.A., Osman A., Hamid A. A., Ebrahimpour A., Saari N. 2012. Purification and characterization of membrane-bound polyphenoloxidase (mPPO) from Snake fruit [*Salacca zalacca* (Gaertn.) Voss]. *Food Chemistry*. 136:407-414.
- Zawistowski, J., Biliaderis, C.G. and Eskin, N.A.M. 1991. Polyphenol oxidase. In: *Oxidative Enzyme in Food*. (Robinson, D.S. and Eskin, N.A.M., eds.). p. 217-273. Elsevier Science Publisher Ltd. England.
- Zhang, X. and Shao, X. 2015. Characterisation of polyphenol oxidase and peroxidase and the role in browning of loquat fruit. *Czech Journal of Food Science*. 33: 109-117.
- Zheng, X. and Tian, S. Effect of oxalic acid on control of postharvest browning of litchi fruit. *Food Chemistry*. 69: 519-523.
- Beaulieu, J.C. and Gorny, J.R. 2002. Fresh-cut fruits (Online). Available <http://www.ba.ars.usda.gov/hb66/146freshcutfruits.pdf> (21 March 2019).
- International Fresh-cut Produce Association. 2005. The convenience, nutritional value and safety of fresh-cut produce (Online). Available

<http://www.gov.on.ca/GOPSP/en/graphics/053125.pdf> (17 september 2018).