

DAFTAR PUSTAKA

- Aaronson, S.A., Hazan, R.B., Qiao, R.F., Norton, L., dan Phillips, G.R., 2002. Exogenous Expression of N-Cadherin in Breast Cancer Cells Induces Cell Migration, Invasion, and Metastasis. *The Journal of Cell Biology*, **148**: 779–790.
- Ab Rahman, M.R., Abdul Razak, F., dan Mohd Bakri, M., 2014. Evaluation of Wound Closure Activity of *Nigella sativa*, *Melastoma malabathricum*, *Pluchea indica*, and *Piper sarmentosum* Extracts on Scratched Monolayer of Human Gingival Fibroblasts. *Evidence-Based Complementary and Alternative Medicine*, **2014**: 1–9.
- Afsana, N. dan Neema, G., 2017. GC- MS Analysis of n-Hexane Extract of *Nigella sativa* (Seeds). *Saudi Journal of Medical and Pharmaceutical Sciences*, **3**: 868–872.
- Ahmad, A., Husain, A., Mujeeb, M., Khan, S.A., Najmi, A.K., Siddique, N.A., dkk., 2013. A review on therapeutic potential of *Nigella sativa*: A miracle herb. *Asian Pacific Journal of Tropical Biomedicine*, **3**: 337–352.
- Ahmad, S. dan Beg, Z.H., 2013. Elucidation of mechanisms of actions of thymoquinone-enriched methanolic and volatile oil extracts from *Nigella sativa* against cardiovascular risk parameters in experimental hyperlipidemia. *Lipids in Health and Disease*, **12**: 1–12.
- Al-Mahmood, S., Sapiezynski, J., Garbuzenko, O.B., dan Minko, T., 2018. Metastatic and triple-negative breast cancer: challenges and treatment options. *Drug Delivery and Translational Research*, **8**: 1483–1507.
- Al-Oqail, M.M., Al-Sheddi, E.S., Al-Massarani, S.M., Siddiqui, M.A., Ahmad, J., Musarrat, J., dkk., 2017. *Nigella sativa* seed oil suppresses cell proliferation and induces ROS dependent mitochondrial apoptosis through p53 pathway in hepatocellular carcinoma cells. *South African Journal of Botany*, **112**: 70–78.
- Al-Sheddi, E.S., Farshori, N.N., Al-Oqail, M.M., Musarrat, J., Al-Khedhairi, A.A., dan Siddiqui, M.A., 2014. Cytotoxicity of *Nigella sativa* seed oil and extract against human lung cancer cell line. *Asian Pacific journal of cancer prevention : APJCP*, **15**: 983–987.
- Alaofi, O.M., Noorwali, A., Zahran, F., Al-Abd, A.M., dan Al-Attas, S., 2017. Cytotoxicity of thymoquinone alone or in combination with cisplatin (CDDP) against oral squamous cell carcinoma in vitro. *Scientific Reports*, **7**: 1–12.
- Alfarouk, K.O., Stock, C.M., Taylor, S., Walsh, M., Muddathir, A.K., Verduzco, D., dkk., 2015. Resistance to cancer chemotherapy: Failure in drug response from ADME to P-gp. *Cancer Cell International*, **15**: 1–13.
- Amalina, N., Nurhayati, I.P., dan Meiyanto, E., 2018. Doxorubicin Induces Lamellipodia Formation and Cell Migration. *Indonesian Journal of Cancer Chemoprevention*, **8**: 61–67.
- Ananthakrishnan, R. dan Ehrlicher, A., 2007. The Forces Behind Cell Movement. *International Journal of Biological Sciences*, **3**: 303–317.
- Aslakson, C.J. dan Miller, F.R., 1992. Selective Events in the Metastatic Process Defined by Analysis of the Sequential Dissemination of Subpopulations of a Mouse Mammary Tumor. *Cancer research*, **52**: 1399–1405.
- Aslantürk, Ö.S., 2018. *In Vitro Cytotoxicity and Cell Viability Assays: Principles, Advantages, and Disadvantages*, InTech.

- Awad, E.M., 2005. In vitro decreases of the fibrinolytic potential of cultured human fibrosarcoma cell line, HT1080, by *Nigella sativa* oil. *Phytomedicine*, **12**: 100–107.
- Baharetha, H.M., Nassar, Z.D., Aisha, A.F., Ahmed, M.B., Al-Suede, F.S.R., Kadir, M.O.A., dkk., 2013. Proapoptotic and Antimetastatic Properties of Supercritical CO₂ Extract of *Nigella sativa* Linn. Against Breast Cancer Cells. *Journal of Medicinal Food*, **16**: 1121–1130.
- Bailey-downs, L.C., Thorpe, J.E., Disch, B.C., Bastian, A., Hauser, P.J., Farasyn, T., dkk., 2014. Development and Characterization of a Preclinical Model of Breast Cancer Lung Micrometastatic to Macrometastatic Progression. *PloS one*, **9**: 1–12.
- Bandyopadhyay, A., Wang, L., Agyin, J., Tang, Y., Lin, S., Yeh, I.T., dkk., 2010. Doxorubicin in combination with a small TGF β inhibitor: A potential novel therapy for metastatic breast cancer in mouse models. *PLoS ONE*, **5**: e10365 .
- Banyard, J. dan Bielenberg, D.R., 2015. The role of EMT and MET in cancer dissemination. *Connective Tissue Research*, **56**: 403–413.
- Benkaci-Ali, F., Baaliouamer, A., Meklati, B.Y., dan Chemat, F., 2007. Chemical composition of seed essential oils from Algerian *Nigella sativa* extracted by microwave and hydrodistillation. *Flavour And Fragrance Journal*, **22**: 148–153.
- Bond, M., Chase, A.J., Baker, A.H., dan Newby, A.C., 2001. Inhibition of transcription factor NF- κ B reduces matrix metalloproteinase-1, -3 and -9 production by vascular smooth muscle cells. *Cardiovascular Research*, **50**: 556–565.
- Botnick, I., Xue, W., Bar, E., Ibdah, M., Schwartz, A., Joel, D.M., dkk., 2012. Distribution of primary and specialized metabolites in *Nigella sativa* seeds, a spice with vast traditional and historical uses. *Molecules*, **17**: 10159–10177.
- Bourgou, S., Pichette, A., Marzouk, B., dan Legault, J., 2010. Bioactivities of black cumin essential oil and its main terpenes from Tunisia. *South African Journal of Botany*, **76**: 210–216.
- Bourgou, S., Pichette, A., Marzouk, B., dan Legault, J., 2012. Antioxidant, anti-inflammatory, anticancer and antibacterial activities of extracts from *nigella sativa* (black cumin) plant parts. *Journal of Food Biochemistry*, **36**: 539–546.
- Burits, M. dan Bucar, F., 2000. Antioxidant activity of *Nigella sativa* essential oil. *Phytotherapy Research*, **14**: 323–328.
- Bustamam, M.S.A., Hadithon, K.A., Mediani, A., Abas, F., Rukayadi, Y., Lajis, N., dkk., 2017. Stability Study of Algerian *Nigella sativa* Seeds Stored under Different Conditions. *Journal of Analytical Methods in Chemistry*, **2017**: 1–12.
- Camacho, R., Sepúlveda, C., Neves, D., Piñeros, M., Villanueva, M., Dangou, J.M., dkk., 2015. Cancer control capacity in 50 low- and middle-income countries. *Global Public Health*, **10**: 1017–1031.
- Cavallaro, U. dan Christofori, G., 2004. Cell adhesion and signalling by cadherins and Ig-CAMs in cancer. *Nature Reviews Cancer*, **4**: 118–132.
- Cheang, M.C.U., Voduc, D., Bajdik, C., Leung, S., McKinney, S., Chia, S.K., dkk., 2008. Basal-like breast cancer defined by five biomarkers has superior prognostic value than triple-negative phenotype. *Clinical Cancer Research*, **14**: 1368–1376.

- Chen, S., Chen, X., Li, W., Shan, T., Lin, W.R., Ma, J., dkk., 2018. Conversion of epithelial-to-mesenchymal transition to mesenchymal-to-epithelial transition is mediated by oxygen concentration in pancreatic cancer cells. *Oncology Letters*, **15**: 7144–7152.
- Clark, A.G. dan Vignjevic, D.M., 2015. Modes of cancer cell invasion and the role of the microenvironment. *Current Opinion in Cell Biology*, **36**: 13–22.
- Darakhshan, S., Bidmeshki Pour, A., Hosseinzadeh Colagar, A., dan Sisakhtnezhad, S., 2015. Thymoquinone and its therapeutic potentials. *Pharmacological Research*, **95–96**: 138–158.
- Davies, K.J., 2014. The Complex Interaction of Matrix Metalloproteinases in the Migration of Cancer Cells through Breast Tissue Stroma. *International Journal of Breast Cancer*, **2014**: 1–5.
- De Angelis, P.M., Svendsrud, D.H., Kravik, K.L., dan Stokke, T., 2006. Cellular response to 5-fluorouracil (5-FU) in 5-FU-resistant colon cancer cell lines during treatment and recovery. *Molecular Cancer*, **5**: 1–25.
- Dexter, D.L., Kowalski, H.M., Blazar, B.A., Fligiel, Z., Vogel, R., dan Happner, G.H., 1978. Heterogeneity of Tumor Cells from a Single Mouse Mammary Tumor. *Cancer research*, **38**: 3174–3181.
- Dilshad, A., Abulkhair, O., Nemenqani, D., dan Tamimi, W., 2012. Antiproliferative Properties of Methanolic Extract of *Nigella sativa* against the MDA-MB-231 Cancer Cell Line. *Asian Pacific Journal of Cancer Prevention*, **13**: 5839–5842.
- Duran, N., Gulbol, D.G., Durmuş, E.A., Kaya, M.G.A., dan Mert, A., 2016. In vitro cytotoxic activity of *nigella sativa* l. on human malignant melanoma cell lines. *ICAMS 2016–6 the International Conference on Advanced Materials and Systems*: 251–256.
- Edris, A.E., 2010. Evaluation of the volatile oils from different local cultivars of *nigella sativa* L. Grown in Egypt with emphasis on the effect of extraction method on thymoquinone. *Journal of Essential Oil-Bearing Plants*, **13**: 154–164.
- Effenberger-Neidnicht, K. dan Schobert, R., 2011. Combinatorial effects of thymoquinone on the anti-cancer activity of doxorubicin. *Cancer Chemotherapy and Pharmacology*, **67**: 867–874.
- El-Mahdy, M.A., Zhu, Q., Wang, Q.E., Wani, G., dan Wani, A.A., 2005. Thymoquinone induces apoptosis through activation of caspase-8 and mitochondrial events in p53-null myeloblastic leukemia HL-60 cells. *International Journal of Cancer*, **117**: 409–417.
- Elkady, A.I., Hussein, R.A., dan El-Assouli, S.M., 2015. Mechanism of action of *Nigella sativa* on human colon cancer cells: The suppression of AP-1 and NF- κ B transcription factors and the induction of cytoprotective genes. *Asian Pacific Journal of Cancer Prevention*, **16**: 7943–7957.
- Enomoto, S., Asano, R., Iwahori, Y., Narui, T., Okada, Y., Singab, A.N.B., dkk., 2001. Hematological Studies on Black Cumin Oil from the Seeds of *Nigella sativa* L. **24**: 307–310.
- Ermumucu, K.M.Ş. dan Şanlıer, N., 2017. Black Cumin (*Nigella sativa*) and Its Active Component of Thymoquinone: Effects on Health. *Journal of Food and Health Science*, **3**: 170–183.
- Ertanto, Y., Utomo, R.Y., Jenie, R.I., Susidarti, R.A., dan Meiyanto, E., 2019. Anti-

- metastatic effect of curcumin analog pentagamaboronon-0-fructose (PGB-0-F) against 4T1 breast cancer cells. *Indonesian Journal of Biotechnology*, **23**: 109.
- Fadliyah, H., Putri, N.B., Walidah, Z., dan Nurhayati, I.P., 2018. Anti-metastatic Profiles of Boesenbergia pandurata towards MCF-7 / HER2 Cells. *Indones. J. Cancer Chemoprevent*, **9**: 68–77.
- Ferrari-Amorotti, G., Chiodoni, C., Shen, F., Cattelani, S., Soliera, A.R., Manzotti, G., dkk., 2014. Suppression of Invasion and Metastasis of Triple-Negative Breast Cancer Lines by Pharmacological or Genetic Inhibition of Slug Activity. *Neoplasia*, **16**: 1047–1058.
- Friedl, P. dan Gilmour, D., 2009. Collective cell migration in morphogenesis, regeneration and cancer. *Nature reviews. Molecular cell biology*, **10**: 445–57.
- Friedl, P. dan Wolf, K., 2010. Plasticity of cell migration: A multiscale tuning model. *Journal of Cell Biology*, **188**: 11–19.
- Gali-Muhtasib, H., Diab-Assaf, M., Boltze, C., Al-Hmaira, J., Hartig, R., Roessner, A., dkk., 2004. Thymoquinone extracted from black seed triggers apoptotic cell death in human colorectal cancer cells via a p53-dependent mechanism. *International journal of oncology*, **25**: 857–866.
- Gali-Muhtasib, H.U., Abou Kheir, W.G., Kheir, L.A., Darwiche, N., dan Crooks, P.A., 2004. Molecular pathway for thymoquinone-induced cell-cycle arrest and apoptosis in neoplastic keratinocytes. *Anti-Cancer Drugs*, **15**: 389–399.
- Gialeli, C., Theocharis, A.D., dan Karamanos, N.K., 2011. Roles of matrix metalloproteinases in cancer progression and their pharmacological targeting. *FEBS Journal*, **278**: 16–27.
- Giuseppina, B., Paola, R., dan Agnese, M., 2010. Molecular aspects of tumor cell migration and invasion. *Ann Ist super sAnItà*, **40**: 66–80.
- Gouinguéné, S.P. dan Turlings, T.C.J., 2002. The Effects of Abiotic Factors on Induced Volatile Emissions in Corn Plants. *Plant Physiology*, **129**: 1297–1307.
- Gutschner, T. dan Diederichs, S., 2012. The hallmarks of cancer: A long non-coding RNA point of view. *RNA Biology*, **9**: 703–709.
- Hanahan, D. dan Robert A., W., 2000. The Hallmarks of Cancer. *cell*, **100**: 57–70.
- Handayani, S., Susidarti, R.A., Udin, Z., Meiyanto, E., dan Jenie, R.I., 2017. Brazilein in Combination with Cisplatin Inhibit Proliferation and Migration on Highly Metastatic Cancer Cells, 4T1. *Indonesian Journal of Biotechnology*, **21**: 38–47.
- Harzallah, H.J., Kouidhi, B., Flamini, G., Bakhrouf, A., dan Mahjoub, T., 2011. Chemical composition, antimicrobial potential against cariogenic bacteria and cytotoxic activity of Tunisian *Nigella sativa* essential oil and thymoquinone. *Food Chemistry*, **129**: 1469–1474.
- Holliday, D.L. dan Speirs, V., 2011. Choosing correct breast cancer cell line. *Breast cancer research*, **13**: 1–7.
- Hudis, C.A. dan Gianni, L., 2011. Triple-Negative Breast Cancer: An Unmet Medical Need. *The Oncologist*, **16**: 1–11.
- Jabłońska-Trypuć, A., Matejczyk, M., dan Rosochacki, S., 2016. Matrix metalloproteinases (MMPs), the main extracellular matrix (ECM) enzymes in collagen degradation, as a target for anticancer drugs. *Journal of Enzyme Inhibition and Medicinal Chemistry*, **31**: 177–183.

- Jie, X.-X., Zhang, X.-Y., dan Xu, C.-J., 2017. Epithelial-to-mesenchymal transition, circulating tumor cells and cancer metastasis: Mechanisms and clinical applications. *Oncotarget*, **8**: 81558–81571.
- Kao, J., Salari, K., Bocanegra, M., Choi, Y. La, Girard, L., Gandhi, J., dkk., 2009. Molecular profiling of breast cancer cell lines defines relevant tumor models and provides a resource for cancer gene discovery. *PLoS ONE*, **4**: 1–16.
- Kaskoos, R.A., 2011. Fatty acid composition of black cumin oil from Iraq. *Res J Med Plant*, **5**: 85–89.
- Kaur, P., Nagaraja, G.M., Zheng, H., Gizachew, D., Galukande, M., Krishnan, S., dkk., 2012. A mouse model for triple-negative breast cancer tumor-initiating cells (TNBC-TICs) exhibits similar aggressive phenotype to the human disease. *BMC Cancer*, **12**: 1–12.
- Kesen, S., Amanpour, A., Tsouli Sarhir, S., Sevindik, O., Guclu, G., Kelebek, H., dkk., 2018. Characterization of Aroma-Active Compounds in Seed Extract of Black Cumin (*Nigella sativa* L.) by Aroma Extract Dilution Analysis. *Foods*, **7**: 98.
- Khan, F., Kalamegam, G., Gari, M., Abuzenadah, A., Chaudhary, A., Al Qahtani, M., dkk., 2014. Evaluation of the effect of *Nigella sativa* extract on human hepatocellular adenocarcinoma cell line (HepG2) in vitro. *BMC Genomics*, **15**: P63.
- Khan, M.A., Chen, H.C., Tania, M., dan Zhang, D.Z., 2011. Anticancer activities of *Nigella sativa* (Black Cumin). *African Journal of Traditional, Complementary and Alternative Medicines*, **8**: 226–232.
- Khan, M.A., Tania, M., Wei, C., Mei, Z., Fu, S., Cheng, J., dkk., 2015. Thymoquinone inhibits cancer metastasis by downregulating TWIST1 expression to reduce epithelial to mesenchymal transition. *Oncotarget*, **6**: 19580–591.
- Kokoska, L., Havlik, J., Valterova, I., Sovova, H., Sajfrtova, M., dan Jankovska, I., 2008. Comparison of Chemical Composition and Antibacterial Activity of *Nigella sativa* Seed Essential Oils Obtained by Different Extraction Methods. *Journal of Food Protection*, **71**: 2475–2480.
- Kolli-Bouhafs, K., Boukhari, A., Abusnina, A., Velot, E., Gies, J.P., Lugnier, C., dkk., 2012. Thymoquinone reduces migration and invasion of human glioblastoma cells associated with FAK, MMP-2 and MMP-9 down-regulation. *Investigational New Drugs*, **30**: 2121–2131.
- Larasati, Y.A., Yoneda-Kato, N., Nakamae, I., Yokoyama, T., Meiyanto, E., dan Kato, J.Y., 2018. Curcumin targets multiple enzymes involved in the ROS metabolic pathway to suppress tumor cell growth. *Scientific Reports*, **8**: 1–13.
- Leila, J., Hosein, G., Reyhaneh, S., Hanieh, R., Jila, N., Hajar, H., dkk., 2016. Cytotoxic effects of some common organic solvents on MCF-7, RAW-264.7 and human umbilical vein endothelial cells. *Avicenna Journal of Medical Biochemistry*, **4**: 10–33453.
- Lestari, B., Muntafiah, L., Walidah, Z., dan Jenie, R.I., 2017. A Comparison of Antimetastatic Activity between *Nerium indicum* and *Cinnamomum burmannii* on 4T1 Cells. *Indones. J. Cancer Chemoprevent*, **8**: 83–89.
- Li, J., Liu, C., dan Sato, T., 2016. Novel Antitumor Invasive Actions of *p*-Cymene by Decreasing MMP-9/TIMP-1 Expression Ratio in Human Fibrosarcoma HT-1080 Cells. *Biological & Pharmaceutical Bulletin* *Biological and*

Pharmaceutical Bulletin, **39**: 1247–1253.

- Luo, A., Wu, F., Han, R., Huang, S., Zhang, Y., Jing, X., dkk., 2017. Clinicopathological Feature and Prosnotic Evaluation on Bone Metastasis in Triple Negative Breast Cancer. *Journal of Cancer Research and Therapeutics*, **13**: 778.
- Machmudah, S. dan Shiramizu, Y., 2005. Extraction of *Nigella sativa* L. using Supercritical CO₂: A Study of Antioxidant Activity of the Extract. *Separation Science and Technology*, **40**: 1267–1275.
- Mahmoudvand, H., Sepahvand, A., Jahanbakhsh, S., Ezatpour, B., dan Ayatollahi Mousavi, S.A., 2014. Evaluation of antifungal activities of the essential oil and various extracts of *Nigella sativa* and its main component, thymoquinone against pathogenic dermatophyte strains. *Journal de Mycologie Medicale*, **24**: e155–e161.
- Marchese, A., Arciola, C.R., Barbieri, R., Silva, A.S., Nabavi, S.F., Sokeng, A.J.T., dkk., 2017. Update on monoterpenes as antimicrobial agents: A particular focus on p-cymene. *Materials*, **10**: 1–15.
- Mehner, C., Hockla, A., Miller, E., Ran, S., Radisky, D.C., dan Radisky, E.S., 2015. Tumor cell-produced matrix metalloproteinase 9 (MMP-9) drives malignant progression and metastasis of basal-like triple negative breast cancer. *Oncotarget*, **5**: 2736–2749.
- Mosmann, T., 1983. Rapid colorimetric assay for cellular growth and survival: Application to proliferation and cytotoxicity assays. *Journal of Immunological Methods*, **65**: 55–63.
- Murthy, C.N.K., Jayaprakasha, G.K., dan Patil, B.S., 2012. D-limonene rich volatile oil from blood oranges inhibits angiogenesis, metastasis and cell death in human colon cancer cells. *Life Sciences*, **91**: 429–439.
- Nourafcan, H., Khaligi, A., dan Mousavi, A., 2014. Effects of different distillation methods on essential oil content and composition of *Lippiacitriodora* H. B. K. *Journal of Biodiversity and Environmental Sciences*, **5**: 115–122.
- Novitasari, D., Handayani, S., dan Jenie, R.I., 2018. Ethanolic Extract of *Hedyotis corymbosa* L. Inhibits Migration and MMP-9 Activity on Metastatic Breast Cancer Cells. *Indonesian Journal of Cancer Chemoprevention*, **9**: 16–22.
- Ormeño, E. dan Fernandez, C., 2012. Effect of Soil Nutrient on Production and Diversity of Volatile Terpenoids from Plants. *Current Bioactive Compounds*, **8**: 71–79.
- Padhye, S., Banerjee, S., Ahmad, A., Mohammad, R., dan Sarkar F, H., 2008. From here to eternity - the secret of Pharaohs: Therapeutic potential of black cumin seeds and beyond. *Cancer Ther*, **22**: 495–510.
- Paňková, K., Rösel, D., Novotný, M., dan Brábek, J., 2010. The molecular mechanisms of transition between mesenchymal and amoeboid invasiveness in tumor cells. *Cellular and Molecular Life Sciences*, **67**: 63–71.
- Parri, M. dan Chiarugi, P., 2010. Rac and Rho GTPases in cancer cell motility control. *Cell Communication and Signaling*, **8**: 1–14.
- Prayong, P., Barusrux, S., dan Weerapreeyakul, N., 2008. Cytotoxic activity screening of some indigenous Thai plants. *Fitoterapia*, **79**: 598–601.
- Pulaski, B.A. dan Ostrand-Rosenburg, S., 2000. Mouse 4T1 Breast Tumor Model. *Current protocols in immunology*, **39**: 2–20.
- Radisky, E.S. dan Radisky, D.C., 2010. Matrix metalloproteinase-induced

- epithelial-mesenchymal transition in breast cancer. *Journal of Mammary Gland Biology and Neoplasia*, **15**: 201–212.
- Ramadani, R.D., 2018. 'Potensi Senyawa Analog Kurkumin PGB-0-So (Pentagamaboronon-0- Sorbitol) Dalam Penghambatan Proliferasi dan Migrasi Sel Kanker Payudara Triple Negative 4T1':1-110 .
- Ramadani, R.D., Utomo, R.Y., Hermawan, A., dan Meiyanto, E., 2018. Curcumin Analog Pentagamaboronon-0-Sorbitol Inhibits Cell Migration Activity of Triple Negative Breast Cancer Cell Line. *Indonesian Journal of Cancer Chemoprevention*, **9**: 126-133.
- Randhawa, M.A. dan Alghamdi, M.S., 2011. Anticancer Activity of *Nigella sativa* (Black Seed) — A Review. *The American Journal of Chinese Medicine*, **39**: 1075–1091.
- Redig, A.J. dan Mcallister, S.S., 2013. Breast cancer as a systemic disease: A view of metastasis. *Journal of Internal Medicine*, **274**: 113–126.
- Rodríguez, A., Andrés, V.S., Cervera, M., Redondo, A., Alquézar, B., Shimada, T., dkk., 2011. The monoterpene limonene in orange peels attracts pests and microorganisms. *Plant Signaling and Behavior*, **6**: 1820–1823.
- Rooney, S. dan Ryan, M.F., 2005. Effects of alpha-hederin and thymoquinone, constituents of *Nigella sativa*, on human cancer cell lines. *Anticancer Research*, **25**: 2199–2204.
- Roy, R., Yang, J., dan Moses, M.A., 2009. Matrix metalloproteinases as novel biomarkers and potential therapeutic targets in human cancer. *Journal of Clinical Oncology*, **27**: 5287–5297.
- Rutala, W.A. dan Weber, D.J., 2010. Guideline for disinfection and sterilization of prion-contaminated medical instruments. *Infection Control & Hospital Epidemiology*, **31**: 107–117.
- Salem, M.L., 2005. Immunomodulatory and therapeutic properties of the *Nigella sativa* L. seed. *International Immunopharmacology*, **5**: 1749–1770.
- Salim, L.Z.A., Mohan, S., Othman, R., Abdelwahab, S.I., Kamalidehghan, B., Sheikh, B.Y., dkk., 2013. Thymoquinone induces mitochondria-mediated apoptosis in acute lymphoblastic leukaemia in vitro. *Molecules*, **18**: 11219–11240.
- Sasidharan, S., Chen, Y., Saravanan, D., Sundram, K.M., dan Latha, L.Y., 2011. Extraction, Isolation and Characterization of Bioactive Compounds From plants' Extracts. *Afr J Tradit Complement Altern Med.*, **8**: 93–130.
- Scully, O.J., Bay, B.-H., Yip, G., dan Yu, Y., 2012. Breast cancer metastasis. *Cancer genomics & proteomics*, **9**: 311–20.
- Shafei, A., El-Bakly, W., Sobhy, A., Wagdy, O., Reda, A., Aboelenin, O., dkk., 2017. A review on the efficacy and toxicity of different doxorubicin nanoparticles for targeted therapy in metastatic breast cancer. *Biomedicine and Pharmacotherapy*, **95**: 1209–1218.
- Shanmugam, M.K., Ahn, K.S., Hsu, A., Woo, C.C., Yuan, Y., Tan, K.H.B., dkk., 2018. Thymoquinone Inhibits Bone Metastasis of Breast Cancer Cells Through Abrogation of the CXCR4 Signaling Axis. *Frontiers in Pharmacology*, **9**: 1–15.
- Singh, G., Marimuthu, P., De Heluani, C.S., dan Catalan, C., 2005. Chemical constituents and antimicrobial and antioxidant potentials of essential oil and acetone extract of *Nigella sativa* seeds. *Journal of the Science of Food and*

Agriculture, **85**: 2297–2306.

- Škovierová, H., Okajčková, T., Strnád, J., Vidomanová, E., dan Halašová, E., 2018. Molecular regulation of epithelial-to-mesenchymal transition in tumorigenesis (Review). *International Journal of Molecular Medicine*, **41**: 1187–1200.
- Son, H. dan Moon, A., 2013. Epithelial-mesenchymal transition and cell invasion. *Toxicological Research*, **26**: 245–252.
- Stone, V., Johnston, H., dan Schins, R.P.F., 2009. Development of in vitro systems for nanotoxicology: Methodological considerations in vitro methods for nanotoxicology Vicki Stone et al. *Critical Reviews in Toxicology*, **39**: 613–626.
- Sultana, S., Asif, H.M., Akhtar, N., Iqbal, A., Nazar, H., dan Rehman, R.U., 2015. *Nigella sativa*: Monograph. *Journal of Pharmacognosy and Phytochemistry*, **4**: 103–106.
- Sunarpi, H., Sunarwidhi, E., Ariyana, M., Nikmatulla, A., Zulkifli, L., Yoshie, S., dkk., 2018. Cytotoxicity and Antiproliferative Activity of Indonesian Red Algae *Acanthophora muscoides* Crude Ethanol Extracts. *Journal of Biological Sciences*, **18**: 425–433.
- Swamy, S.M.K. dan Tan, B.K.H., 2000. Cytotoxic and immunopotentiating effects of ethanolic extract of *Nigella sativa* L. seeds. *Journal of Ethnopharmacology*, **70**: 1–7.
- Sztalmachova, M., Gumulec, J., Raudenska, M., Polanska, H., Holubova, M., Balvan, J., dkk., 2015. Molecular response of 4T1-induced mouse mammary tumours and healthy tissues to zinc treatment. *International Journal of Oncology*, **46**: 1810–1818.
- Tao, K., Fang, M., Alroy, J., dan Sahagian, G.G., 2008. Imagable 4T1 model for the study of late stage breast cancer. *BMC Cancer*, **8**: 1–19.
- Tembhurne, S. V., Feroz, S., More, B.H., dan Sakarkar, D.M., 2014. A review on therapeutic potential of *Nigella sativa* (kalonji) seeds **8**: 167–177.
- Toma, C., Simu, G.M., Olah, N., dan Georgiana, F.M., 2010. Chemical Composition of The Tunisian *Nigella Sativa*. Note I. Profile On Essential Oil. *Farmacia*, **58**: 458–464.
- Torre, L.A., Siegel, R.L., Ward, E.M., dan Jemal, A., 2016. Global cancer incidence and mortality rates and trends - An update. *Cancer Epidemiology Biomarkers and Prevention*, **25**: 16–27.
- Van Zijl, F., Krupitza, G., dan Mikulits, W., 2011. Initial steps of metastasis: Cell invasion and endothelial transmigration. *Mutation Research - Reviews in Mutation Research*, **728**: 23–34.
- Wakharde, A., Awad, A., Bhagat, A., dan Karuppayil, S., 2018. Synergistic Activation of Doxorubicin against Cancer : A Review. *American Journal of Clinical Microbiology and Antimicrobials*, **1**: 1–6.
- Wang, Y. dan Zhou, B.P., 2013. Epithelial-Mesenchymal Transition—A Hallmark of Breast Cancer Metastasis. *Cancer Hallmarks*, **1**: 38–49.
- Webb, A.H., Gao, B.T., Goldsmith, Z.K., Irvine, A.S., Saleh, N., Lee, R.P., dkk., 2017. Inhibition of MMP-2 and MMP-9 decreases cellular migration, and angiogenesis in in vitro models of retinoblastoma. *BMC Cancer*, **17**: 1–11.
- Wheelock, M.J., Shintani, Y., Maeda, M., Fukumoto, Y., dan Johnson, K.R., 2008. Cadherin switching. *Journal of Cell Science*, **121**: 727–735.

- WHO, 2018. Latest Global Cancer Data, 2018 13–15.
- Woo, C.C., Kumar, A.P., Sethi, G., dan Tan, K.H.B., 2012. Thymoquinone: Potential cure for inflammatory disorders and cancer. *Biochemical Pharmacology*, **83**: 443–451.
- Wu, T., Cheng, B., dan Fu, L., 2017. Clinical Applications of Circulating Tumor Cells in Pharmacotherapy: Challenges and Perspectives. *Molecular pharmacology*, **92**: 232–239.
- Yang, J., Kuang, X. ru, Lv, P. tian, dan Yan, X. xin, 2014. Thymoquinone inhibits proliferation and invasion of human nonsmall-cell lung cancer cells via ERK pathway. *Tumor Biology*, **36**: 259–269.
- Yersal, O. dan Barutca, S., 2014. Biological subtypes of breast cancer: Prognostic and therapeutic implications. *Colombia Medica*, **5**: 412–424.
- Yi, T., Cho, S.-G., Yi, Z., Pang, X., Rodriguez, M., Wang, Y., dkk., 2008. Thymoquinone inhibits tumor angiogenesis and tumor growth through suppressing AKT and extracellular signal-regulated kinase signaling pathways. *Molecular Cancer Therapeutics*, **7**: 1789–1796.
- Yilmaz, M. dan Christofori, G., 2010. Mechanisms of Motility in Metastasizing Cells. *Molecular Cancer Research*, **8**: 629–642.
- Yusufi, M., Banerjee, S., Mohammad, M., Khatal, S., Venkateswara Swamy, K., Khan, E.M., dkk., 2013. Synthesis, characterization and anti-tumor activity of novel thymoquinone analogs against pancreatic cancer. *Bioorganic and Medicinal Chemistry Letters*, **23**: 3101–3104.
- Zhang, Y., Fan, Y., Huang, S., Wang, G., Han, R., Lei, F., dkk., 2018. Thymoquinone inhibits the metastasis of renal cell cancer cells by inducing autophagy via AMPK/mTOR signaling pathway. *Cancer Science*, **109**: 3865–3873.