

BIBLIOGRAPHY

- Ahmad, H.S., Ismail, H., Rashid, A.A., 2016. Tensile Properties and Morphology of Epoxidized Natural Rubber/Recycled Acrylonitrile-Butadiene Rubber (ENR 50/NBRr) Blends. *Procedia Chemistry* 19, 359–365. <https://doi.org/10.1016/j.proche.2016.03.024>
- Auras, R.A., Harte, B., Selke, S., Hernandez, R., 2003. Mechanical, Physical, and Barrier Properties of Poly(Lactide) Films. *Journal of Plastic Film & Sheeting* 19, 123–135. <https://doi.org/10.1177/8756087903039702>
- Bitinis, N., Verdejo, R., Cassagnau, P., Lopez-Manchado, M.A., 2011. Structure and properties of polylactide/natural rubber blends. *Materials Chemistry and Physics* 129, 823–831. <https://doi.org/10.1016/j.matchemphys.2011.05.016>
- Bocz, K., Tabi, T., Vadas, D., Sauceau, M., Fages, J., Marosi, G., 2016. Characterisation of natural fibre reinforced PLA foams prepared by supercritical CO₂ assisted extrusion. *Express Polymer Letters* 10, 771–779. <https://doi.org/10.3144/expresspolymlett.2016.71>
- Charoeythornkhajhornchai, P., Samthong, C., Boonkerd, K., Somwangthanoj, A., 2017. Effect of azodicarbonamide on microstructure, cure kinetics and physical properties of natural rubber foam. *Journal of Cellular Plastics* 53, 287–303. <https://doi.org/10.1177/0021955X16652101>
- Cheng, Y., Deng, S., Chen, P., Ruan, R., 2009. Polylactic acid (PLA) synthesis and modifications: a review. *Frontiers of Chemistry in China* 4, 259–264. <https://doi.org/10.1007/s11458-009-0092-x>
- Coltro, L., Borghetti, J., 2007. Plastic packages for personal care products: evaluation of light barrier properties. *Polímeros* 17, 56–61. <https://doi.org/10.1590/S0104-14282007000100013>
- Davies, C.K.L., Wolfe, S.V., Gelling, I.R., Thomas, A.G., 1983. Strain crystallization in random copolymers produced by epoxidation of cis 1,4-polyisoprene. *Polymer* 24, 107–113. [https://doi.org/10.1016/0032-3861\(83\)90090-3](https://doi.org/10.1016/0032-3861(83)90090-3)
- Demir, H., Sipahioğlu, M., Balköse, D., Ülkü, S., 2008. Effect of additives on flexible PVC foam formation. *Journal of Materials Processing Technology* 195, 144–153. <https://doi.org/10.1016/j.jmatprotec.2007.04.123>
- Di Lorenzo, M.L., 2005. Crystallization behavior of poly(l-lactic acid). *European Polymer Journal* 41, 569–575. <https://doi.org/10.1016/j.eurpolymj.2004.10.020>
- Domenek, S., Courgneau, C., Ducruet, V., 2011. Characteristics and Applications of Poly(lactide), in: Kalia, S., Avérous, L. (Eds.), *Biopolymers*. John Wiley & Sons, Inc., Hoboken, NJ, USA, pp. 183–223. <https://doi.org/10.1002/9781118164792.ch8>
- Ebnesajjad, S. (Ed.), 2013. *Handbook of biopolymers and biodegradable plastics: properties, processing and applications*, PDL handbook series. Elsevier/William Andrew, Oxford; Waltham, MA.
- Farah, S., Anderson, D.G., Langer, R., 2016. Physical and mechanical properties of PLA, and their functions in widespread applications — A comprehensive review. *Advanced Drug Delivery Reviews* 107, 367–392. <https://doi.org/10.1016/j.addr.2016.06.012>
- Gelling, I.R., Morrison, N.J., 1985. Sulfur Vulcanization and Oxidative Aging of Epoxidized Natural Rubber. *Rubber Chemistry and Technology* 58, 243–257. <https://doi.org/10.5254/1.3536063>
- Gupta, B., Revagade, N., Hilborn, J., 2007. Poly(lactic acid) fiber: An overview. *Progress in Polymer Science* 32, 455–482. <https://doi.org/10.1016/j.progpolymsci.2007.01.005>

- Jaratrotkamjorn, R., Khaokong, C., Tanrattanakul, V., 2012. Toughness enhancement of poly(lactic acid) by melt blending with natural rubber. *Journal of Applied Polymer Science* n/a-n/a. <https://doi.org/10.1002/app.35617>
- Jones, K.C., 2013. Blends of natural rubber: novel techniques for blending with specialty polymers. Springer, Place of publication not identified.
- Kaisone, T., Harnkarnsujarit, N., Leejarkpai, T., Nampitch, T., 2016. Mechanical and Thermal Properties of Toughened PLA Composite Foams with Modified Coconut Fiber. *Applied Mechanics and Materials* 851, 179–185. <https://doi.org/10.4028/www.scientific.net/AMM.851.179>
- Khan, B., Bilal Khan Niazi, M., Samin, G., Jahan, Z., 2017. Thermoplastic Starch: A Possible Biodegradable Food Packaging Material-A Review: THERMOPLASTIC STARCH. *Journal of Food Process Engineering* 40, e12447. <https://doi.org/10.1111/jfpe.12447>
- Lasprilla, A.J.R., Martinez, G.A.R., Lunelli, B.H., Jardini, A.L., Filho, R.M., 2012. Poly-lactic acid synthesis for application in biomedical devices — A review. *Biotechnology Advances* 30, 321–328. <https://doi.org/10.1016/j.biotechadv.2011.06.019>
- Lee, Sangmook, and Lee, Jae Wok. 2005. “Characterization and Processing of Biodegradable Polymer Blends of Poly(Lactic Acid) with Poly(Butylene Succinate Adipate).” *Korea-Australia Rheology Journal* 17 (2): 71–77.
- Lehermeier, H.J., Dorgan, J.R., Way, J.D., 2001. Gas permeation properties of poly(lactic acid). *Journal of Membrane Science* 190, 243–251. [https://doi.org/10.1016/S0376-7388\(01\)00446-X](https://doi.org/10.1016/S0376-7388(01)00446-X)
- Li, Y.G., Park, C.B., Li, H.B., Wang, J., 2008. Measurement of the PVT property of PP/CO2 solution. *Fluid Phase Equilibria* 270.
- Luo, Y., Zhang, J., Qi, R., Lu, J., Hu, X., Jiang, P., 2013. Polylactide foams prepared by a traditional chemical compression-molding method. *Journal of Applied Polymer Science* 130, 330–337. <https://doi.org/10.1002/app.39023>
- Majid, I., Thakur, M., Nanda, V., 2018. Biodegradable Packaging Materials, in: Reference Module in Materials Science and Materials Engineering. Elsevier. <https://doi.org/10.1016/B978-0-12-803581-8.10356-X>
- Nofar, M., Park, C.B., 2018. Introduction to Polylactide and Polylactide Foaming, in: Polylactide Foams. Elsevier, pp. 17–34. <https://doi.org/10.1016/B978-0-12-813991-2.00002-0>
- Nofar, M., Tabatabaei, A., Sojoudiasli, H., Park, C.B., Carreau, P.J., Heuzey, M.-C., Kamal, M.R., 2017. Mechanical and bead foaming behavior of PLA-PBAT and PLA-PBSA blends with different morphologies. *European Polymer Journal* 90, 231–244. <https://doi.org/10.1016/j.eurpolymj.2017.03.031>
- Park, E.-S., Cho, H.-C., Kim, M.-N., Yoon, J.-S., 2003. Chain extension and mechanical properties of unsaturated aliphatic copolyesters based on poly(L-lactic acid). *Journal of Applied Polymer Science* 90, 1802–1807. <https://doi.org/10.1002/app.12814>
- Pawar, P., Bala, R., Khanna, S., 2013. Formulation and optimization of fast dissolving intraoral drug delivery system for clobazam using response surface methodology. *Journal of Advanced Pharmaceutical Technology & Research* 4, 151. <https://doi.org/10.4103/2231-4040.116785>
- Phiriyawirut, M., Luamlam, S., 2013. Improved Automotive Fuel Resistance of Natural Rubber/Chlorosulfonated Polyethylene Blends by Blending Epoxidized Natural Polymer. *Open Journal of Organic Polymer Materials* 03, 104–109. <https://doi.org/10.4236/ojopm.2013.34017>

- Ramesh, N.S., A. Victoria Nawaby, Nilesh Amrutiya, 2011. Polylactic Acid Foam Composition. United States Patent Application Publication.
- Rudnik, E., 2008. Compostable polymer materials — definitions, structures and methods of preparation, in: *Compostable Polymer Materials*. Elsevier, pp. 10–36. <https://doi.org/10.1016/B978-008045371-2.50004-4>
- Schwach, E., Avérous, L., 2004. Starch-based biodegradable blends: morphology and interface properties: Morphology and properties of starch-based biodegradable blends. *Polymer International* 53, 2115–2124. <https://doi.org/10.1002/pi.1636>
- Shogren, R., 1997. Water vapor permeability of biodegradable polymers. *Journal of environmental polymer degradation* 5, 91–95. <https://doi.org/10.1007/BF02763592>
- Siracusa, V., Rocculi, P., Romani, S., Rosa, M.D., 2008. Biodegradable polymers for food packaging: a review. *Trends in Food Science & Technology* 19, 634–643. <https://doi.org/10.1016/j.tifs.2008.07.003>
- Södergård, A., Stolt, M., 2002. Properties of lactic acid based polymers and their correlation with composition. *Progress in Polymer Science* 27, 1123–1163. [https://doi.org/10.1016/S0079-6700\(02\)00012-6](https://doi.org/10.1016/S0079-6700(02)00012-6)
- Sorrentino, A., Gorrasi, G., Vittoria, V., 2007. Potential perspectives of bio-nanocomposites for food packaging applications. *Trends in Food Science & Technology* 18, 84–95. <https://doi.org/10.1016/j.tifs.2006.09.004>
- Su, Zhizhong, Qiuying Li, Yongjun Liu, Haiyan Xu, Weihong Guo, and Chifei Wu. 2009. “Phase Structure of Compatibilized Poly(Lactic Acid)/Linear Low-Density Polyethylene Blends.” *Journal of Macromolecular Science, Part B* 48 (4): 823–33. <https://doi.org/10.1080/00222340902956327>.
- Sun, Q., Huang, G.B., Ji, J.H., Zhang, C.A., 2011. Preparation of Poly(*Butylene succinate*)(PBS) Foaming Materials. *Advanced Materials Research* 287–290, 1805–1810. <https://doi.org/10.4028/www.scientific.net/AMR.287-290.1805>
- Tanjung, F.A., Hassan, A., Hasan, M., 2015. Use of epoxidized natural rubber as a toughening agent in plastics. *Journal of Applied Polymer Science* 132, n/a-n/a. <https://doi.org/10.1002/app.42270>
- Tsuji, H., Okino, R., Daimon, H., Fujie, K., 2006. Water vapor permeability of poly(lactide)s: Effects of molecular characteristics and crystallinity. *Journal of Applied Polymer Science* 99, 2245–2252. <https://doi.org/10.1002/app.22698>
- Verdejo, R., Mills, N., 2004. Heel–shoe interactions and the durability of EVA foam running-shoe midsoles. *Journal of Biomechanics* 37, 1379–1386. <https://doi.org/10.1016/j.jbiomech.2003.12.022>
- Weber, C.J., Food Biopack Project, 2000. Biobased packaging materials for the food industry status and perspectives: a European concerted action. KVL, Department of Dairy and Food Science, Copenhagen.
- Xie, B., Yang, M., Li, S., Li, Z., Feng, J., 2003. Studies on polyamide-6/polyolefin blend system compatibilized with epoxidized natural rubber. *Journal of Applied Polymer Science* 88, 398–403. <https://doi.org/10.1002/app.11695>
- Yamsaengsung, W., Sombatsompop, N., 2009. Effect of chemical blowing agent on cell structure and mechanical properties of EPDM foam, and peel strength and thermal conductivity of wood/NR composite–EPDM foam laminates. *Composites Part B: Engineering* 40, 594–600. <https://doi.org/10.1016/j.compositesb.2009.04.003>



UNIVERSITAS
GADJAH MADA

MORPHOLOGICAL CHARACTERIZATION AND MECHANICAL PROPERTIES OF POLY(LACTIC ACID)/EPOXIDIZED NATURAL RUBBER FOAM

OSVALDO MANUEL, Dr. Ir. Supriyadi, M. Sc. ; Asst. Prof. Ponusa Jitphuthi, Ph.D.

Universitas Gadjah Mada, 2019 | Diunduh dari <http://etd.repository.ugm.ac.id/>

- Yuan, D., Ding, J., Mou, W., Wang, Y., Chen, Y., 2017. Bio-based polylactide/epoxidized natural rubber thermoplastic vulcanizates with a co-continuous phase structure. *Polymer Testing* 64, 200–206. <https://doi.org/10.1016/j.polymertesting.2017.10.011>
- Yuan, D., Xu, C., Chen, Z., Chen, Y., 2014. Crosslinked bicontinuous biobased polylactide/natural rubber materials: Super toughness, “net-like”-structure of NR phase and excellent interfacial adhesion. *Polymer Testing* 38, 73–80. <https://doi.org/10.1016/j.polymertesting.2014.07.004>
- Zhang, J., Li, G., Su, Y., Qi, R., Ye, D., Yu, J., Huang, S., 2012. High-viscosity polylactide prepared by in situ reaction of carboxyl-ended polyester and solid epoxy. *Journal of Applied Polymer Science* 123, 2996–3006. <https://doi.org/10.1002/app.34951>
- Zhang, Y., Kontopoulou, M., Ansari, M., Hatzikiriakos, S., Park, C.B., 2011. Effect of molecular structure and rheology on the compression foam molding of ethylene- α -olefin copolymers. *Polymer Engineering & Science* 51, 1145–1154. <https://doi.org/10.1002/pen.21851>
- Zhou, J., Yao, Z., Zhou, C., Wei, D., Li, S., 2014. Mechanical properties of PLA/PBS foamed composites reinforced by organophilic montmorillonite. *Journal of Applied Polymer Science* 131, n/a-n/a. <https://doi.org/10.1002/app.40773>